PM	-	33
Plea	se r	eed instr
('		v., →

Reg # 938 6-38

8/8/97

Please read instructions on reverse before completing form.	Form Approved. OMI	B No. 2070-0060. Approval expires 05-31-		
SEPA Environmental Protection Washington, DC 204	on Agency 460 X Ott	gistration nendment her 255078		
Application	on for Pesticide - Section I			
1. Company/Product Number 9386–38	2. EPA Product Manager Swindell	3. Proposed Classification		
4. Company/Product (Name)	PM#	X None Restricted		
AMA-15	33			
5. Name and Address of Applicant Include ZIP Code)		accordance with FIFRA Section 3(c)(3)		
Vinings Industries, Inc.		or identical in composition and labeling		
2303 Cumberland Parkway	to:	and the second second		
Atlanta, GA 30339-4501	EPA Reg. No.			
Check if this is a new address	Product Name			
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.	Final printed labels in Agency letter dated "Me Too" Application. Other - Explain below.	•		
Explanation: Use additional page(s) if necessary. (For section PR Notice 95-2. This notification is EPA regulations at 40 CFR 152.46, and confidential statement of formula of the second statement of second statement of second statement of second statement of second se	consistent with the provisino other changes have been his product. I understand by false statement to EPA. the terms of PR Notice I(Section - III) may be subject under section. Water Soluble Packaging 2. Yes No No. per Package wgt Container Stall Container 5. Location	ions of PR Notice 95-2 and made to the labeling or the that it is a violation of I further understand that 95-2 & 40 CFR 152.46.this at to enforcement action & 12 & 14 of FIFRA. Type of Container Metal Plastic Glass Paper Other (Specify)		
}		On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product Lithog	graphOther r glued ciled			
L Stènc				
	Section - IV			
1. Contact Point (Complete items directly below for identification	on of individual to be contacted, if necessa	ry, to process this application.)		
Name R. V. Hinton	Regulatory Manager	Telephone No. (Include Area Code)		
Certification is certify that the statements I have made on this form and I acknowledge that any knowingly false or misleading states both under applicable law.	d all attachments thereto are true, accurate	6. Date Application and complete. Societed		
4. Typed Name R. V. Hinton	5. Date July 11, 1997	ر د د د د د د د د د د د د د د د د د د د		

AUG 0 8 1897

Vinings Industries, Inc. 2303 Cumberland Parkway Atlanta, GA. 30339-4501

Subject: AMA-15

EPA Registration No. 9386-38 Notification Per PR-Notice 95-2

Your Notification Dated July 11, 1997

Dear Mr. Hinton:

This will acknowledge receipt of your notification to add the alternate brand name "AMA-215" submitted under the provisions of FIFRA section 3(c)9. Based on a review of the submitted material, the following comments apply.

The application is acceptable and the notification has been made a part of the records for this file.

Sincerely,

Marshall Swindell

Notification Coordinator

Antimicrobial Program Branch

Antimicrobial Division (7510W)

CONCURRENCES					
SYMBOL 75/0W					
SURNAME F. LICATED					
DATE 8/6/97					
EPA Form 1320-1A (1/90)	Printed on Recycled Paper	OFFICIAL FILE COPY			

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For the control of bacteria, algae and fungi add AMA[©]-215 microbiocide to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA[©]-215 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the system).

Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA[®]-215 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA[®]-215 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS: Add to the air washer sump or chill water sump, to insure uniform mixing. 35 to 883 ppm AMA[©]-215 microbiocide (0.3 to 7.46 pounds or 4.5 to 113 fluid ounces of AM * © -215 per 1,000 gallons of water in the system) depending upon the severity of contamination to contamination to contamination and algae which cause fouling in industrial air washer system.

INTERMITTENT OR SLUG METHOD:

INITAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA[©]-215 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA[©]-215 microbiacide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the system) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD:

NITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-215 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-215 per 1,000 gallons of water in the system), SUBSEQUENT DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm AMA®-215 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-215 per 1,000 gallons of makeup water). Badly fouled systems must be cleaned before initial treatment. NOTE: For use only in industrail air washing systems that maintain effective mist eliminating components.

INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS: For the control of bacterial, algae and fungi, add AMA®-215 microbiocide in the reservoir, recirculating line or some other point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticieably fouled, apply 148 to 883 ppm AMA[©]-215 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the pem). Repeat until control is acheived.

SÜDSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA[©]-215 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

BREWERY PASTEURIZERS AND CAN WARMERS: For the control of bacteria, algae and fungi in brewery pasteurizer and can warmer systems, add AMA®-215 microbiocide at a point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-215 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-215 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA[©]-215 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA[©]-215 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AMA®-215

ANTIMICROBIAL AGENT

Active Ingredients:		
5-chloro-2-methyl-4-isothiazolin-3-one		1.11%
Inert Ingredients:	:	98,50%
TOTAL:	·	

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

If Inhaled: Remove

Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen.. Call a physician.

If on Skin:

Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.

If in Eyes:

Flush with plenty of water for at least 15 minutes, Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See Side Panel For Additional Precautionary Statements EPA REG. No. 9386-38 EPA EST, No. 9386-GA-I

MANUFACTURED BY

VININGS INDUSTRIES, INC.

PRECAUTION

HAZARDS TO HUMAN

DANGER:

CORROSIVE: Causes eye damage and skin bu May cause allergic skin reaction May be harmful if inhaled

May be Fatal if Swallowed or Absorbed throug

Do not get in eyes, on skin, on clothing. Wear Avoid breathing vapor or mist. Avoid contamn after handling.

ENVIRONMENTAL HAZARDS: This pes effluent containing this product into lakes, stra accordance with the requirements of a Natic permit and the permitting authority has been effluent containing this product to sewer s treatment plant authority. For guidance contac Do not contaminate water by cleaning of equip specified on this label.

STORAGE

PROHIBITIONS: This product is corrosive t containers. Do not contaminate food or feed by PESTICIDE DISPOSAL: Pesticide wastes pesticide, or rinsate is a violation of Federal according to label directions, contact your St. Hazardous Waste representative at the nearest E CONTAINER DISPOSAL: Metal Containers reconditioning, or puncture and dispose of in a state and local authorities. Plastic Containers reconditioning, or puncture and dispose of in a and local authorities, by burning. If burned, stay

GENERAL: Consult federal, state or local disp the event of emergency call CHEMTREC toll fre

LOT#

NET CONTE

DENSITY: 8.5 LBS/G

455

1654 West Oak Drive MARIETTA, GEORGIA 30062-2234

FOR USE

oduct in a manner inconsistent with its

LING TOWERS: For the control of bacteria, wer basin, distribution box or some other point to

apply 148 to 883 ppm AMA[®]-215 microbiocide 1[®]-215 per 1,000 gallons of water in the system).

ent, add 35 to 219 ppm AMA[©]-215 microbiocide [©]-215 per 1,000 gallons of water in the system) ed systems must be cleaned before treatment is

r sump or chill water sump, to insure uniform 3 to 7.46 pounds or 4.5 to 113 fluid ounces of depending upon the severity of contamination to industrial air washer system.

apply 148 to 883 ppm AMA®-215 microbiocide A®-215 per 1,000 gallons of water in the system).

ent, add 35 to 219 ppm AMA[®]-215 microbiocide [®]-215 per 1,000 gallons of water in the system)

apply 148 to 883 ppm AMA[®]-215 microbiocide A[®]-215 per 1,000 gallons of water in the system). by adding a continuous feed of 35 to 219 ppm 28 fluid ounces of AMA[®]-215 per 1,000 gallons ed before initial treatment. NOTE: For use only mist eliminating components.

P WATER COOLING SYSTEMS: For the nicrobiocide in the reservoir, recirculating line or

fouled, apply 148 to 883 ppm AMA[©]-215 inces of AMA[©]-215 per 1,000 gallons of water in

ent, add 35 to 219 ppm AMA[©]-215 microbiocide [©]-215 per 1,000 gallons of water in the system) ed systems must be cleaned before treatment is

RS: For the control of bacteria, algae and fungi MA[©]-215 microbiocide at a point in the system to

apply 148 to 883 ppm AMA[©]-215 microbiocide A[©]-215 per 1,000 gallons of water in the system).

ent, add 35 to 219 ppm AMA[©]-215 microbiocide [©]-215 per 1,000 gallons of water in the system) ed systems must be cleaned before treatment is

AMA[®]-215

ANTIMICROBIAL AGENT

Active Ingredients:

5-chloro-2-methyl-4-isothiazolin-3-one 1.11%
2-methyl-4-isothiazolin-3-one 0.39%
Inert Ingredients: 98,50%
TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

If Inhaled: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen.. Call a physician.

If on Skin: Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.

If in Eyes: Flush with plenty of water for at least 15 minutes, Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See Side Panel For Additional Precautionary Statements
EPA REG. No. 9386-38 EPA EST. No. 9386-GA-1

MANUFACTURED BY

VININGS INDUSTRIES, INC.

1654 West Oak Drive MARIETTA, GEORGIA 30062-2234

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER:

CORROSIVE: Causes eye damage and skin burns

May cause allergic skin reaction

May be harmful if inhaled

May be Fatal if Swallowed or Absorbed through the skin.

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL:

PROHIBITIONS: This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures. In the event of emergency call CHEMTREC toll free: 800-429-9300

LOT#

NET CONTENTS 460 Pounds

DENSITY: 8.5 LBS/GAL LABEL DATE 07-01-97