

9386-38

10/04/2000

1/9



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7504C)
401 "M" St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:
☒ Registration
☒ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:
9386-38

Date of Issuance:

OCT 04 2000

Term of Issuance:

Conditional

Name of Pesticide Product:

AMA-15

Name and Address of Registrant (include ZIP Code):

Vinings Industries, Inc.
2303 Cumberland Parkway
Atlanta, GA 30339-4501

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document for Methylothiazolinone, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.

Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

2. Make the following labeling changes before you release the product for shipment:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 9386-38".
- b. Place the appropriate EPA Establishment No. on the product labeling.

Signature of Approving Official:

Marshall Swindell, Product Manager 33,
RMBI, AD

Date:

OCT 04 2000

- c. The word, PELIGRO, should be added to the product labeling, following the signal word.
- d. Change the subheading, Statement of Practical Treatment to First Aid.
- e. Revise the First Aid statements to read as follows:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

Call a poison control center or doctor for treatment advice.

IF ON SKIN OF CLOTHING:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice

Have a person sip a glass of water if able to swallow

Do not induce vomiting unless told to do so by poison control center or doctor

For additional information in case of emergency call toll free (Telephone Number).

Have the product container or label with you when calling a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

- f. Add the following statements to the, Note to Physician section to read as follows:

- technical information on symptoms,
- use of supportive treatments to maintain life functions,
- medicine that will counteract the specific physiological effects of the pesticide,
- company telephone number to specific medical personnel who can provide specialized medical treatment.

- g. Modify the Hazards to Humans and Domestic Animals section to read as follows:

DANGER PELIGRO

Corrosive. Causes irreversible eye damage or skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Remove Contaminated clothing and wash before reuse.

- h. Add a Personal Protective Equipment (PPE) section to the product labeling to read as follows:

Mixers, loaders, and others exposed to this product must wear:

- coveralls over long-sleeved shirt and long pants,
- chemical resistant gloves (such as nitrile or butyl rubber),
- socks plus chemical resistant footwear,
- goggles or face shield, and
- chemical apron.

- I. Add the following subheading and text below the Environmental Hazards section:

Physical and Chemical Hazards: This product is corrosive to carbon and mild steel

- k. Place the Storage and Disposal section directly below the misuse statement to read as follows:

Storage and Disposal

Do not contaminate **water**, food or feed by storage and disposal.

4/9

PESTICIDE STORAGE: Do not store or transport in unlined metal containers.

PESTICIDE DISPOSAL: pesticide wastes are acute hazardousat the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

METAL CONTAINERS: Triple rinse.....and local authorities.

PLASTIC CONTAINERS: Triple rinse.....stay out of smoke.

GENERAL.....APPROVED ALTERNATIVE PROCEDURES.

1. Add the subheading, General Precautions and Restrictions to the product labeling, directly below the Storage and Disposal section to read as follows:

Do not apply this product in a way that will contact workers or other persons.

- m. Place the statement, DENSITY, : 8.5 LBS/GAL, just below the ingredient statement.

3. Submit two copies of the revised final printed label for the record.

The Confidential Statement of Formula dated July 21, 1999, is acceptable.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobial Division(7505C)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

PAPER MILL SLIMICIDE: AMA®-15 is recommended for the control of bacterial and fungal slime in the production of paper.

POINT OF ADDITION: AMA®-15 should be added to a point in the system to insure uniform mixing such as the beater, hydropulper, or fan or broke storage pumps.

DOSAGE: Apply 0.44 to 1.5 lbs. (7 to 23 fluid ounces) of AMA®-15 per ton (dry basis) of pulp or paper produced as a slug dose. If needed, repeat daily. Badly fouled systems should be cleaned before initial treatment.

DISPERSED PIGMENT PRESERVATION: AMA®-15 microbicide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate, and kieselguhr used in paint and paper productions. Add 0.43 - 1.65 lbs. of AMA®-15 microbicide (195 - 750g) to each 1,000 lbs (453.Kg) of fluid to provide 425 to 1675 ppm product (6.25 to 25 ppm active isothiazolones).

COATING PRESERVATION: AMA®-15 microbicide is recommended as an in-container preservative for the control of bacteria and fungi in water-based coatings such as paper coatings. Add 0.43 - 1.65 lbs. of AMA®-15 microbicide (195 - 750 g.) to each 1,000 lbs. (453 kg.) of fluid to provide 425 to 1,675 ppm product (6.25 to 25 ppm active isothiazolones).

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For the control of bacteria, algae and fungi add AMA®-15 microbicide to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbicide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS: Add to the air washer sump or chill water sump, to insure uniform mixing. 35 to 883 ppm AMA®-15 microbicide (0.3 to 7.46 pounds or 4.5 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) depending upon the severity of contamination to control bacteria, fungi and algae which cause fouling in industrial air washer system.

INTERMITTENT OR SLUG METHOD:

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbicide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD:

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system).

SUBSEQUENT DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm AMA®-15 microbicide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of makeup water). Badly fouled systems must be cleaned before initial treatment. NOTE: For use only in industrial air washing systems that maintain effective mist eliminating components.

INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS: For the control of bacteria, algae and fungi, add AMA®-15 microbicide in the reservoir, recirculating line or some other point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbicide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

SOLUTIONS AND EMULSIONS: For the preservation of solutions, emulsions, adhesives and other aqueous liquid products, the addition of 500 to 3,000 ppm of AMA®-15 is effective. Add AMA®-15 at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. The exact amount of AMA®-15 to be added for the preservation of given formulations will depend on the components as well as local storage time and condition. Dosage rates should be determined by actual test.

AMA®-15

ANTIMICROBIAL AGENT

Active Ingredients:

5-chloro-2-methyl-4-isothiazolin-3-one 1.11%

2-methyl-4-isothiazolin-3-one 0.39%

Inert Ingredients: 98.50%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

If On Skin: Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.

If In Eyes: Flush with plenty of water for at least 15 minutes. Call a physician.

If Inhaled: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See Side Panel For Additional Precautionary Statements

EPA REG. No. 9386-38 EPA EST. No. 9386-GA-1

MANUFACTURED BY

ACCEPTED

with COMMENTS

in EPA Letter Dated:

VININGS INDUSTRIES, INC.

OCT 04 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.
9386-38

1654 West Oak Drive

MARIETTA, GEORGIA 30062-2234

PRECAUTIONARY HAZARDS TO HUMANS

CORROSIVE: Causes eye damage and skin burns. Harmful if Swallowed. Do not get in eyes, on skin, product must wear: long-sleeved shirt and long pants, shoes plus socks, goggles and face shield; and chemicals that have been drenched or heavily contaminated. Follow manufacturer's instructions for cleaning/main detergent and hot water. Keep and wash PPE separate, eating, drinking, chewing gum, using tobacco or using pesticide gets inside. Then wash thoroughly and put away after handling this product. Wash the outside of gloves. This product may cause skin sensitization reactions in

ENVIRONMENTAL HAZARDS: This chemical invertebrates. Do not discharge effluent containing this product into streams, rivers, lakes, or other waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in advance. Do not discharge this product to sewer systems without authority. For guidance contact your State Water Pollution Control Authority. For guidance contact your State Water Pollution Control Authority by cleaning of equipment or disposal of waste.

STORAGE

PROHIBITIONS: This product is corrosive to metal. Do not contaminate food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Immediately container is a violation of Federal Law. Do not reuse or dispose of container. For more information, contact your State Pesticide Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL: Metal Containers - reconditioning, or puncture and dispose of in a container approved for the purpose by state and local authorities. Plastic Containers - reconditioning, or puncture and dispose of in a container approved for the purpose by state and local authorities, by burning. If burned, contact local fire department.

GENERAL: CONSULT FEDERAL, STATE AND LOCAL AGENCIES FOR APPROVED ALTERNATIVE PROCEDURES.

DIRECTION

BREWERY PASTEURIZERS AND CAN WARMERS: Use in brewery pasteurizer and can warmer systems, add to water before use to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbicide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbicide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

DENSITY: 8.5 LBS/GAL

LOT#

NET CONTENTS

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (F) 3.1

6/9

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 04 2000



Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.
9386-33

TECHNICAL DATA

AMA®-15

DESCRIPTION:

AMA®-15 is a high performance, broad spectrum microbiocide for use in paper mill systems and for the preservation of coatings and dispersed pigments.

COMPOSITION:

Active ingredients:	
5-chloro-2-methyl-4-isothiazolin-3-one	1.11%
2-methyl-4-isothiazolin-3-one	0.39%
Inert ingredients:	98.50%
TOTAL	100.00%

TYPICAL PROPERTIES:

Appearance: Pale yellow to green liquid	Density: 8.5 lb/gal
Flash Point: Over 200°F (Pensky-Martens)	Solubility: Complete in water
pH: 3.2	

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons.

PAPER MILL SLIMICIDE: AMA®-15 is recommended for the control of bacterial and fungal slime in the production of paper.

POINT OF ADDITION: AMA®-15 should be added to a point in the system to insure uniform mixing such as the beater, hydropulper, or fan or broke pumps.

DOSAGE: Apply 0.44 to 1.5 lb (7 to 23 fluid ounces) of AMA®-15 per ton (dry basis) of pulp or paper produced as a slug dose. If needed repeat daily. Badly fouled systems should be cleaned before initial treatment.

DISPERSED PIGMENT PRESERVATION: AMA®-15 microbiocide is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as kaolin clay, montmorillite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate, and kieselguhr used in paint and paper productions. Add 0.43 - 1.65 lbs. of AMA®-15 microbiocide (195 - 750g) to each 1,000 lbs (453.Kg) of fluid to provide 425 to 1675 ppm product (6.25 to 25 ppm active isothiazolones).

COATING PRESERVATION: AMA®-15 microbiocide is recommended as an in-container preservative for the control of bacteria and fungi in water-based coatings such as paper coatings. Add 0.43 - 1.65 lbs. of AMA®-15 microbiocide (195 -750 g.) to each 1,000 lbs. (453 kg.) of fluid to provide 425 to 1,675 ppm product (6.25 to 25 ppm active isothiazolones).

7/9

OCT 04 2000

AMA®-15
Page 2

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

DIRECTIONS FOR USE CONT.:

9386-38

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For the control of bacteria, algae and fungi add AMA®-15 microbiocide to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS: Add to the air washer sump or chill water sump, to insure uniform mixing. 35 to 883 ppm AMA®-15 microbiocide (0.3 to 7.46 pounds or 4.5 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) depending upon the severity of contamination to control bacteria, fungi and algae which cause fouling in industrial air washer system.

INTERMITTENT OR SLUG METHOD:

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD:

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system).

SUBSEQUENT DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm AMA®-15 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of makeup water). Badly fouled systems must be cleaned before initial treatment. NOTE: For use only in industrial air washing systems that maintain effective mist eliminating components.

INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS: For the control of bacteria, algae and fungi, add AMA®-15 microbiocide in the reservoir, recirculating line or some other point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

BREWERY PASTEURIZERS AND CAN WARMERS: For the control of bacteria, algae and fungi in brewery pasteurizer and can warmer systems, add AMA®-15 microbiocide at a point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm AMA®-15 microbiocide (1.26 to 7.46 pounds or 19 to 113 fluid ounces of AMA®-15 per 1,000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm AMA®-15 microbiocide (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of AMA®-15 per 1,000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

8/9

TECHNICAL ASSISTANCE:

Our technical staff is available to assist in the application of Vinings' products. You may request assistance through your sales representative or by contacting Vinings Industries at 800-347-1542.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed:** Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.
- If on Skin:** Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.
- If in Eyes:** Flush with plenty of water for at least 15 minutes. Call a physician.
- If Inhaled:** Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL:

STORAGE: This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General: Consult Federal, State, Or Local Disposal Authorities For Approved Alternative Procedures.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes eye damage and skin burns. May cause allergic skin reaction. Harmful if inhaled. Harmful if swallowed.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 04 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

9386-38

9/9

Do not get in eyes, on skin, or on clothing. Mixers, loaders and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. This product may cause skin sensitization reactions in some people.

ENVIRONMENTAL HAZARDS:

This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless, in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

EPA Registration Number: 9386-38

SHIPPING POINT:

Marietta, Georgia
Washougal, Washington

PACKAGING:

30 gallon drums
55 gallon drums
Portabins
Bulk

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 04 2000
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

9386-38