


**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**THIS IS A MOUSE POISON**

ACTIVE INGREDIENTS:  
3-(p-acetylbenzyl)-4-hydroxycoumarin 0.025%  
N-(2-Quinoxaliny) Sulfanilamide 0.025%  
INERT INGREDIENTS 99.950%  
TOTAL 100.000%

**THIS SIDE UP**  
**SLIDE BAIT TRAY**  
**FROM COVER**  
**BEFORE PLACEMENT**

**OTHER SIDE UP**  
**BEFORE REMOVING**  
**BAIT TRAY**  
**FROM COVER**



*NOTHING TO  
MEASURE,  
MIX OR POUR*

DISINSECTANTS  
Be generous with bait. Mix bait to form a  
thick, sticky paste. This will help to  
maintain a permanent bait  
tray in place. The bait tray  
should be placed in a  
location where mice are  
known to travel. Do not  
use bait in areas where  
children or pets can  
reach it. Use only in  
enclosed areas.

*NOTHING TO  
MEASURE,  
MIX OR POUR*

FUL  
USE  
ING

FOR ECONOMIC  
ED UNDER NO. 37 SUBJECT  
TO ATTACHED COMMENTS.

ACT OF 1937  
FEDERAL FOOD, DRUG & COSMETIC  
ACT OF 1938  
FEDERAL INSECTICIDE ACT OF 1947  
FEDERAL TOBACCO CONTROL ACT OF 1951

**HOSE WAG**

with hose attachment for spraying  
insecticides, fungicides, herbicides,  
and disinfectants.

REG. NO. 98922

*NOTHING TO  
MEASURE,  
MIX OR POUR.*

FOR INFORMATION  
OF THE USER  
ENCLOSED

CONTAINS  
**PROLIN®**  
An Improved  
Warfarin Rodenticide

FOR INFORMATION  
OF THE USER  
ENCLOSED

**It should be placed in a secure location not accessible to children.**

MFG. BY—  
**XTERMA PEST CONTROL**  
P. O. Box 57 Albany, Oregon

ACCEPTED WITH COMMENTS

CAUTION  
KEEP OUT OF REACH OF CHILDREN  
THIS IS A MOUSE POISON

ACTIVE INGREDIENTS	0.001
INERT INGREDIENTS	99.999
TOTAL	100.000

THIS SIDE UP  
SLIDE BAIT TRAY  
FROM COVER  
BEFORE PLACEMENT

OTHER SIDE UP  
BEFORE REMOVING  
BAIT TRAY  
FROM COVER

NET WEIGHT 1.0000  
NET CONTENTS 1.0000  
MISCOOWEISOOH

NOTHING TO  
MEASURE,  
MIX OR POUR

NOTHING TO  
MEASURE,  
MIX OR POUR