

Shake well before using.

Follow directions for proper dilutions. Make first application when insects appear and repeat as necessary to keep down infestations.

Apply as a complete coverage treatment making sure to thoroughly treat all exposed portions of the plant.


T. = Tablespoon	DIRECTIONS	L. = Teaspoon
TO CONTROL	ON	USE
Aphids, Spider Mites, Whitefly, Mealy Bugs, Thrips, Japanese Beetles, Fourlined Leaf Bugs, Soft Brown Scale, Monterey Pine Scale, Black Scale Crawlers, Juniper Scale, Bag Worms, Oak Kermes	ORNAMENTALS FLOWERS SHRUBS HIBISCUS ORANGES LEMONS GRAPEFRUIT SHADE TREES GRAPES PEACHES	2 T. to each gallon of water 1 T. per gallon 1 T. to each gallon of water
Chiggers, Fleas and Ticks	LAWNS	1 T. per gal. of water. Treat 100 sq. ft.
Aphids, Imported Cabbage Worm, Cabbage Looper	Beans, Peas, Onions, Tomatoes, Potatoes, Corn, Cabbage and Cauliflower	1 T. to each gallon of water
Spider Mites, Scales, Aphids, Mealy Bugs	ORCHIDS	2 T. to each gallon of water

NOTICE: Do not apply to cucurbits unless plants are dry. On food crops do not apply later than 7 days before harvest. Do not apply to oranges, lemons, and grapefruit during full bloom.

MANY OTHER QUALITY PRODUCTS ARE AVAILABLE AT YOUR SUNNILAND DEALER.

NET CONTENTS - 1 PINT U.S.D.A. REG. NO. 9404-2

## SUNNILAND GARDEN SUPPLIES



## CYTHON® 50% MALATHION

The Premium Grade Malathion Spray.  
CAUTION: Keep Out of Reach of Children.  
See Right Panel for Additional Cautions.

### CAUTION

Do not spray when temperature is above 90°. Harmful if swallowed, inhaled, or absorbed through skin. Avoid prolonged breathing of spray mist. Avoid repeated or prolonged contact with skin. Wash with soap and water after using Malathion. Wash clothing with soap and water before re-use. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals. NEVER re-use container, destroy it when empty. Fish and Wildlife Caution. This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label. EXTERNAL: If spilled on skin or clothing wash thoroughly with soap and water and change clothes. For eyes, flush with water for 15 minutes and get medical attention promptly.

INTERNAL: If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. CALL A PHYSICIAN immediately. SYMPTOMS of Poisoning are pin-point pupils, drooling, lachrymation, labored breathing, vomiting, marked tremors, diarrhea and convulsions. If these symptoms occur after handling or using Malathion, call a physician immediately. NOTE TO PHYSICIAN: If the above symptoms are present, atropine sulphate is the drug of choice.

NOTE: Do not use on Boston, Maidenhair, Pteris Ferns as well as species of Crassula. Do not apply on Petunias. Malathion may impart off-flavor to certain crops; therefore do not use this product on crops other than indicated hereon.

WARRANTY: Conditions of use are beyond Seller's control. Seller's liability is limited to products replacement or purchase price refund. Seller makes no warranty, express or implied, concerning products use beyond claims on label.

### ACTIVE INGREDIENTS:

\* MALATHION..... 50.0%

XYLENE ..... 42.4%

INERT INGREDIENTS ..... 7.6%

\* O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

® Reg. Trademark American Cyanamid Co.



Manufactured By  
CHASE & COMPANY  
SANFORD, FLORIDA 32771

CCP-2M-E88-8-69

ACCEPTED

DEC 10 1969

UNBEN  
FUNGICIDE  
FOR EC  
ED UNDER  
TO ATTACHED

9404-2

12-10-69

1 of 1