



KELTHANE EC
MITICIDE

CONTROLS RED SPIDERS AND OTHER PLANT MITES AS LISTED

ACTIVE INGREDIENTS:

1,1-Bis(chlorophenyl)-2,2,2-trichloroethanol	18.5%*
Xylene	73.0%
INERT INGREDIENTS:	<u>8.5%</u>
Total	100.0%

*Equivalent to 1.6 lbs. Active Ingredient Per Gallon
U. S. Patent Nos. 2,812,280; 2,812,362 R Reg. T.M.
Rohm & Haas Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT: If swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing persons. If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. If On Skin: Remove contaminated clothing and wash effected area with soap and water. Get medical attention. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

See Side/Back Panel For Additional Precautionary Statements

EPA Reg. No. 9404-4

EPA Est. No. 9404-FL-1
[OR] 769-GA-1

Net Contents -

[8 Ounces or .2366 litre;
1 Pint, 1 Quart, 1 Gallon

SUNNILAND CORPORATION
Sanford, Florida 32771

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS**Hazards To Humans and Domestic Animals**

CAUTION: Harmful if swallowed. Avoid breathing of spray mist and skin contact. Avoid contamination of feed and food products. Wash thoroughly after handling and before eating or smoking. Do not use on humans or pets.

ENVIRONMENTAL HAZARDS

Apply this product only as specified on this label. This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked, place out of reach of children. **DISPOSAL:** Do not re-use empty bottle. Wrap bottle and put in trash.

Kelthan E.C. Miticide is compatible with most other commonly used insecticides and fungicides and may be used in regular or concentrated sprayers. It should not be used with lime or material not compatible with solvent based insecticides.

Kelthane E.C. Miticide gives high initial kill and long residual activity against most species of agricultural mites including European Red, Red Spider, Six Spotted, Pacific, Strawberry, Cyclamen, Privet, Citrus Red(Purple), Schoene, Yellow, McDaniel, Rust, Plum, Peach Silver, Clover, Tomato Russet, Spruce, Desert, Tropical and Yuma Mites. Kelthane E.C. Miticide is a specific miticide and will not kill bees and beneficial insect predators.

HOW TO USE: Wet foliage thoroughly using sufficient spray gallonage to cover all parts of the plant, especially the undersides of leaves.

RECOMMENDED ON**TO CONTROL****HOW MUCH TO USE**

Ornamentals, Flowers,
Nursery Stock and Shade
Trees, Orchids.

Mites as listed above
common on Greenhouse
or outdoor plants.

Use 2 tablespoonfuls in
3 gal. water. Apply when
mites are present. Repeat
when necessary.

Oranges, Grapefruit, Limes,
Lemons, & other Citrus.

Citrus Red(Purple),
Citrus Flat, Six Spotted,
& Rust Mites

Use 2 tablespoonfuls in
3 gal. water. Do not apply
within 7 days of harvest.

Tomatoes, Cucumbers,
Squash, Eggplant, Peppers,
Melons,

Two Spotted, Pacific,
Tropical, Tomato Russet.

Use 2 tablespoonfuls in
3 gal. water. Apply at 1st
sign of Mite, build up &
repeat as needed. Do not
apply within 2 days of
Harvest.

NOTICE- Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

BEST AVAILABLE COPY