

(Front Panel)

SUNNILAND

TERMITE CONTROL  
74% CHLORDANE EC

ACTIVE INGREDIENTS:

*Technical Chlordane	74.0%
Petroleum Distillates	20.4%

INERT INGREDIENTS:	5.6%
--------------------	------

TOTAL 100.0%

EPA Reg. No. 9404-6

EPA Est. 9404-FL-1

\*Equivalent to 44.4% Octachloro-4,7-methanotetrahydroindane and 29.6% related compounds.

This product contains 8 lbs. Chlordane per gallon.

KEEP OUT OF REACH OF CHILDREN  
WARNING

(See additional precautionary statements on the back panel).

ACCEPTED  
with COMMENTS  
to EPA Letter Dated:

OCT 14 1982

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

9404-6

BEST DOCUMENT AVAILABLE

(Back Panel)

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash contaminated skin with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention immediately.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION.** Harmful if swallowed. Contact with skin can cause toxic symptoms. May be absorbed through skin. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Dipper or bucket should not be used for food or feed purposes after use with pesticides.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

**CHEMICAL OR PHYSICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE**

**TERMITE CONTROL IN EXISTING STRUCTURES - Buildings with Basements or Crawl Spaces.**

**DILUTION:** Dilute this product 1 part Chlordane to 100 parts water (1/2 gallon of product to 50 gallons water) and apply this solution as described below.

**APPLICATION:** First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. **NEVER DIG BELOW THE TOP OF THE FOOTING.** Apply the solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon solution into each hole. Refill holes slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-backflow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-backflow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to federal (Federal Housing Administration), state and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower

**BEST DOCUMENT AVAILABLE**

than surrounding yard or property area. If this is the situation, treat as follows:  
Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic  
water contamination, treated, allowed to stand undisturbed for two to four hours, then  
returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not  
to puncture the plastic sheeting when returning soil to the trench. Do not treat structures  
that contain cisterns or wells.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not use empty  
container. Wrap container and put in trash collection.

NOTICE

The seller makes no implied warranty which extends beyond the description on this label.

NET CONTENTS: 1/2 FL. GALLON

MANUFACTURED BY

SUNNILAND CORPORATION

SANFORD, FLORIDA

BEST DOCUMENT AVAILABLE

V

465 / 56670  
17 / 3

TJP

OCT 14 1982

Suniland Corporation  
P.O. Box 1697  
Sanford, FL 32771

Attention: Thomas Alden

Gentlemen:

Subject: Termiticide L.I.P.  
Suniland Termiticide Control 740 Chlorfens EC  
EPA Registration No. 9404-6  
Your Application of November 18, 1981

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, incorporate the following revisions:

1. Revise the statement of practical treatment to read:

**STATEMENT OF PRACTICAL TREATMENT**

- If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious person.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call physician immediately.

Since this product is subject to the child-resistant (special) packaging regulations, submit a signed certification statement that the packaging complies with these requirements.

Refer to 40 CFR 162.16, "Pesticides Requiring Special Packaging," and the Federal Register, Vol. 46, No. 41, Tuesday, March 3, 1981, pp. 13184-13189, "Clarification of Policy Issues on Special Packaging," for guidance and proper submission requirements.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Herbicide Branch  
Registration Division (TS-767)

Enclosure

TS-767:LaRocca:DCR-39988:RANG-0554C:bk:Ravens:479-2013:10/6/82