

10
M 2
14-10

AUG 14 1984

M. R. McLane
Suniland Corporation
P. O. Box 1697
Sanford, FL 32771

Dear Mr. McLane:

Subject: Amended Registration, Label Revision
Sevin Dust for Garden and Pets
EPA Registration # 9404-10
Your Application Dated July 26, 1984

Your label revisions are acceptable. However, at your next label printing please add:

1. To your Precautionary Statement- "Avoid contact with eyes, skin or clothing."
2. To your Environmental Hazard Statement- "This product is extremely toxic to aquatic invertebrates."

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD/IRB:ELLENBURGER:DCR-28575:WANG-0030K:nns:Raven:479-2013:8/7/84

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								



053

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 14 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9404-10

Sevin® Dust

For Garden & Pets

ACTIVE INGREDIENT	
Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
INERT INGREDIENTS	95.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN ← 12 PT TYPE SIZE

CAUTION ← 18 PT TYPE SIZE

See Back Panel For Additional Cautions

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person.

If In Eyes - Flush eyes with plenty of water. Get medical attention.

If On Skin - Remove contaminated clothing and wash effected area with soap and water. Get medical attention.

NOTE TO PHYSICIAN - Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or chloinesterase inhibiting drugs.

EPA Registration Number 9404-10
EPA Est. No. 769-GA-1 [OR] EPA Est. No. 34816-AL-1



Manufactured by
SUNNILAND CORP.
Sanford, Florida 32771

BEST AVAILABLE COPY

NET WT. 4 LBS.
(1.818 KILOGRAMS)

Avoid contact with skin. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling and before eating or smoking. Change clothing if contaminated. Launder before re-use.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water. Do not apply when weather conditions favor drift from area being treated. This product is highly toxic to bees exposed to direct treatment or residues on weeds or crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL ← 12 PT. SIZE TYPE

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked, place out of reach of children. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not re-use this container (bag). Discard bag in trash.

DOGS AND CATS

To control Fleas and Dog Ticks & Fleas apply liberally to animal and rub thoroughly into skin. Apply to feet, between toes and on legs (Just cleaning quarters and all areas where ticks and fleas occur). Repeat weekly if needed. Do not feed within 24 hours before and 2 weeks after. Do not use this product on carpeting, rugs or upholstery since staining may result.

GENERAL DIRECTIONS FOR USE ON VEGETABLE INSECTS

Apply dust thoroughly to infested plants at first sign of damage and repeat at 7 day interval as necessary or for good insect control. Dust the plants on bottom and top of leaf surfaces thoroughly using 1-3 ounces per 100 ft. of row on vegetables.

BEANS: Lima beans, bush beans, snap beans, cowpeas, lima beans (in control Mexican bush beans, bean leaf beetle, cucumber beetle, Flea beetle, Japanese beetle, leafhopper, pest, tobacco caterpillar, western bean cutworm, armyworm, corn earworm, stink bugs and tarnished plant bugs.

CUCUMBER, MELON, PUMPKIN, SQUASH: To control pickleworm, melonworm, cucumber beetle, Flea beetle, leafhoppers and squash bugs. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity. Do not use on watermelons in Florida.

POTATO, TOMATO, EGGPLANT, PEPPER: To control Colorado potato beetle, Flea beetle, leafhoppers, European corn borer, fall armyworms, lace bugs, tomato fruit worm, tomato hornworm, tarnished plant bugs, stink bugs.

CORN: To control corn earworm and stink bugs.

HEAD LETTUCE, CARROTS, COLLARDS, GARDEN BEETS, RALE, MUSTARD GREENS, PARSLEY, FENNEL, RUTABAGA, SPINACH, SWISS CHARD AND TURNIPS: To control Flea beetle, harlequin bugs, leafhoppers, armyworms, corn earworms, spittlebugs, tarnished plant bugs and stink bugs. To control cabbage loopers, use on a 5 to 7-day schedule.

Do not apply to collards, kale, mustard greens, parsley, spinach, Swiss chard and turnip tops within 14 day period of harvest. Do not apply to head lettuce, radishes, and rutabagas within 3 days of harvest. Do not apply to garden beets or turnips within 3 days of harvest. Do not apply within 14 days of harvest if tops are to be used as food or feed.

ORNAMENTAL INSECT CONTROL

Use Sunniland Dust: Dust at the rate of 1-2 ounces per 100 sq. ft. Apply evenly to both upper and lower leaf surfaces. Repeat when necessary at 7 day intervals for proper insect control.

Apply to leaf surfaces of all foliage for complete coverage to control: apple aphids, bagworms, birch leaf miners, blister beetles, borered leaf miners, elm leaf aphids, elm leaf beetles, Flea beetles, gypsy moths, Japanese beetles, June bugs, grass caterpillars, psyllids, rose chugs, scale insects, Jern caterpillars, thorn bugs (vulpes) and various leaf beetles.

WARRANTY

Conditions of use are beyond Seller's control. Seller's liability is limited to products replacement or purchase price refund. Seller makes no warranty, express or implied, concerning products use beyond claims on label.

© Trademark of Union Carbide Corp.

NOT AVAILABLE COPY



Manufactured by
SUNNILAND CORP.
Sanford, Florida 32771