

5/5/97

PM 19

9404-10

P 1/2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

H.R. McLane  
7210 Red Road  
Suite 206  
Miami, FL 33143-5321

MAY 05 1997

Subject: Sunniland® Sevin® Dust  
EPA Registration No. 9404-10  
Amendment dated February 28, 1997  
Response to Agency letter dated 10/1/96

Dear Mr. McLane:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:
  - a) In the Directions for Use on DOGS AND CATS, delete the second to last sentence "Do not treat kittens or puppies less than 4 weeks old."
  - b) In the Directions for Use on HEAD LETTUCE, CARROTS, etc..., change "...use on a 5 to 7 day schedule" to "...use on a 7 day schedule."
2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Tina E. Levine".

for Tina E. Levine, Ph.D.  
Acting Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

# Sunniland

## SEVIN DUST

### For Garden and Pets

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAY 05 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

9404-10

#### ACTIVE INGREDIENT:

Carbaryl; 1 Naphthyl N-methylcarbamate . . . . . 5.0%

INERT INGREDIENTS: . . . . . 95.0%

Total 100.0%

SEVIN® is a Registered Trademark of Rhone Poulenc for Carbaryl Insecticides

### KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este  
producto hasta que le etiquetas haya sido explicado ampliamente

#### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

#### USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until dust has settled.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

See Back Panel for Additional Precautionary Statements  
EPA Reg. No. 9404-10 - EPA Est. No. 9404-FL-1

NET WEIGHT 1 (4) POUNDS

# SUNNILAND CORPORATION

SANFORD, FL 32771 - U.S.A.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR FRUIT AND VEGETABLES:** Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin even deposit of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above the chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

#### DOGS AND CATS

**FOR USE ON PETS:** Use product only outside or in a well-ventilated directions area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator. To control Brown Dog Ticks & Fleas apply liberally to animal and rub thoroughly into skin. Apply to feet, between toes and on legs. Dust sleeping quarters and all areas where ticks and fleas occur. Repeat weekly if needed. Do not treat kittens or puppies less than 4 weeks old. Do not use this product on carpeting, rugs, or upholstery since staining may occur.

### GENERAL DIRECTIONS FOR USE ON VEGETABLE INSECTS

Apply dust thoroughly to infested plants at first sign of damage and repeat at 7 day intervals as necessary or for good insect control. Dust the plants on bottom and top of leaf surface thoroughly using 1-2 ounces per 50 ft. of row on vegetables.

**BEANS:** (green beans, lima beans, snap beans, cowpeas, black-eyed) To control Mexican bean beetle, bean leaf beetle, cucumber beetles, flea beetles, Japanese beetle, leaf hopper, Velvetbean caterpillar, western bean cutworm, armyworm, corn earworm, stink bugs and tarnished plant bugs.

**CUCUMBER, MELONS, PUMPKIN, SQUASH:** To control pickleworm, melonworm, cucumber beetles, flea beetles, leafhoppers and squash bugs. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of, prolonged high humidity. Do not use on Watermelons in Florida.

**POTATO, TOMATO, EGGPLANT, PEPPERS:** To control Colorado potato beetle, flea beetles, leafhoppers, European corn borer, fall armyworms, lace bugs, Tomato fruit worm, Tomato hornworms, tarnished plant bugs, stink bugs.

**OKRA:** To control corn earworms and stink bugs.

**HEAD LETTUCE, CARROTS, COLLARDS, GARDEN BEETS, KALE, MUSTARD GREENS, PARSLEY, RADISHES, RUTABAGAS, SPINACH, SWISS CHARD AND TURNIPS:** To control flea beetles, harlequin bugs, leafhoppers, armyworms, corn earworms, spittlebugs, tarnished plant bugs and stink bugs. To control cabbage loopers, use on a 5 to 7 day schedule.

Do not apply to collards, kale, mustard greens, parsley, spinach, Swiss chard and turnips within 14 day period of harvest.

Do not apply to head lettuce, radishes, and rutabagas within 3 days of harvest.

Do not apply to garden beets or turnips within 3 days of harvest.

Do not apply within 14 days of harvest if tops are to be used as food or feed.

### ORNAMENTAL INSECT CONTROL

Use Sunniland Sevin Dust at the rate of 1-2 ounces per 50 sq. ft. Apply evenly to both upper and lower leaf surfaces. Repeat when necessary at 7 day intervals for proper insect control. Apply to leaf surface of all foliage for complete coverage to control: apple aphids, bagworms, birch leaf miners, blister beetles, boxwood leaf miners, elm leaf aphids, elm leaf beetles, flea beetles, gypsy moths, Japanese beetles, June bugs, puss caterpillars, psyllids, rose slugs, scale insects, tent caterpillars, thorn bugs, thrips (exposed) and willow leaf beetles.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not re-use empty container. Rinse thoroughly before discarding in trash.

### WARRANTY

Conditions of use are beyond Seller's control. Seller's liability is limited to products replacement or purchase price refund. Seller makes no warranty, express or implied, concerning products use beyond claims on label.

Trademark of Union Carbide Corp. (9404-10, PMSICARB-DC104-30-95, 10-1-96 LAB. REQ. 102-27-97)

282

PM 19 9404-10 15 172  
5520316 300  
17

MAY 05 1997

H.R. McLane  
7210 Red Road  
Suite 206  
Miami, FL 33143-5321

Subject: Sunniland® Sevin® Dust  
EPA Registration No. 9404-10  
Amendment dated February 28, 1997  
Response to Agency letter dated 10/1/96

Dear Mr. McLane:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:
  - a) In the Directions for Use on DOGS AND CATS, delete the second to last sentence "Do not treat kittens or puppies less than 4 weeks old."
  - b) In the Directions for Use on HEAD LETTUCE, CARROTS, etc..., change "...use on a 5 to 7 day schedule" to "...use on a 7 day schedule."
2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

for Tina E. Levine, Ph.D.  
Acting Product Manager (19)  
Insecticide-Rodenticide Branch

CONCURRENCES Registration Division (7505C)

SYMBOL	Enclosure						
SURNAME							
DATE							

REdwards A: 9404/10.1 5/1/97

292  
**Sunniland**

# SEVIN DUST

For Garden and Pets

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAY 05 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No. 9404-10

ACTIVE INGREDIENT:	Carbaryl; 1 Naphthyl N-methylcarbamate	5.0%
INERT INGREDIENTS:	Total	95.0%
		100.0%

SEVIN® in a Registered Trademark of Rhone Poulenc for Carbaryl Insecticides

## KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente

### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

### USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until dust has settled.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

See Back Panel for Additional Precautionary Statements  
EPA Reg. No. 9404-10 - EPA Est. No. 9404-FL-1

NET WEIGHT 1 (4) POUNDS

**SUNNILAND CORPORATION**  
SANFORD, FL 32771 - U.S.A.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR FRUIT AND VEGETABLES:** Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin even deposit of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above the chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

## DOGS AND CATS

**FOR USE ON PETS:** Use product only outside or in a well-ventilated directions area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator. To control Brown Dog Ticks & Fleas apply liberally to animal and rub thoroughly into skin. Apply to feet, between toes and on legs. Dust sleeping quarters and all areas where ticks and fleas occur. Repeat weekly if needed. Do not treat kittens or puppies less than 4 weeks old. Do not use this product on carpeting, rugs, or upholstery since staining may occur.

## GENERAL DIRECTIONS FOR USE ON VEGETABLE INSECTS

Apply dust thoroughly to infested plants at first sign of damage and repeat at 7 day intervals as necessary or for good insect control. Dust the plants on bottom and top of leaf surface thoroughly using 1-2 ounces per 50 ft. of row on vegetables.

**BEANS:** (green beans, lima beans, snap beans, cowpeas, black-eyed) To control Mexican bean beetle, bean leaf beetle, cucumber beetles, flea beetles, Japanese beetle, leaf hopper, Velvetbean caterpillar, western bean cutworm, armyworm, corn earworm, stink bugs and tarnished plant bugs.

**CUCUMBER, MELONS, PUMPKIN, SQUASH:** To control pickleworm, melonworm, cucumber beetles, flea beetles, leafhoppers and squash bugs. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of, prolonged high humidity. Do not use on Watermelons in Florida.

**POTATO, TOMATO, EGGPLANT, PEPPERS:** To control Colorado potato beetle, flea beetles, leafhoppers, European corn borer, fall armyworms, lace bugs, Tomato fruit worm, Tomato hornworms, tarnished plant bugs, stink bugs.

**OKRA:** To control corn earworms and stink bugs.

**HEAD LETTUCE, CARROTS, COLLARDS, GARDEN BEETS, KALE, MUSTARD GREENS, PARSLEY, RADISHES, RUTABAGAS, SPINACH, SWISS CHARD AND TURNIPS:** To control flea beetles, harlequin bugs, leafhoppers, armyworms, corn earworms, spittlebugs, tarnished plant bugs and stink bugs. To control cabbage loopers, use on a 5 to 7 day schedule.

Do not apply to collards, kale, mustard greens, parsley, spinach, Swiss chard and turnip tops within 14 day period of harvest.

Do not apply to head lettuce, radishes, and rutabagas within 3 days of harvest.

Do not apply to garden beets or turnips within 3 days of harvest.

Do not apply within 14 days of harvest if tops are to be used as food or feed.

## ORNAMENTAL INSECT CONTROL

Use Sunniland Sevin Dust at the rate of 1-2 ounces per 50 sq. ft. Apply evenly to both upper and lower leaf surfaces. Repeat when necessary at 7 day intervals for proper insect control. Apply to leaf surface of all foliage for complete coverage to control: apple aphids, bagworms, birch leaf miners, blister beetles, boxwood leaf miners, elm leaf aphids, elm leaf beetles, flea beetles, gypsy moths, Japanese beetles, June bugs, puss caterpillars, psyllids, rose slugs, scale insects, tent caterpillars, thorn bugs, thrips (exposed) and willow leaf beetles.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not re-use empty container. Rinse thoroughly before discarding in trash.

## WARRANTY

Conditions of use are beyond Seller's control. Seller's liability is limited to products replacement or purchase price refund. Seller makes no warranty, express or implied, concerning products use beyond claims on label.

Trademark of Union Carbide Corp. (9404-10, PM51CARB-DCI04-30-9610-1-96LAB.REQ.02-27-97)

2012