

BACK PANEL

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust. May cause irritation of nose, throat, eyes and skin. Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and foodstuffs. Do not use on household pets or humans.

----- Statements of Practical Treatment -----
IF SWALLOWED-Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF INHALED**-Remove victim to fresh air. Apply artificial respiration if indicated. **IF IN EYES**- Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN**- Remove contaminated clothing. Wash effected area with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL - - - - - 10 Pt. Type

Do not contaminate water, food or feed by storage or disposal. Store product in original container in a cool, dry, locked, place out of reach of children. Do not re-use empty container. Wrap and put in trash.

USE INFORMATION -

A modern formulation containing insecticides and fungicides designed to control powdery mildew on roses, azaleas, zinnias, sweet peas and hydrangeas; black spot on roses. Kathon[®] in the formulation controls red spider mites on plants such as roses, azaleas, camellias and gardenias. Sevin[®] in the formulation controls Rose chiggers, Rose slugs, Japanese Beetles, Leaf Rollers, Leaf Hoppers, Rose Aphids, exposed thrips and Blister beetles on roses.

HOW TO USE: This dust is contained in a ready to use squeeze applicator. Lift cap and squeeze container. Apply dust from below the leaves to insure that both lower & upper surfaces are covered with a thin film of dust. The dust should be held 8 to 10 inches from the part of the plant receiving the dust. To refill applicator remove bottom closure.

WHEN TO USE: Start a regular preventative program as soon as new growth appears. Under normal conditions, apply every 7 to 14 days during growing season. Treat at least weekly during periods of severe infestation caused by periods of wet weather. Apply dust in early morning or late evening when moisture is present on plants, temperature is low and air still. Do not treat during excessively high temperatures (above 85° F) as sulphur may burn foliage. Additional applications are recommended immediately after every rain.

Do not use within 10 days of an oil spray.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

EPA Reg. No. 9404-12

EPA Est. No. 9404-FL-1

THIS CONTAINER IS NOT FULL BUT CONTAINS PROPER NET WEIGHT. SHAKE BEFORE USING.

SUNNILAND CORPORATION
Sanford, Florida 32771