

EM 14

9404-14

Yellow

1 of 2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

AUG 7 - 1995

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Mr. Clyde L. Cline  
Sunniland Corporation  
P.O. Box 8001  
Sanford, FL 32771

5470369 335  
17

Dear Mr. Cline:

Subject: Deletion of Ornamentals  
Ethion & Oil Spray  
EPA Registration No. 9404-14  
Your Application and Labeling Dated July 18, 1994

The labeling referred to above, submitted in connection with registration under FIFRA, is acceptable, provided that you:

Submit one copy of your final printed labeling incorporating the following correction before you release the product for shipment. This correction is needed to maintain consistency with the particular citrus use pattern being supported by the basic registrants. Product labels deviating from this supported use pattern will be subject to the additional data requirements needed to support such deviations.

Correct the directions for use of the product on tangelos and tangerines to specify that the product may not be applied within 15 days of harvest.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

*R. A. F.*

Robert A. Forrest  
Product Manager (14)  
Insecticide-Rodenticide Branch  
Registration Division (7504C)

1 of 2

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

AUG 7 - 1995

Under the Federal Insecticide,  
Fungicide, and Plant Growth Regulator Act  
as amended for the pesticide  
registered under FIFRA for No.

9404-14

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes. Wash after handling. Avoid contamination of feed and foodstuffs.

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to fish, shrimp, crab and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

**GENERAL DIRECTIONS**

Apply this product only as specified on this label.

Shake well before using. Read label and observe cautions and directions. When pre-mixed with water prior to spraying, mix thoroughly and keep agitated during use.

Insects are more difficult to control as they become older and larger. Unless otherwise noted, spray when insects first appear and repeat as needed. Spray upper and lower surfaces of all leaves and branches thoroughly. Where Snow Scale is a problem, it is important that trunk limbs and twigs are thoroughly sprayed.

Do not use within 30 days before, or after sulphur applications. Do not use at temperatures over 90°F, or lower than 40°F, or when plants are wilted from lack of moisture.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store pesticide in original container. Store in a cool, dry place, preferably in a locked storage area. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse empty container. Discard container in trash.

NET CONTENTS - ONE PINT - or .4732 LITER

**Sunniland**

**ETHION & OIL  
SPRAY**



**For Citrus Grown  
in Florida & Texas  
Controls Tea Scale,  
Citrus Red Mites, Snow Scale.**

**ACTIVE INGREDIENT:**

Ethion: O,O,O,O'-tetramethyl S,S'-methylene  
bisphosphorodithioate . . . . . 8.4%

**INERT INGREDIENTS:** . . . . . 91.6%

\* Contains Aromatic Solvent . . . . . Total 100.0%

Contains 0.625 lbs. Ethion per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** (See Left Panel for  
Additional Cautions)

Not for use on plants being grown  
or for commercial seed production

**SUNNILAND ETHION**

**RATE OF APPLICATION:** 4 teaspoons  
larger mixing, use 1 quart per 50

**CITRUS  
in FLORIDA**

To control Citrus Red Mite, Citrus  
Scale, Florida Red Scale, Gloved  
Yellow Scale in Florida and Texas

**On Grapefruit, Orange**

Do not apply within 90 days of pick  
up to day of harvest.

**On Tangerine**

Use same directions as on grapefruit  
twice per season.

**On Lemon**

Do not apply more than once per  
of harvest.

**Warranty:** Conditions of use and  
liability is limited to products represented  
Seller makes no warranty, express or implied,  
use beyond claims on label. (0-15-84)

EPA REG NO 8404-14  
EPA EST NO 9404-FL-1

