

SUNNILAND
TOMATO AND VEGETABLE
DUST
IN AN EASY-TO-USE SQUEEZE DUSTER

ACCEPTED
JUL 20 1983
EPA REG. NO. 9404-19

CONTAINS DITHANE M-45 (R) Fungicide, KELTHANE (R) Miticide, SEVIN (R) Insecticide ~~PLUS SULFUR~~
ALSO CAN BE USED ON ORNAMENTALS, ROSES AND FLOWERS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) -----	5.00%
A coordination product of zinc ion and manganese ethylene bisdithiocarbamate -----	6.00%
In which the ingredients are:	
Manganese -----	1.20%
Zinc -----	.15%
Ethylene bisdithiocarbamate ion (C ₄ H ₆ N ₂ S ₄) -----	4.65%
1,1-bis(chlorophenyl)-2,2,2-trichloroethanol -----	1.50%
Sulfur -----	20.00%
INERT INGREDIENTS: -----	67.50%
TOTAL	100.00%

EPA Reg. No. 9404-19

EPA Est. 9404-FL-1

Dithane M-45 and Kelthane are reg. TM of Rohm and Haas.

Sevin is a reg. TM of Union Carbide Corporation for carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN
CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED OR INHALED. May cause irritation of eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands and face before eating or smoking. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. IF INHALED: Remove victim to fresh air. IF ON SKIN: Wash with soap and water. Remove any contaminated clothing. IF IN EYES: Flush eyes with water. NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. DO NOT USE 2-PAM, OPIATES OR CHOLINESTERASE-INHIBITING DRUGS.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label. PROTECT BEES: This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated areas. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTICE: When mixing or loading this product, all workers must wear the following protective clothing: long pants, long-sleeved shirt, gloves, hat and boots.

APPLICATION: Lift hinged cap and squeeze container to dust. Material can be dusted from any position. For best results, dust in early morning or late evening when the temperature is low and the air is still. Apply so all exposed parts of plants are contacted especially the upper and lower leaf surfaces. Repeat at 5 to 10-day intervals or as necessary.

VEGETABLES

PREHARVEST INTERVAL: Do not apply within 5 days of harvest. Apply dust when new growth starts and repeat at weekly intervals throughout growing season to control aphids, mites, flea beetles, fruit worm, anthracnose and early and late blight on TOMATOES; mites, squash bug, anthracnose and downy mildew on SUMMER SQUASH and CUCUMBERS. Remove any residue at harvest by washing edible portions. Do not feed vines to livestock.

ORNAMENTALS

Apply dust to control aphids, mites, leafhoppers, bagworm, tent caterpillars, lacebug on SHADE TREES and ORNAMENTALS. Dust when insects appear and repeat at two-week intervals or as necessary.

ROSES AND FLOWERS

Dust when new growth starts and repeat at weekly intervals to control aphids, exposed thrips, leafhoppers, rose chafers, adult Japanese beetle, red spider and two-spotted spider mites and the common diseases - black spot on ROSES; powdery mildew on ASTERS, AZALEAS, CHRYSANTHEMUMS, GLADIOLUS, HOLLYHOCK and ROSES; anthracnose on HOLLYHOCK; leaf spot on ROSES, SNAPDRAGON and CHRYSANTHEMUM.

USE PRECAUTIONS: Do not use within 10 days of an oil spray or when temperatures are in excess of 85° F.

REFILLABLE DUSTER: Remove bottom plug to refill.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in cool, dry place. Keep away from fire and sparks. Do not allow to become wet or overheated during storage or chemical changes may occur which would impair the fungicidal effectiveness of this product. Do not reuse empty container. When empty duster is discarded, wrap container and put in trash collection.

WARRANTY: Conditions of use are beyond seller's control. Seller's liability is limited to product replacement or purchase price refund. Seller makes no warranty, expressed or implied, concerning product's use beyond claims on label.

NET WEIGHT: 10 Ounces

MANUFACTURED BY

SUNNILAND CORPORATION

SANFORD, FLORIDA 32771