

**CAUTION:** For Lawn Use.

Keep children and animals off treated areas until this product is washed into the soil and the grass is thoroughly dry.

**CAUTION:** May be fatal if swallowed. Avoid contact with skin, eyes or clothing. In case of skin contact wash with soap and water. Do not breathe vapor or spray mist. Avoid contamination of feed and foodstuffs. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

**WARRANTY:** Conditions of use are beyond Seller's control. Seller's liability is limited to products replacement or purchase price refund. Seller makes no warranty, express or implied, concerning products use beyond claims on label.


"This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label."

⊕ CYTHION (The Premium Grade Malathion)

NET CONTENTS - ONE GALLON

CCP-4M-A411-3-74

EPA Est. No. 9404-FL-1  
EPA Reg. No. 9404-23



# WORM SPRAY

## CUTWORMS and ARMYWORMS

Active Ingredients:

Toxaphene	9.50%
Malathion	10.00%
Xylene-Range Aromatic Hydrocarbon Solvent	74.40%
Inert Ingredients	6.10%
Total	100.00%

\* Technical Chlorinated Camphene Chlorine content 67 to 69%  
\*\* O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

**CAUTION:** Keep out of reach of children  
See Left Panel for Additional Warnings

### DIRECTIONS

Sunniland Worm Spray is a combination of for controlling worms (caterpillars) and certain insects, affecting lawn grasses and many ornamentals.

TO CONTROL	ON
Armyworms, Sod Webworms, Cutworms, Grasshoppers, Chiggers, Fleas, Ticks and Ants.	Lawns, Yards & Turf Grasses.
Leaf Caterpillar, Climbing Cutworms, Aphids, Thrips, Spidermites, Stink Bugs, Whiteflies, Scale Crawlers and Ants.	Ornamentals, Shade Trees and Flowers.

**NOTE:** Do not use on Boston, Maidenhair species of Crassula. Do not apply on Petunia.

**CAUTION:** Do not use, pour, spill, or store in open containers. Do not reuse empty container. Bury or discard. This product is highly toxic to bees exposed to residues on crops. Protective information from your local Cooperative Agricultural Extension Service.



Manufactured by  
**CHASE & COMPANY**  
SANFORD, FLORIDA

l this product dry.

contact with wash with soap. Avoid con- fish and wild- nds with this

ller's control. at or purchase s or implied,

ds and other of any body occur. Do not areas treated.

quipment or ed tied on this

thion)

No. 9404-FL-1 No. 9404-23



# WORM SPRAY

## CUTWORMS and ARMYWORMS

Active Ingredients	
Toxaphene	9.50%
Malathion	10.00%
Xylene-Range Aromatic Hydrocarbon Solvent	74.40%
Inert Ingredients	6.10%
<b>Total</b>	<b>100.00%</b>

\*Technical Chlorinated Camphene Chlorine content 67% to 69%.  
 \*\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

**CAUTION: Keep out of reach of children**  
 See Left Panel for Additional Warnings

### DIRECTIONS

Sunniland Worm Spray is a combination of Toxaphene and Malathion for controlling worms (caterpillars) and certain other insects, as specified below, affecting lawn grasses and many ornamental plants.

TO CONTROL	ON	AMOUNT TO USE T = Tablespoon
Armyworms, Sod Webworms, Cutworms, Grasshoppers, Chiggers, Fleas, Ticks and Ants.	Lawns, Yards & Turf Grasses.	3 T. per gal. water per 100 sq. ft. 1 qt. per 30 gal. water per 2000 sq. ft. 1 gal. per 100 gal. water per 8000 sq. ft.
Text Caterpillar, Climbing Cutworms, Aphids, Thrips, Spidermites, Stink Bugs, Whiteflies, Scale Crawlers and Ants.	Ornamentals, Shade Trees and Flowers.	3 T. per gal. water and wet foliage thoroughly.

**NOTE:** Do not use on Boston, Maidenhair, Pteris Ferns as well as species of Crassula. Do not apply on Petunias.

**CAUTION:** Do not use, pour, spill, or store near heat or open flame.

Do not reuse empty container. Bury or discard in a safe place.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



Manufactured by  
**CHASE & COMPANY**  
 SANFORD, FLORIDA 32771