

**HAZARD TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

May be fatal if swallowed. May be absorbed through skin. Avoid exposure. Avoid contact with skin, eyes, and clothing. In case of contact, wash with soap and water. If spray gets into eyes, Wash with plenty of water. In case of poisoning, call a physician immediately. Remove patient from area and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Wash contaminated clothing with soap and hot water before reuse. Do not breathe spray. Always wash thoroughly with soap and water after handling. Do not handle treated plants until the spray deposit has dried. Do not eat or drink food or fruit or forage. ANTI-DOTE: Activated charcoal and/or 2 PAM.

ENVIRONMENTAL HAZARDS

This product is toxic to bees and should not be applied where bees are actively visiting areas. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by rinsing of equipment or disposal of wastes. Do not apply where weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. STOP - READ LABEL BEFORE USE.

STORAGE AND DISPOSAL

• STORAGE: Do not use, pour, mix, or store near heat or open flames. Store in a cool place, but not below 25° F. Do not store near feed or foodstuff.

• DISPOSAL: Do not reuse container for any purpose. Destroy empty container.

NET CONTENTS - 8 OUNCES or 2368 LITRE

EPA EST. NO. 5-04 FL 1
EPA REG. NO. 5104-43



Manufactured by
CHASE & COMPANY
Spartan, Florida 32771



**DIRECTIONS FOR USE
ON ORNAMENTAL FLOWERS, SHRUBS AND TREES**

Spray made from the concentrate will kill:

Aphids	Distictorous leaf miners	Soil-borne caterpillars
Ants	Holly leaf miners	Soft scales
Asian citrus Scale	Hornworms	Stink bugs
Brown soft scale	Imported cabbage worm	Tarnished plant bug
Cotton boll weevils	Leafhoppers	Thrips
Cucumber beetles	Lyon's bugs	Tobacco budworm
Darling ground beetles	Mites	Webworms
Diamondback moth	Mealy bugs	Whiteflies

Multi-Purpose Systemic Insecticide provides plants with two-way protection from insect attack. The spray kills insects on contact. In addition, the spray is absorbed by the leaves and moves in the sap stream to all parts of the plant for systemic action. Working from inside the plant, the insecticide kills critical insects that feed on the plant top.

MIXED DIRECTIONS

The concentrate mixes readily with water and may be used in all types of sprayers. Use 2 tablespoons (1 fluid ounce) of the concentrate for each gallon of water. Spray plants until they are thoroughly wet. For control of insects in enclosed planting media, drench pot with diluted insecticide. Repeat applications as necessary to maintain insect control.

For hand-type sprayer, measure 2 tablespoons into the sprayer jar for each gallon of final spray. Add water to the indicated level in the jar to give the desired number of gallons of final spray. Follow the recommendations of the manufacturer of your particular hose end sprayer.

RESTRICTIONS

Plant injury from Multi-Purpose Systemic Insecticide applications has been observed on Royal Purple Smoke trees and no camellias and roses. For these three kinds of plants, treat only a few plants and observe for 4 to 5 days before spraying the entire planting.

DYLOX and METASYSTOX R are registered trademarks of the Farver Company of Faro-International Bayer GmbH, Leverkusen.

©Ciba-Geigy Corp. 529,379

TM U.S. Patent No. 2,791,595

Canadian Patent No. 534,370

CCP 200 01290-7-77