

SUNNILAND
DURSBAN (R) 5000

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)phosphorothioate] ----- 1.0%
 INERT INGREDIENTS: ----- 99.0%
 ----- 100.0%

EPA Reg. No. 9404-53

EPA Est. 769-GA-1

(R) Dursban is a registered trademark of the Dow Chemical Company.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. IF INHALED: Remove victim to fresh air and apply respiration if indicated. IF IN EYES: Rinse eyes with plenty of water and call a physician immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly after using. Do not contaminate food or feedstuff with this product. Do not allow children or pets to contact treated surfaces until granules have been watered in and grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Sunniland Dursban 5000 will control ants, earwigs, chinch bugs, fall armyworms, brown dog ticks, cutworms, mole crickets, sod webworms, leafhoppers, spittlebugs, chiggers, clover mites, crickets, fleas, grasshoppers and ticks.

Apply Sunniland Dursban 5000 to ornamental, recreational and other turf grass areas uniformly using any hand or power-operated gravity or rotary-type spreader designed for application of granular materials. Treat when insects first appear using this product at the rate of 100 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application, irrigate or sprinkle the turf with approximately 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine the amounts of the product and water required for smaller-sized areas. Retreat as necessary. Keep children and pets off treated areas until this material is washed into the soil and the turf is dry.

SMALL AREA RATES

AREA TO BE TREATED	POUNDS OF PRODUCT TO BE USED	GALLONS OF WATER TO SPRINKLE ON TURF AFTER TREATMENT
1,000 sq. ft.	2½	30
5,000 sq. ft.	12½	150
10,700 sq. ft.	25	325

DISPOSAL

Do not reuse empty container. Wrap container and place in trash collection.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

SUNNILAND CORPORATION

MANUFACTURERS

SANFORD, FLORIDA