

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. IF INHALED: Remove victim to fresh air and apply respiration if indicated. IF IN EVES: Rinse eyes with plenty of water and call a physician immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly after using. Do not contaminate food or feedstuff with this product. Do not allow children or pets to contact treated surfaces until granules have been watered in and grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with it labeling.

SUNNILAND Dursban 5000 will control ants, earwigs, chinch bugs, fall armyworms, brown dog ticks, cutworms, mole crickets, sod webworms, leafhoppers, spittlebugs, chiggers, clover mites, crickets, fleas, grasshoppers and ticks.

Apply SUNNILAND Dursban 5000 to ornamental, recreational and other turf grass areas uniformly using any hand or power-operated gravity or rotary-type spreader designed for application of granular materials. Treat when insects first appear using this product at the rate of 100 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one. direction; then apply the balance at a right angle. Immediately after application, irrigate or sprinkle the turf with approximately 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine the amounts of the product and water required for smaller-sized areas. Retreat as necessary. Keep children and pets off treated areas until this material is washed into the soil and the turf is dry.

SMALL AREA RATES		
AREA TO BE TREATED	POUNDS OF PRODUCT TO BE USED	GALLONS OF WATER TO SPRINKLE ON TURF AFTER TREATMENT
1,000 sq. ft. 5,000 sq. ft. 10/. 00 sq. ft	2½ 12½ 25	30 150 325
SUGGEOTED SPREADER SETTINGS		
Scotts Ortho The above spreade	No. 4	Cyclone

The above spreader settings are approximate. Check your spreader on 100 sq. ft and adjust to apply the per 100 sq. ft. Use normal rate of walk when applying to avoid an energy rate of application.

STORAGE MID D'UN USAL

Storage. Store in orginal commer in a cool, dry area out of reach of children. Do not contaminate water, food, or feed by storage or disposal. Disposal:

Do not reuse container.

R

Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.



 ۰.

Page 1 of 1

SUNNILAND CORPORATION Ameridment: EPA Reg. No. 9405 (3) Product Name "DURBBAN 5000"

The following paragraph to be added as the last portion of the Directions For Use section entitled "SMALL AREA RATES".

PREMISE PREATMENT For the control of Anto, brown boy Wicks, Mole Tricketz, Chicker, Slever Mites, Chickets, and Flees in the recreational turi immediately adjacent to the home, sprinkle DURSBAN 5000 granules over the turf in a 5 foot wide band of turf around the home at the rate of 1 pound per 400 Sq. Ft., (5 Ft. x BO Ft.). After applying sprinkle the area with water to move the innecticide into the innect beeding zone, keep children and pets off treated areas with turf grand is dry. Repeat as needed for control.

BEST DOCUMENT AVAILABLE



NET WEIGHT 12.5 LBS. (5.67 kg)