

SUNNILAND

WEED and FEED · MAR

25 - 3 - 3 PLANT FOOD

wi th

9404-54

DOUBLE ACTION HERBICÍDE $D \cdot P = D \cdot P \cdot M \cdot C \cdot P \cdot P$

> For Use On Bahiagrass, Bermudagrass, Fescue, Rye Grass, Zoysis, Bluegrass

30 Pound Bag Covers 6,000 Sq. Ft.

√ **Isooctyl ester of	2,4-dichlorophenoxyacet 2-(2-methyl-4-chlorophe propionic acid . Tot	noxy) 0.90% 98.23%
 Equivalent to .575% 2,4 by AOAC method No. 6.Do1 Equivalent to .58% 2-(2 	-5	-
EPA Reg. No. 9404- KEEP OUT	EPA Est. No. 94 OF REACH OF CHILDREN — CAUTION —	IZ PT SIZE TYPE
		p and water; for
Net Weigh	t. Pounds	• • •

SUNNILAND CORPORATION SANFORD FL 32771

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product contains a 25-3-3 complete Fertilizer combined with two Herbicides for Broadleaf weed control.

WHERE TO USE - This product may be used on Bahiagrass, Bermudagrass, Fescue, Rye grass, Zoysia and Bluegrass lawns and ornamental turf.

WHERE NOT TO USE - Since this product contains a Broadleaf Weed Killer do not use on St. Augustine grass, Carpetgrass, Bentgrass or Dichondra. It should not be used where desirable clovers are present. Do not apply in a manner where by the product will "wind drift" to nearby flowers, vegetables, trees, shrubs, or other valuable plants. Apply at a time when the air is calm. Do not use on newly seeded lawns until after the second cutting. Delay seeding for at least three weeks after application.

WHEN TO USE - Apply when weeds are young and actively growing in the spring, summer or fall. Best results will be obtained when temperatures range from 65° to 90°F and the grass is damp from dew, rain or watering. Results will be erratic when applied during a drought period. Apply when the air is calm. Lawns that are heavily over-run by weeds and appear poor in vitality will benefit from an additional application in 30-45 days.

HOW TO USE - Spread the contents of this bag to cover 6,000 Sq.Ft. of lawn. This will feed the turf at the rate of 1 1/4 lb. of nitrogen per 1,000 Sq.Ft. and will give a full application of the broadleaf herbicide.

Apply evenly over the turf with a lawn fertilizer spreader as follows.

SCOTTS 35 - #6 __ CYCLONE - #4 1/2

Fertilizer Spreader settings will vary with walking speed, uneven turf, and the condition of the spreader. Adjust the setting accordingly.

WEEDS CONTROLLED - This product will control the following weeds found

WEEDS CONTROLLED - This product will control the following weeds found in the lawn: Bindweed, Black Medic, Blue Lettuce, Buckhorn, Burdock, Chickweed, Chicory, Cinquefoil, Clover, Cocklebur, Croton, Dandelion, Dock, Fanweed, Goldenrod, Ground Ivy, Hawkweed, Heal-All, Henbit, Jewelweed, Jimson Weed, Kochia, Knotweed, Lambsquarter, Mallow, Morning Glory, Mustard, Nettles, Oxalis, Pennywort, Peppergrass, Pigweed, Plantain, Hwerty Weed, Purslane, Ragweed, Shepards Purse, Smartweed, Speedwell, Spotted Spurge, Thistle, Vervain, Vetch, Wild Aster, Wild Lettuce, Wild Radish, and Yarrow.

Weeds contacted by this product gradually die and disappear from the lawn making way for new turf growth.

Derived from Urea, Sulfur Coated Urea, Diammonium Phosphate, Muriate of Potash Chlorine, not more than 3%

DIRECTIONS FOR USE (Cont.)

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

Howarful of some blowed

CAUTION: Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking.

Do red upply duestly to water ENVIRONMENTAL HAZARDS

Keep out of lakes streams or ponds. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target area.

STORAGE & DISPOSAL _____ IZ PT SIZE TEPE

Storage - Store in a dry area away from plants. Do not contaminate water, food or feed by storage or disposal.

Disposal - Completely empty bag by shaking bag and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not re-use empty bag. Wrap bag and put in trash collection.

NOTICE: Buyer assumes all risk and liability of use, storage, and/or handling or this material not in accordance with the terms of this label.

•	EPA REGISTRATION NO.	DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS		1117 0 1983
REGISTRATION DIVISION (HII-567) WASHINGTON, D.C. 27467	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: HE GIST HATION	NAME OF PESTICIDE PRODUC	т
(Under the Federal Insecticide, Funoicide and Rodenticide Act, as amended)	e exercis	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		···
-	· 	
	1	
• •		
L	٦	
NOTE: Changes in labeling formula differing in substance is submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration nur	or to use of the label in commerce	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby	Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is retur	ned herewith.
Registration is in no way to be construed as an indorsemen health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	on, may at any time suspend or ca time in connection with the registr o exclusive use of the name or to	ncel the registration of a pest- ration of a product under this its use if it has been covered
The second of th		#15 (1) 11: PED-
The state of the s	arm or a start	1912 to.
the great for wet much in the control of	and the state of the state of the	•
registrate a recital batter to the		
in the second of the second		- 1•
	A The second of the second	
The state of the s	in the second of the second of	
the Same and the Letter of the Company of the Compa	ira (*) -) - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - () - ()	Carlo Holling Town
The solution of the contract o	A TO THE RESERVE OF THE CO.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The transport of the second of		
The second secon		
	The state of the s	
ATTACHMENT IS APPLICABLE		
IGNATURE OF APPROVING OFFICIAL		DATE
probable to love the		MAR S 1983

•