SUNNILAND

OUR BEST QUALITY

WEED & FEED

26 - 3 - 3

PREMIUM BLEND
WEED CONTROL THAT
FERTILIZES YOUR LAWN

ACCEPTED MAR 1 5 1983

Under the Federal Insection Fungicide, and Rodorificas amended, for the provisional under the PAR Reg. No. 1404

USE ON ST. AUGUSTINE AND FLORTAM LAWNS

COVERS 6,000 SQ. FT.

See back panel for additional precautionary statements.

ACTIVE INGREDIENT :

Atrazine (2-chloro-4 ethylamino-6-isopropylamino-s-triazine) . . INERT INGREDIENTS:

99.217

Total

100.00%

Contains 16 lbs of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of water; for eyes flush with plenty of wate for 15 minutes & get medical attention.

E.P.A. Est. No. 9404-FL-1

E.P.A. Reg. No. . 9404

Net Weight 34 11/16 Pounds

SUNNILAND CORPORATION SANFORD, FL. 32771

#### DIRECTIONS FOR USE

Page 2 of 3

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## WEEDS CONTROLLED OR SUPPRESSED:

Annual Blue grass (Poa Annua) Cudweed Annual sowthistle Cutleas evening Primrose Annual Clover Diochondra Black Medic Dollarweed Blue Toadflex Florida betony (rattlesnake weed) Bull Paspalum Florida pusley Buckhorn Plantain Fragrant Cudweed (rabbit tobacco) Buclover Henbit Caroline geranium (cranesbill) Knotweed Chickweed (common & Mouseear) Lespedeza Common Dandelion Mat lippia (matchweed, creeping Charlie) Moneywort ٠,

Common Purslane Crabgrass

Narrowleaf vetch
Oxalis (common yellow wood
sorrell)

Rescuegrass
Shephardspurse
Stinging nettle
Venue lookinglass

Parsley-piert Red sorrell

Sandspur Spurweed Swinecrest Virginia pepper weed

#### PREMIUM BLEND WEED CONTROL

THAT FERTILIZES YOUR LAWN

#### USE ON ST. AUGUSTINE AND FLORTAM LAWNS

### COVERS 6,000 SQUARE FEET

## GUARANTEED ANALYSIS

	99-4481
Total Nitrogen	. 26.00%
Nitrate Nitrogen 0.00%	5
Ammoniacal Nitrogen 1.17	6
Water Soluble Organic Nitrogn	6
Water Insoluble Nitrogen 6.50%	r B
Available Phosphoric Acid (P205)	3.00%
Soluble Potash (K20)	3.00%
Chlorine, not more than	3.00%

Derived From: DiAmmonium Phosphate, Urea-Formaldehyde, Muriate of Potash.

## PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

Keep out of lakes streams or ponds, Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target area.

STORAGE & DISPOSAL — \_\_\_\_\_ IZ PT SIZE TYPE torage - Store in a dry area away from plants. Do not contaminate waiter,

rood or feed by storage or disposal.

Disposal - Completely empty bag by shaking bag and tapping sides and to transfer to loosen clinging particles. Empty residue into application .....

equipment. Do not re-use empty bag. Wrap bag and put in trash collection.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

# HOW TO SET YOUR SPREADER

Manufactured by SUNNILAND CORPORATION SANFORD, FLORIDA 32771

NET WEIGHT 34 11/16 lbs. or 15.73 kilograms