

1/4

# PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water by cleaning equipment or disposal of wastes. Do not apply when weather conditions favor drift from target area.

#### **STORAGE & DISPOSAL**

Storage: Store in a dry area away from plants. Do not contaminate water, food or feed by storage or disposal. Disposal: Completely empty bag by shaking bag and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not re-use empty bag. Wrap bag and put in trash collection.

NOTICE: The seller makes no implied warranty or merchantability nor any other warranties which extend beyond the description on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Common Pursiane Moneywort Cragbrass	WEEDS CONTROLLED OR SUPPRESSED:	•
Annual CloverDiochondraBlack MedicDotlarweedBlue ToadflexFlorida Betony (rattlesnake weed)Buit PaspalumFlorida PusleyBuckhorn PlantainFragrant Cudweed (rabbit tobacco)BuctoverHenbitCaroline Geranium (cranesbill)KnotweedChickweed (Common & Mouseear)LespedezaCommon DandelionMat Lippia (matchweed, creeping CharlieCoragbrassKoneywort	Annual Bluegrass (Poa Annual)	Cudweed
Black Medic   Dotlarweed     Blue Toadflex   Florida Betony (rattlesnake weed)     Built Paspalum   Florida Pusley     Buckhorn Plantain   Fragrant Cudweed (rabbit tobacco)     Buctover   Henbit     Caroline Geranium (cranesbill)   Knotweed     Chickweed (Common & Mouseear)   Lespedeza     Common Dandelion   Mat Lippia (matchweed, creeping Charlier     Coragbrass   Koneywort	Annual Sowthistle	Cutteas Evening Primrose
Blue Toadllex   Florida Betony (rattlesnake weed)     Buit Paspalum   Florida Pusley     Buckhorn Plantain   Fragrant Cudweed (rabbit tobacco)     Buclover   Henbit     Caroline Geranium (cranesbill)   Knotweed     Chickweed (Common & Mouseear)   Lespedeza     Common Dandelion   Mat Lippia (matchweed, creeping Charlier     Coragbrass   Koneywort	Annual Clover	Diochondra
Built Paspalum   Florida Pusley     Buckhorn Plantain   Fragrant Cudweed (rabbit tobacco)     Buctover   Henbit     Caroline Geranium (cranesbill)   Knotweed     Chickweed (Common & Mouseear)   Lespedeza     Common Dandelion   Mat Lippia (matchweed, creeping Charlie     Coragbrass   Koneywort	Black Medic	Dollarweed
Buckhorn PlantainFragrant Cudweed (rabbit tobacco)BuctoverHenbitCaroline Geranium (cranesbill)KnotweedChickweed (Common & Mouseear)LespedezaCommon DandelionMat Lippia (matchweed, creeping CharlieCommon PurstaneMoneywortCragbrassCragbrass	Blue Toadllex	Florida Betony (rattlesnake weed)
Buclover Henbit   Caroline Geranium (cranesbill) Knotweed   Chickweed (Common & Mouseear) Lespedeza   Common Dandelion Mat Lippia (matchweed, creeping Charlie   Common Purstane Moneywort   Cragbrass Cragbrass	Buit Paspalum	Florida Pusley
Caroline Geranium (cranesbill)   Knotweed     Chickweed (Common & Mouseear)   Lespedeza     Common Dandelion   Mat Lippia (matchweed, creeping Charlie     Common Purstane   Moneywort     Cragbrass   Common Salaria	Buckhorn Plantain	Fragrant Cudweed (rabbit tobacco)
Chickweed (Common & Mouseear)LespedezaCommon DandelionMat Lippia (matchweed, creeping Charlie Common PurstaneCommon PurstaneMoneywortCragbrassCreeping Charlie	Buctover	Henbit
Common Dandelion Mat Lippia (matchweed, creeping Charlie Common Purstane Moneywort Cragbrass	Caroline Geranium (cranesbill)	Knotweed
Common Pursiane Moneywort Cragbrass	Chickweed (Common & Mouseear)	Lespedeza
Common Pursiane Moneywort Cragbrass	Common Dandelion	Mat Lippia (matchweed, creeping Charlie)
-	Common Pursiane	
	Cragbrass	•
Narrowlet Vetch Parsley-piert	Narrowlef Vetch	Parsley-piert
Oxatis (common yellow wood sorrel) Red Sorrell	Oxatis (common yellow wood sorrel)	• •
Rescuegrass Sandspur	Rescuegrass	Sandspur
Shephardspurse Spurweed	Shephardspurse	Spurweed
Stinging Nettle Swinecret	Stinging Nettle	Swinecret
Venus Lookinglass Virginia Pepper Weed	Venus Lookinglass	Virginia Pepper Weed
Wild Mustard	Wild Mustard	,

AMOUNT TO USE: Apply Best Quality Weed & Feed at the rate of 35 lbs. per 6,000 square feet. Water thoroughly after application.

WHEN TO APPLY: For best results, apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually applications made between January 1 and March 31 give the best control, although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as henbit, chickweed, rabbit tobacco, Florida betony and evening primrose, a fall application will be required.

**IMPORTANT** — USE PRECAUTIONS: DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT.

Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede and Carpetgrass lawns until after the new grass has been mowed at least twice.

Do not plant sprigs for one month or sow new grass seed for six months following application of this product. Weed & Feed may be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80° F. or above, water sufficiently to rinse particles off the grass blades.

### HOW TO SET YOUR SPREADER

NET WEIGHT 34 11/16 lbs or 15.73 Kilograms

CYCLONE ....

Manufactured by SUMNILAND CORPORATION Sanferd, Florida 32771 Page 2 of 2

2/4

COMFILE B:9404-55.LAB #4PAGE 1 OF 2EPA REG. NO. 9404-65MINOR COPY AMENDMENTS - ADDITIONS8/2/95^ PRODUCT NAME: SUNNILAND OUR BEST QUALITY WEED & FEED 26-3-3

۰.

•

.....

1. STATEMENT TO BE ADDED TO THE FRONT PANEL.....

"Premium Slow Release Lawn Food With Atrazine Weed Control For Use On Centipede and St. Augustine Varieties Including Bitter Blue, Floratam and Seville"

2. STATEMENTS & CHART TO BE ADDED TO THE BACK PANEL.....

SULLIVANS DO IT YOURSELF YEAR ROUND LAWN CARE SERVICE | Program For St. Augustine And Centipede Varieties

	NEEDS	Sullivan's SOLUTION	EARLY SPRING	LATE Spring	SUMMER	FALL*
					<u>,                                     </u>	
Weeds	XIII Weeds	GREEN LAWN Builder	Step			Step
	A Feed Lawn	S	1			4 or
Hungry Grass	Fertilize	GREEN LAWN Builder		STEP		STEP
		Lawn Food		2		4 or
Insects	Kill	GREEN LAWN			Step	Step
4 20	Insects	Insect Control			3	4
New	Start	GREEN LAWN	or	or	or	or
or Patch	Lawn	Starter Fertilizer	Step	Step	Step	Step
Lawn	L	Asoust Rabia		2	3	4

Program For Fescue: Bahia: Bermuda: Blue Grass: Carpet

			<u> </u>			
PROBLEM	NEEDS	Sullivan's SOLUTION	EARLY SPRING	LATE SPRING	SUMMER	FALL*
				•		
Weeds	KM Weeds	GREEN LAWN Builder	•	Step		Step
	A Feed Lawn	Plus 2		2		4 or
Hungry	Fertilize	GREEN LAWN Builder	STEP			STEP
		Lawn Food	1			4 or
Insects	Kill	GREEN LAWN			Step	Step
**	Insects	Insect Control		-	3	4
New	Start	GREEN LAWN	or	or	or	or
or Patch	Lawn	Starter Fertilizer	Step	Step	Step	Step
Lawn			1	2	3	4



3/4

COMFILE B:9404-55.LA2 #4PAGE 2 OF 2EPA REG. NO. 9404-55PRODUCT NAME: SUNNILAND OUR BEST WUALITY WEED & FEED 26-3-38/285

4/4

2.(Cont.)

"Your Choice Depending On Your Lawn's Needs

NO MIX, NO MESS ... JUST POUR INTO SPREADER AND FOLLOW THESE SIMPLE DIRECTIONS

3. AMENDMENT TO INCREASE INFORMATIONAL COPY UNDER "How To Set Your Spreader"

## HOW TO SET YOUR SPREADER

SPREADER Ortho Broadcast Ortho Drop Precision Broadcast Scott's Broadcast	7 12
Scott's Drop Cyclone Central Broadcast Central Drop	4½ 4

NOTE: The above suggested spreader settings are only approximate. Age and condition of your spreader can cause wide variations. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping and turning. Avoid getting on concrete, stucco or asbestos siding, as the composition of certain fertilizer elements can cause permanent stains.