Clyde L. Cline Assist. Mgr. Operations

02-06-01

FLORATAM Special Label Page 1 of 2

Weed & Feed For St. Augustine Lawns

• Ironized • Lawn Food For Bitter Blue - Seville -Raleigh and For All St, Augustine Grass Lawns

Covers 5,000 Sq.Ft.(50'X100')

WEED and FEED

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-

isopropylamino-s-triazine -

Related Compounds - -INERT INGREDIENTS: - - -

99,21% Total 100.00%

0.75%

0.04%

Contains 16 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

EPA REG. NO. 9404-55

EPA EST. NO. 9404-FL-1

NET WEIGHT 30 POUNDS

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention IF ON SKIN: Remove contaminated clothing and wash affected area

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained.

local agricultural agencies can provide further information on the

type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to

water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Do not apply on or under ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

NOTICE: Buyer and user assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use, as sod or for commercial seed production, or for research purposes. This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer. For best results, rainfall or watering is necessary within 7 to 10 days after treatment.

FLORATAM SPECIAL weed & feed for St. autusutine Lawns contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed. FLORATAM SPECIAL can be applied to all St. Augustine Lawns. (55p1of2-flor.p85\02-05-01)

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa Annua) Annual Sowthistle Annual Clover Black Medic Blue Toadflax **Bull Paspalum** Buckhorn Plantain **Bur Clover** Carolina Geranium (Cranesbill) Chickweed (Common and Mouse Ear) Common Dandelion Common Purslane Crabgrass Cudweed **Cutleaf Evening Primrose** Dichondra **Dollar Weed** Florida Betony

(Rattlesnake Weed)

Florida Puslev Fragrant Cudweed(Rabbit Tobacco) Henbit Knotweed Lespedeza Mat Lippia (Matchweed) Moneywort Narrowieaf Vetch Oxalis (Common and Yellow Woods Parsley-Piert Red Sorrel Rescuegrass Sandspur Shepards Purse Spurweed Stinging Nettle Swinecrest Venus Looking Glass Virginia Creeper Wild Mustard

AMOUNT TO USE

Apply at the rate of 30 pounds per 5.000 sq.ft. of lawn. Water thoroughly after application.

WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

IMPORTANT USE PRECAUTIONS
DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RE-SULT. Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice.

Do not plant sprigs for one month, or sow new grass seed for six months following application of this product. May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80 degrees F or above, water sufficiently to rinse particles off the grass blades.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. HOUSEHOLD: Do not reuse empty bag. Securely wran original container in several layers of newspaper and Securely wrap original container in several layers of newspaper and discard in trash.

SUNNILAND CORPORATION P.O. BOX 8001 - SANFORD, FL 32772-8001

FLORATAM Special Weed & Feed For St. Augustine Lawns

• Ironized • Lawn Food For Bitter Blue - Seville - Raleigh and For All St, Augustine Grass Lawns

WEED and FEED

EPA REG. NO. 9404-55

EPA EST. NO. 9404-FL-1

NET WEIGHT 30 POUNDS

FLORATAM SPECIAL weed & feed for St. autusutine Lawns contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed. FLORATAM SPECIAL can be applied to all St. Augustine Lawns.

Н	O	W	T	0	S	ET	Y	O	U	R	SF	? F	₹E,	AC)ER	t
---	---	---	---	---	---	----	---	---	---	---	----	------------	-----	----	-----	---

	Ortho Broadcast	4 1/2	Scott's Drop	6
	Ortho Drop	7	Cyclone	4 1/
2	Precision Broadcast	12	Central Broadcast	4
	Scott'sd Broadcast	1	Central Drop	8

NOTE: The above suggested spreader settings are only approximate. Age and condition of your spreader can cause wide variations. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping and turning. Avoid getting on concrete, stucco or asbestos siding, as the composition of certain fertilizers elements can cause treatment stains Grow with a Winner

For Quality Nitrogen NITRÓFORM



GUARANTEED ANALYSIS*

11.88%Water Soluble Organic Nitrogen 1.42% Water Insoluble Nitrogen Available Phosphate (P₂O₅) -4.00% Soluble Potash (K₂O)- - - - - - - Chlorine not more than 2.00 % 10.00%

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to lbs. of Calcium Carbonate per ton.

Statement of Secondary Plant Foods

Total Magnesium as Mg - 1.0%; Boron as B .02%; Copper as Cu -,05%; Iron as Fe -1.50%; Manganese as Mn -.50%; Molybdenum as Mo -.005%; Zinc as Zn -.05%%

Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

fertilizer analyses for this product may vary to suit the needs of different aeoaraphical communities)

NOTICE: The Seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

(55--p2of2-flor.P65\02-05-01)