

9404-55

06/05/2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Clyde L. Cline
Assist. Mgr. Operations
Sunniland Corporation
P.O. Box 8001
Sanford, FL 32771

JUN 5 2003

Dear Mr. Cline:

Subject: Label Amendment
Our Best Quality Weed & Feed
EPA Reg. No. 9404-55
Your submission dated January 14, 2003

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Under the heading Storage and Disposal, replace "storage" with "pesticide storage".
2. Under the heading Directions for Use, add the following text:

Do not apply this product using only your hands.

Entry Restrictions:

Do not enter or allow others to enter treated area (except those involved in the watering-in) until the watering-in is completed and the surface is dry.

Use Restrictions:


Hand-held broadcast spreaders are prohibited unless for spot treatment only.

3. Under the heading Storage and Disposal, replace "storage" with "pesticide storage".

4. Submit one (1) copy of your final printed labeling before you release the product for shipment. The enclosed stamped label supersedes all previous labels.

A stamped copy of the labeling is enclosed for your records.

Sincerely,



James A. Tompkins
Product Manager (25)
Herbicide Branch
Registration Division (7505C)

Our Best Quality Weed & Feed!

A Weed & Feed For St. Augustine Lawns

• ***Ironized Lawn Food For Bitter Blue - Seville - Raleigh***

and All Other St. Augustine Grass Lawns

Covers 5,000 Sq.Ft.(50'X100')

WEED and FEED

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine - - - 0.75%
Related Compounds - - - - - 0.04%

OTHER INGREDIENTS: - - - - - 99.21%
Total 100.00%

Contains 16 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

EPA REG. NO. 9404-55 EPA EST. NO. 9404-FL-1
NET WEIGHT 30 POUNDS

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See side panel for additional Precautionary Statements

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-ained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Do not apply on or under ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use, as sod or for commercial seed production, or for research purposes. This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer. For best results, rainfall or watering is necessary within 7 to 10 days after treatment.

OUR BEST QUALITY WEED & FEED is a weed & feed for St. autusutine Lawns; contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed. OUR BEST QUALITY WEED & FEED can be applied to all St. Augustine Lawns.

(55p1of208QW&F.p6501-10-03)

NOTICE: Buyer and user assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa Annua)	Florida Pusley
Annual Sowthistle	Fragrant Cudweed (Rabbit Tobacco)
Annual Clover	Henbit
Black Medic	Knotweed
Blue Toadflax	Lespedeza
Bull Paspalum	Mat Lippia (Matchweed)
Buckhorn Plantain	Moneywort
Bur Clover	Narrowleaf Vetch
Carolina Geranium (Cranesbill)	Oxalis (Common and Yellow Woodsorrei)
Chickweed (Common and Mouse Ear)	Parsley-Piert
Common Dandelion	Red Sorrel
Common Purslane	Rescuegrass
Crabgrass	Sandspur
Cudweed	Shepards Purse
Cutleaf Evening Primrose	Spurweed
Dichondra	Stinging Nettle
Dollar Weed	Swinecrest
Florida Betony	Venus Looking Glass
(Rattlesnake Weed)	Virginia Creeper
	Wild Mustard

AMOUNT TO USE

Apply at the rate of 30 pounds per 5,000 sq. ft. of lawn. Water thoroughly after application.

WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS BECAUSE INJURY TO THESE PLANTS MAY RESULT ---

- Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result.
- Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice.
- Do not plant sprigs for one month, or sow new grass seed for six months following application of this product.
- May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds.
- Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result.
- Apply this product only when grass blades are dry.
- When daytime temperatures are 80 °F or above, water sufficiently to rinse particles off the grass blades.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

IF EMPTY: Do not reuse this bag. **ACCEPTED FOR RECYCLING** if available. **IF PARTLY FILLED:** Call your local waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SPILL: in case of spill, sweep up and use as directed or dispose of material according to PRODUCT DISPOSAL directions listed above. JUN 5 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9404-55

SUNNILAND CORPORATION

P.O. BOX 8001 - SANFORD, FL 32772-8001

4/4

Our Best Quality Weed & Feed!

Weed & Feed For St. Augustine Lawns

• "Ironized Lawn Food" for Bitter Blue - Seville - Raleigh and For All St. Augustine Grass Lawns

WEED and FEED

EPA REG. NO. 9404-55

EPA EST. NO. 9404-FL-1

NET WEIGHT 30 POUNDS

OUR BEST QUALITY WEED & FEED, is a weed & feed for St. Augustine Lawns contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed. OUR BEST QUALITY WEED & FEED can be applied to all St. Augustine Lawns



Dandelion

HOW TO SET YOUR SPREADER

Ortho Broadcast	4 1/2	Scott's Drop	6
Ortho Drop	7	Cyclone	4 1/2
Precision Broadcast	12	Central Broadcast	4
Scott's d Broadcast	1	Central Drop	8

NOTE: The above suggested spreader settings are only approximate. Age and condition of your spreader can cause wide variations. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping and turning. Avoid getting on concrete, stucco or asbestos siding, as the composition of certain fertilizers elements can cause treatment stains.

Grow with a Winner
For Quality Nitrogen
NITROFORM

GUARANTEED ANALYSIS*

Total Nitrogen (N)	- - - - -	18.00%
5.00%	Ammoniacal Nitrogen	
11.88%	Water Soluble Organic Nitrogen	
1.42%	Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	- - - - -	4.00%
Soluble Potash (K ₂ O)	- - - - -	10.00%
Chlorine not more than		2.00 %

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to ___ lbs. of Calcium Carbonate per ton.

Statement of Secondary Plant Foods

Total Magnesium as Mg - 1.0%; Boron as B .02%; Copper as Cu - .05%; Iron as Fe -1.50%; Manganese as Mn -.50%; Molybdenum as Mo -.005%; Zinc as Zn -.05%
Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

(fertilizer analyses for this product may vary to suit the needs of different geographical communities)

ALTERNATE NOTICE

Read the entire Directions for Use,

Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sunniland Corp. All such risks shall be assumed by the user or buyer.

Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Sunniland Corp. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Sunniland Corp. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Sunniland Corp.'s option, the replacement of the product.

NOTICE: The Seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

(55-p2of2-flor.P65\02-05-01)

FOR THE FOLLOWING EMERGENCY, PHONE 24 HOURS A DAY
TRANSPORTATION: CHEMTREC 1-800-424-9300

SUNNILAND CORPORATION
P.O. BOX 8001 - SANFORD, FL 32772-8001