

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

JUL 24 2008

Dr. H.R. McLane Agent for Mr. Clyde L. Cline Sunniland Corporation 7210 Red Road, Suite 206A Miami, FL 33143

Subject: Label Notification for Pesticide Registration Notice 2007-4

Dear Dr. McLane,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated June 20, 2008 for the product Our Best Quality Weed & Feed (EPA Registration Number 9404-55). The Registration Division (RD) has conducted its review of this request for its applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Steve Schaible of my staff at 703-308-9362.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

	United State	·	<u> </u>	г	_	Registı	ration	EPA	-
⇔ EPA	Environmental Protect		v. i	H	- -	Amend		Registration.	No.
	Washington, DC			 -	\mathbf{x}	Notifica		9404-5	ST 2000 CONTRACT
Applicatio	n for Pesticide	Section	I PR					ate June,20,	2004 C Cor
Company / Pro				PA Produc				oposed Classific	
Ta company ()	9404-55			JIM TOM		-			Janon
4. Company Prod				mber - 2		11	x	None Re	estricted
Our	Best Quality Weed &				 _			<u> </u>	
	dress of Applicant: (Include	Zip Code)						FIFRA Section 3	
Sunnilan P.O. Box	nd Corporation			√ly product is	s sim	ilar or ide		nposition and labe FICATION	ling
•	•	===	10:	ı	N/A		NUI	PICATION	
(FL, 32772	EPA	Reg. No). 			JUL	2 4 2008	
	Check if this is a new address			uct Name:	N/A				
		Sec	tion I						
Amendme	ent- Explain below (F	=)	Final Prin	nted	Labels is	n response t	o.	
- Resubmission	on in response to Agency Lette	er Dated:	275,7						
		The state of the s		Me Too A	Appli	cations,			
X Notificatio	on - Explain Below Compliand	ce with PRN 20	07-4				- 0	ther Explain belo)W
Explanation: Use	aditional pages if necessary (For Se	ection I and Section	n II) h	is is a NO	TIF	TICATI	ION that	hrings this lahe	oling
	e with PR NOTICE 2007								
this 2 page dro	aft label's unit 1 of 2 at th	ie bottom of th	he right	t column	Ou	r Cert	ification f	or this NŎTIFI	ICA-
TION appears	s in our cover letter <u>as pa</u>	<u>age 2 of 5</u> inc	cluded i	in this dos:	sier.	Please	e place thi	s NOTIFICAT	<i>ION</i>
as a permanei	nt portion of the file for th	he product. 1	hank y	ou for you	ir ca	operai	ion in this	s matter.	
· · · · · · · · · · · · · · · · · · ·		Sei	ction II	1		····	,	· · · · · · · · · · · · · · · · · · ·	
1 - Material This Produc	at will be packaed in:								
Child Resistant Packagi		o W	ater Solu	ıble Packagiı	ng		Type of Conf		
	- Yes		Yes			2.	X	Metal(Poly	
Yes	X No	X	No				x_	Plastic HDF	Treated)
X No	- 	o. Per If "Yes		No. Per		·	<u> </u>	Glass	li Guicu,
Certifiction must	Unit Packaging Wgt. Cor	ntainer Packa	s age Wgt.	Container				Paper	
be submitted Date:	tents Information 4. S	ize(s) Retail Contain		<u> </u>	 	7.5.1	ocation of label	J Other "BARE directions	<u>X"</u>
	 1	30 lbs. ; 50		Bag.	- X	→ On La			•
	label is Affixed to Product X	Lithograph		Othe	ــــــــــــــــــــــــــــــــــــــ			100000	
- Tribunitation in the contraction in the contracti	X	Paper Glue Stenciled	∍d		<u> </u>				 , .
		Sec	tion I\	7			,		
Contact Point (Co	omplete items below for Iden	tification of indi	vidual to	be contact	ted i	f neces:	sary to proc	eess this applica	tion.)
Name: H. R. Mo	cLane, Inc.	itle:	1gent	305-661-1	706	,	Telephone I	No. (Include Area	code)
	suite 206A miami, FL 33			iland Corp			1-800	0-432-1130	
`		Certification							
	ents I have made on this form and all atta	tachments thereto ar			olete.			6. Date Application	
	rfalse or misleading staterment may be p					•		received (Stamped)	
2. Signature: By. H. R		3. Title		Agent					ļ
Z. Signature, by. n. N	MCLarie	3. Title		Ageni				197	

5. Dat

06-20-08

4. Typed Name of registrant

Mr. Clyde L. Cline, Operations Manager

Sunniland Corporation



H. R. McLANE, INC.

7210 Red Road, Suite 208A - Mlami, Florida 33143-5321 U.S.A. Phone 205661 1706-Fax 305661 3036-E-Mail himickneing @bellsouth.net Consulting in EPA Regulatory Affairs FIFRA Licensing & Registrations - Since 1948

JULY 18, 2008

ATTN: DR. STEVE SCHAIBLE - & DR. JIH TLOMPKINS PM-25 DOCUMENT PROCESSING DESK (PRN 2007-4 NOTIFICATION) OFFICE OF PESTICIDE PROGRAMS (7504 P) ENVIRONMENTAL PROTECTION AGENCY 1200 PENNSYLVANIA, AVE. N.W. WASHINGTON, D. C. 20460-0001

> PHONE 703-305-5697 FAX 703-305-6920

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4 Registrant: CTX SUMMILAND CORPORATION RPA EST. NO. 9404-FL-1

P.O. BOX 8001- SANFORD, FL 32772 COMPANY CONTACT: MR. CLYDE L. CLINE OPERATIONS MANAGER. Product: OUR BEST QUALITY WEED & FEED- BPA REG.MO.9404-55.

DEAR DR. SCHAIBLE / DR. TOMPKINS:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND ON THE LABEL UNIT, 1 OF 2, AT THE BOTTOM OF THE RIGHT HAND COLUMNI OF THIS 2 PAGE DRAFT LABBL PAGENATED AS 4 AND 5 OF 5 IN THIS 5 PAGE DOSSIER.

· F.	WY3 CP
INDEX	1
COVER LETTER to: DR. JIM TOMPKINS PM-25	2
1 COPY OF RPA FORM 8570-1 EPA REG. NO. 9404-55	
2 COPIES OF THE 2 PAGE DRAFT LABEL	4,5
PR MOTICE 2007-4 COPY FOUND AT THE SOTTOM OF	
THE LABEL'S RIGHT HAND COLUMN, UNIT 1 OF 2.	

THIS IS THE CORRECTED CERTIFICATION FOR OUR PRM NOTIF DATED JUNE 20., 2006.

-----> CRRTIFICATION FOR THIS MOTIFICATION "This notification is consistent with the guidance in PR Notice 2007-4 and the reuirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156. We other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the terms of 40 CFR 156-10, 156.140 156.144m 156.146m 156. this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Sincerely

H. R. MCLANE, INC.

H. R. McLane, Ph.D. ... Agent for MR. CLYDE L. CLINE OPEATION MANAGER HRM/nb/ encl: Bs above. cc/TG/GMCI

EPA REG. 9404-55

Page 1 of 5

INDEX

NOTIFICATION TO COMPLY WITH PR NOTICE 2007-4 CONCERNING THE STORAGE AND DISPOSAL SECTION REVISED COPY

REGISTRANT
SUNNILAND CORPORATIOND
P.O.BOX 8001
SANFORD, FL 32772

TO: DR. JIM TAOMPKINS

e had a first of

The state of the s

PM-25

PRODUCT NAME
OUR BEST QUALITY WEED & FEED
EPA REG. NO. 9404-55

SUBJECT OF NOTIFICATION: PR NOTICE 2007-4

	PA	AGE
INDEX	• •	1
COVER LETTER to: DR. JIM TOMPKINS PM-25	• •	2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-55.	• •	3
2 COPIES OF THE 2 PAGE DRAFT LABEL		4,5
PR NOTICE 2007-4 COPY FOUND AT THE BOTTOM O LABEL'S RIGHT HAND COLUMN PAGE 1 OF 2.	F	
LABEL HAS BEEN REDUCED TO FIT ON LETTER SIZE P	API	ER.

RETURN POSTCARD FOR EPA SIGNATURE OF RECEIPT MAILING STICKERS FOR RETURN TO H. R. MCLANE, INC.



page 2 of 4



7210 Red Road, Suite 206A - Miami, Florida 33143-5321 Phone 305 661 1706 - Fax 305 661 3036 Chemical Consultants in EPA Regulatory Affairs FIFRA Licensing & Registrations- Since 1948

JUNE 20, 2008

DR. JIM TLOMPKINS PM-25
DOCUMENT PROCESSING DESK (NOTIFICATION)
OFFICE OF PESTICIDE PROGRAMS (7504 P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-305-5697 FAX 703-305-6596

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4 Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1

P.O. BOX 8001- SANFORD, FL 32772

COMPANY CONTACT: MR. CLYDE L. CLINE OPERATIONS MANAGER. Product: OUR BEST QUAALITY WEED & FEED- EPA REG.NO.9404-55.

DEAR DR. TOMPKINS:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND ON THE LABEL UNIT, 1 OF 2, AT THE BOTTOM OF THE RIGHT HAND COLUMNN OF THIS 2 PAGE DRAFT LABEL PAGENATED AS 4 AND 5 OF 5 IN THIS 5 PAGE DOSSIER.

	22	4GE
INDEX		1
COVER LETTER to: DR. JIM TOMPKINS PM-25		
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-55.		3
2 COPIES OF THE 2 PAGE DRAFT LABEL		4,5
PR NOTICE 2007-4 COPY FOUND AT THE BOTTOM OF	7	
THE LABEL'S RIGHT HAND COLUMN. UNIT 1 OF 2.		

"This NOTIFICATION is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and the registered product labeling and A.I. and no other changes 7have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA!"

Sincerely

H. R. MCLANE, INC.

MR. CLYDE L. CLINE OPERATION MGR.

HRM/nb/ encl: as above. cc/CLC/CSC

Our Best Quality Weed & Feed

A Weed & Feed For St. Augustine and Centipede Lawns

Our Best Quality Weed & Feed is a Weed & Feed for all St. Augustine lawns (including varieties; Blue - Seville and Raleigh), and for established Centipede lawns. It contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed. 50 pounds; Weeds & Feeds 8,333 sq.ft. 30 pounds; Weeds & Feeds 5,000 sq.ft.

.abel unit 1 of 2 Dossier page 4 of 5

JUL 24 2008

NOTIFICATION

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6isopropylamino-s-triazine -0.75% 0.04% Related Compounds -OTHER INGREDIENTS: -99.21% Total 100.00%

Contains 15 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. A.I. Atrazine per acre; when used as directed.

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRSTAID

IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

ordoctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise. See side panel for additional Precautionary Statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Do not apply on or under ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

or garden plants since injury may result.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use, as sod or for commercial seed production, or for research purposes. This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer. For best results, rainfall or watering is necessary within 7 to 10 days after treatment. See General Precautions and restrictions paragraph on this label.08-10-08.

NET WEIGHT: 30: 50: POUNDS

Product Batch Code Number

PR NOTICE 2007-4-NOTIFICATION VERSION

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa Annua) Annual Sowthistle Annual Clover Black Medic
Blue Toadflax
Bull Paspalum
Buckhorn Plantain **Bur Clover** Carolina Geranium (Cranesbill)
Chickweed (Common and Mouse Ear) Common Dandelion Common Pursiane Crabarass Cudweed Cutleaf Evening Primrose Dichondra Dollar Weed Florida Betony (Rattlesnake Weed)

Florida Pusley Fragrant Cudweed (Rabbit Tobacco) Henbit Knotweed Lespedeza Mat Lippia (Matchweed) Moneywort Narrowleaf Vetch
Oxalis (Common and
Yellow Woodsorrel)
Parsley-Piert
Red Sorrel Rescuegrass Sandspŭr Shepards Purse Spurweed Stinging Nettle Swiñecrest Venus Looking Glass Virginia Creeper Wild Mustard

AMOUNT TO USE

Apply at the rate of, (and no more than), 30 pounds per 5,000 sq.ft. or 50 lbs. per 8,333 sq.ft. of lawn, per application; equal to 2 lbs. of active ingredient Atrazine per acre. Thoroughly Water in after application. A second application, (only 2 per year), may be made, to the same area, at the same rate to give maximum weed control and continued plant food response.

WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

IMPORTANT USE PRECAUTIONS
DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTALTREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS BECAUSE INJURY TO THESE PLANTS MAYRESULT.

Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury may result.

-Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice.

 Do not plant sprigs for one month, or sow new grass seed for six months following application of this product.

 May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds.

-Do not plant any crop (flower or vegetable gardens) to treated areas

for 18 months or injury may result.

Apply this product only when grass blades are dry.
When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass blades.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, froodstuffs, feed, or seed by storage or disposal. PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

IF EMPTY: Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and use as directed or dispose of matarial according to PRODUCT DISPOSAL.

and use as directed or dispose of material according to PRODUCT DISPOSAL directions listed above. 08-10-08.



SUNNILAND CORPORAT

Our Best Quality Weed & Feed

Label unit 2 of 2 Dossier page 5 of 5

A Weed & Feed For St. Augustine and Centipede Lawns

• Ironized • Lawn Food For: Bitter Blue - Seville - Raleigh and all Species of St, Augustine Grass Lawns



EPA REG. NO. 9404-55

EPA EST. NO. 9404-FL-1

NET WEIGHT (30) (50) POUNDS

OUR BEST QUALITY WEEED & FEED, is a weed & feed for all St. Augustine Lawns including varieties; Bitter Blue, Seville, and Raleigh. It contains a premium quality lawn food and all the ingredients and secondary plant food elements to maintain a beautiful lawn while controlling weeds as listed.

OUR BEST QUALITY WEEED & FEED can be applied to all St. Augustine Lawns.

30 pounds Weeds & Feeds 5,000 sq. ft.

50 pounds Weeds & Feeds 8,600 sq. ft.



ALTERNATE NOTICE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability

CONDITIONS: The directions for use of this product are believed to be adequate In a directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sunniland Corp. To the extent allowed by law, all such risks shall be assumed by the user or buyer.

Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Sunniland Corp. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein, Sunniland Corp. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATION OF WARRANTIES: To the extent consistent with applicable law the

exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Sunniland Corp.'s option, the replacement of the product.

.FOR A TRANSPORATION EMERGENCY, PHONE 24 HOURS A DAY THE FOLLOWING: CHEMTREC 1-800-424-9300

SUNNILAND CORPORATION P.O. BOX 8001 - SANFORD, FL 32772-8001

PR NOTICE 2007-4-NOTIFICATION VERSION

HOW TO SET YOUR SPREADER

Ortho Broadcast	4 1/2	Scott's Drop	6
Ortho Drop	7	Cyclone	4 1/2
Precision Broadcast	12	Central Broadcast	4
Scott's Broadcast	1	Central Drop	8

NOTE: The above suggested spreader settings are only approximate. Age and condition of your spreader can cause wide variations. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping and turning. Avoid getting on concrete, stucco or asbestos siding, as the composition of certain fertilizers elements can cause treatment stains.



GUARANTEED FERTILIZER ANALYSIS*

Total Nitrogen (N)-Variable %

Alternate %Ammoniacal Nitrogen
Alternate %Water Soluble Organic Nitrogen

Alternate % Water Isoluble Organic Nitrogen
Available Phosphate (P₂O₅) - - - Vari
Soluble Potash (K₂O) - - - - Vari
Chlorine not more than 2.00 % Variable % Variable %

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to lbs. of Calcium Carbonate per ton.

Statement of Secondary Plant Foods

Total Magnesium as Mg - 1.0%; Boron as B .02%; Copper as Cu - ,05%; Iron as Fe -1.50%; Manganese as Mn - .50%; Molybdenum as Mo - .005%; Zinc as Zn - .05%%

Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

(fertilizer analyses for this product may vary to suit the needs of different geographical communities)

General Precautions and Restrictions For Best Results Apply: but no more; than 30 lbs. per 5,000 sq. ft or 50 lbs. per 8,600 sq.ft. per application, which is equivalent to 2 pounds of active ingredient atrazine per acre. A second application, (only 2 per year), may be made to the sane area, at the same rate to give maximum weed control and continued plant food response.

Do not apply in such a manner that will contact any person or pet whether directly, or through drift.

This product must be watered into the turf immediately after

application for safety, best weed control, and fertilizer benefit. Do not enter or allow others, (including children and pets), to enter the treated areas, (except those involved in the watering), until the "watering in" is complete and the surface is dry.

Do not apply this product by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or a handled retary applicator. Such equipment may only be used for spot treatments. For safety, overall best weed control, and plant food results apply with a suitable, correctly calibrated, <u>broadcas</u>; or <u>drop</u> type, granule fertilizer spreader. See Spreader Settings section.06-10-07

NOTICE: To the extent allowed by law, the Seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.