# PLEASE NOTE

This image contains more than one label approved for this product on this date.



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

H.R. McLane Agent for Sunniland Corporation 7210 Red Road, Suite 206A Miami, Florida 33143-5321

JUL 25 2008

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Mr. McLane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated June 20, 2008 for:

## **EPA Registration 9404-56**

Weed & Feed for St. Augustine Lawns

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and finds that the label changes requested falls within the scope of PR Notices 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)


Office of Pesticide Programs

	. •
9	<b>EPA</b>

# **United States**

	Registration
	Amendment
(	Notification

EPA Environmental Protection Agend	ży	Amendmen	TO A POST OF THE PARTY OF THE P
Washington, DC 20460	X	Notification	9404-56
Application for Pesticide Section	I PR NOTICE 200	)7-4 Notification	on Date June,20,2008
1. Company / Product Number:	2. EPA Product		3. Proposed Classification
9404-56	Dr. JIM TOM		
4. Company Product Name:	PM Number - 25		X None Restricted
WEED & FEED for St. Augustine La s 5.Name and address of Applicant: (Include Zip Code)		aview in accord	lance with FIFRA Section 3(c)(
Sunniland Corporation	1		al in composition and labeling
P.O. Box 8001	o:		NOTIFICATION
Sanford, FL, 32772 EP	Reg. No.	<u>A</u>	
Check if this is a new address	Product Name: N/	/A	JUL 25 2008
Ser	ction II		
Amendment- Explain below (		ted Labels in resp	ponse to
- Resubmission in response to Agency Letter Dated:	<u> </u>		
Sept 64 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Me Too Ar	oplications,	
Notification - Explain Below Compliance with PRN 20	.007-4	·	- Other Explain below
Explanation: Use aditional pages if necessary (For Section I and Section	on II) his is a NO7	TIFICATION	that brings this labeling
in compliance with PR NOTICE 2007-4 concerning	ng the STORAGE A	AND DISPOS	SAL section as found on
this 2 page draft label's unit 1 of 2 at the middle of t dated April 30, , 2007 as the base version for this No	he right column us	ing the last E	EPA ACCEPTED version
TION appears in our cover letter as page 2 of 5 inc	cluded in this dossi	ier. Please plac	ice this NOTIFICATION
as a permanent portion of the file for the product. I	Thank you for your		
	ection III		Ų.
1. Material This Product will be packaged in:	O-tuble Deckarin	Tyne	
Child Resistant Packaging Unit Packaging W	Vater Soluble Packaging Yes	2. Type (	of Container  - Metal - (Poly Lined)
Yes			X Plastic HDPE
X No X		<b>→</b>	(Fluorine treated) Glass
	es" No. Per kage Wgt. Container		X Paper- Poly lined
be submitted Date:	<u> </u>		Other "BAREX"
	1 1-	On Label	n of label directions
			panying product
6.Manner in which label is Affixed to Product X Lithograph Paper Glu-Stenciled			
	ction IV		
Contact Point (Complete items below for Identification of ind		ed if necessary t	to proceess this application.)
Name: H. R. McLane, Inc.	Agent 305-661-17	706 Telep	phone No. (Include Area code)
7210 Red Rd. suite 206A miami, FL 33143	Sunniland Corpo		1-800-432-1130
Certification			
I certify that the statements I have made on this form and all attachments thereto a	are true, accurate and complet	te.	6. Date Application received
I acknowledge that any false or misleading staterment may be pnishable by fine or both under applicable law.	imprisonment or		received (Stamped)
2. Signature: By. H. R. McLaney 3. Title	Agent		
LAPILLE FORD			
4. Typed Name of registrant 5. Dat			
4. Typed Name of registrant  Mr. Clyde L. Cline, Operations Manager  11	UN 2 0 2008 06-	-20-08	
Sunniland Corporation	JN 2 0 2000		



To Nicole Williams/DC/USEPA/US@EPA

CC

bcc

Subject CERTIICATION FOR 2007-4 NOTIFICATIONS

DEAR MS. WILLIAMS: THANK YOU FOR YOUR HELP IN THIS MATTER.

PLEASE PLACE THE FOLLOWING CERTIFICATION STATEMENT WITH OUR NOTIFICATION SUBMISSIONS FOR THE FOLLOWING EPA REG. NO. 8254-4; 56-70; AND 56-73. WE HAVE ALSO SUBMITTED OTHER NOTIFICATIONS USING THAT PRN "98-10" CERTIFICATION STATEMENT AND WILL APPRECIATE YOUR PLACING THIS "PRN 2007-4" CERTIFICATION WITH THOSE APPLICATIONS.

THEY ARE EPA REG. NO.S #45385-78; AND EPA NO.S 9404-51; 9404-55; 9404-56 9404-80; 9404-81; 9404-82; AND 9404-90; AND 9404-91.

## THE CERTIFICATION TO BE PLACED WITH THESE NOTIFICATIONS IS AS FOLLOWS:

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements oif EPA's regulations at 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Stement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I futher understand that if the amended label is not consistent with the reuirements of 40 CFR §§156.10; 156.140; 156.144, 156.156.156.156. this product may br in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely......H. R. MCLANE, INC....... by: H. R. McLane. Authorized Agent .



## NOTIFICATION

JUL 2 5 2008

EPA REG. 9404-56

Page 1 of 5

0

06 6

00000.

#### INDEX

NOTIFICATION TO COMPLY WITH PR NOTICE 2007-4 CONCERNING THE STORAGE AND DISPOSAL SECTION REVISED COPY

> REGISTRANT SUNNILAND CORPORATIOND P.O.BOX 8001 SANFORD, FL 32772

TO: DR. JIM TOMPKINS PM-25

PRODUCT NAME SUNNILAND WEED & FEED FOR ST. AUGUSTINE LAWNS EPA REG. NO. 9404-56

SUBJECT OF NOTIFICATION: PR NOTICE 2007-4

PAGE COVER LETTER to: DR. JIM TOMPKINS .... PM-25..... 2 1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-56... 3 2 COPIES OF THE 2 PAGE DRAFT LABEL ...... 4.5 PR NOTICE 2007-4 COPY FOUND AT THE MIDDLE OF LABEL'S RIGHT HAND COLUMN UNIT 1 OF 2.

RETURN POSTCARD FOR EPA SIGNATURE OF RECEIPT MAILING STICKERS FOR RETURN TO H. R. MCLANE, INC.

La the Contract Contract Marie



## H. R. McLANE, INC.

page 2 of 5

7210 Red Road, Suite 206A - Miami, Florida 33143-5321 Phone 305 661 1706 - Fax 305 661 3036 Chemical Consultants in EPA Regulatory Affairs FIFRA Licensing & Registrations- Since 1948

JUNE 20, 2008

DR. JIM TOMPKINS PM-25
DOCUMENT PROCESSING DESK (PRN-2007-4 NOTIF)
OFFICE OF PESTICIDE PROGRAMS (7504-P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-305-5697 FAX 703-305-6596

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4 Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1 P.O. BOX 8001- SANFORD, FL 32772

Product: WEED & FEED FOR ST. AUGUSTINE LAWNS

EPA: REG.NO.9404-56.

DEAR DR. TOMPKINS:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND AT THE MIDDLE OF THE RIGHT HAND COLUMNN OF THE ENCLOSED DRAFT LABEL PAGENATED AS 4 OF 5 IN THIS DOSSIER. THE LAST EPA STAMPED "ACCEPTED" LABEL DATED APRIL 30, 2007, IS USED AS THE BASE LABEL FOR THIS NOTIFICATION.

PAGE

INDEX		1
COVER LETTER to: DR. JIM TOMPKINS PM-25		2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-56		3
2 COPIES OF THE 2 PAGE DRAFT LABEL		4,5
PR NOTICE 2007-4 COPY FOUND AT THE MIDDLE OF	?	
THE LABEL'S RIGHT HAND COLUMN. UNIT 1 0 2.		

"This NOTIFICATION is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and the registered product labeling and A.I. and no other changes other than the INERT SOURCE have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA!"

Sincerely

H. R. MCLANE, INC.

H. R. McLane, Ph.D... Agent for MR. CLYDE L. CLINE OPERATION MGR. HRM/nb/ encl: as above. cc/CLC/CSC



## For St. Augustine Lawns

## SPECIAL FORMULA - CONTROLS WEEDS - FEEDS THE LAWN

15 Pound Bag TREATS 5,00 sq.ft.

## \*XX-X-X Fertilizer EPA EST. NO. 9404-FL-1

**EPA REG. NO. 9404-56** 

## FOR USE ON ST. AUGUSTINE, CARPETGRASS, CENTIPEDE AND ZOYSIA LAWNS

Contains selective herbicide to control over 35 common weeds found in specialty lawns.

Nitrogen for dense, green foliage Phosphorous improves root growth Potassium - vital for growth & drought resistance. Contains sulfur coated urea nitrogen which provides extended feeding and greening for up to 3 months.

Contains iron and micronutrients.

PREMIUM QUALITY GUARANTEED

FOR ST. AUGUSTINE LAWNS ALSO CENTIPEDE LAWNS AND ZOYSIA LAWNS.

28% Total Nitrogen for Thicker greener lawns. Includes slow release Nitrogen for extended lawn feeding

3% Available phosphoric acid. Promotes strong vigorous roots

3% Soluble Potash (K<sub>2</sub>O) - Increases resistance to disease and drought.

FORMULATED FORYOUR AREA

### **ACTIVE INGREDIENT:**

Atrazine: 2 chloro-4-ethylamino-6isopropylamino-s-triazine -1.42% Related Compounds - - - - - -0.08% INERT INGREDIENTS: - -Total

KEEP OUT OF REACH OF CHILDREN CAUTION

PR NOTICE 2007-4-NOTIFICATION VERSION

NOTIFICATION

JUL 25 2008

## **FIRST AID**

IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise.

See side panel for additional Precautionary Statements

## SPECIAL CARE

#### **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep people and pets out of the area during application.

#### **ENVIRONMENTAL HAZARDS**

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be harvedous to

water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply on or under ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result. 06-20-08.

PRODUCT BATCH CODE NO,

**NET WEIGHT 15 POUNDS (6.8 Kg)** 

SUNNILAND CORPORATION

P.O. Box 8001 - SANFORD, FLORIDA 32772 U.S.A.

## STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. PESTICIDE STORAGE: Store this product in its original container in a dry, cool, secured area.

PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

following label directions and precautions.

IF EMPTY: Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and dispose of material according to PRODUCT DISPOSAL directions listed above.

## EXPERT QUALITY

When you buy from your Sunniland Dealer, You've made the quality choice for lawn care. Sunniland Dealers are dedicated to helping you have the most beautiful lawn possible - that's why they take extra care in helping you select everything from the finest lawn grooming equipment to some of the highest quality nutrients your lawn deserves. Sunniland Weed & Feed for St. Augustine Lawns is specially formulated to control common weeds in specialty lawns. Also formulated into this product is a time release fertilizer to green your lawn for up to 3 months. Sunniland products have been developed by experts to help you achieve a beautiful lawn and Sunniland wants you to obtain the best possible results. In fact, we feel so strongly about this - if you're not completely satisfied with the results of this product, we'll gladly refund your money.

## HOW AND WHEN TO USE

**DIRECTIONS FOR USE** 

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

## WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (poa annua) Ănnuăl Sowthistle Annual Clover Black Medic
Blue Toadflax
Bull Paspallum
Buckhorn
Plantain Plantain **Bur Clover** Carolina Geranium

(Cranesbill)

Chickweed (Common & Mouseear) Common Purslane Crabgrass Cudweed Cutleaf Evening Primrose Dandelion Dichondra Dollarweed Florida Betony (Rattlesnake weed),

Florida Pusley Oxalis Fragrant Cudweed (Rabbit Tobacco) Henbit Knotweed Lespedeza Mat Lippia Matci iweed. Creeping (Justlie) Moneywart Narrowleaf Vetch Parsley-Pier.

(Common, Yellow Woodsorrel) Red Sorrel Rescue Grass Sandspur Shepards Purse Spurweed Stinging Nettle Swinecrest Venus Looking Glass Virginia Creeper

Wild Mustard

For St. Augustine Lawns A SPECIAL FORMULA - CONTROLS WEEDS - \* XX-X-X FEEDS THE LAWN. FORMULATED FOR YOUR AREA

## SPECIAL CARE

## AMOUNT TO USE

Apply this product at the rate of 15 pounds (the contents of this bag) to weed and feed 5,000 sq.ft. of lawn. This application is equivalent to approximately 2 pounds of Atrazine per acre. A second application, (maximum of 2 per year to same area). may give best weed control and continued turf response to fertilizer.

## WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15th with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

## IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON, OR OVER, THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT.

 Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result.

Do not apply to newly seeded Zoysia, Centipede, and Carpet grass lawns until after the new grass has been mowed twice.

 Do not plant sprigs for one month, or sow new grass seed for six months following application of this product.

 May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds.

 Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result.

Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass blades.

### ALTERNATE NOTICE Read the entire Directions for Use.

Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product.

Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once.

By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sunniland Corp. All such risks shall be

application, all of which are beyond the control of <u>Sunniland Corp</u>. All such risks shall be assumed by the user or buyer.

Disclaimer of <u>Warranties</u>: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of <u>Sunniland Corp</u> is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. <u>Sunniland Corp</u> disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. <u>LIMITATION OF WARRANTIES</u>: The exclusive remedy of the user or buyer for any and all. losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, , strict liability or otherwise, shall not exceed the purchase price, or at Sunniland Corp.'s option, the replacement of the product es-20.8.

or at Sunniland Corp.'s option, the replacement of the product 08-20-08.

FOR A TRANSPORTATION: EMERGENCY, PHONE 24 HOURS A DAY CHEMTREC 1-800-424-9300

## PR NOTICE 2007-4-NOTIFICATION VERSION

General Precautions and Restrictions For Best Results

apply; but no more than 15 lbs, per 5,000 sq. ft per application, which is equivalent to 2 pounds of active ingredient atrazine per

Do not apply in such a manner that will contact any person or pet whether directly, or through drift.

This product must be watered into the turf immediately after application for safety, best weed control, and fertilizer benefit. Entry restrictions: Do not enter or allow others (inlouding children and pets), to enter the trated areas (except those involved in the watering), until the watering is completed and the sruface is dry.

 Do not apply this product by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using handheld devices, such as a belly grinder or handheld rotary aplicator. Such equipment may only be used for spot teatment. For safety, overall best weed control, and plant food results apply with a suitable, correctly calibrated, <u>broadcast</u> or <u>drop</u> type granule fertilizer spreader. See Spreader Settings. 05-23-07...

### **HOW TO SET YOUR SPREADER**

Cyclone 4 - Scott 5 NOTE: Spreader rate varies with walking speed. Check your spreader over a known area.

#### SPREADING INSTRUCTIONS

To determine how much you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house-gardens, etc.) One 15 lb. bag covers 5,000 sq.ft.

#### **DROP SPREADERS**

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly, shutting off the spreader before turning as you reach the edge of the border strips.

Ortho 5000 XX.X to XXX Precision FH22 X.XX Republic EZ Drop X.XXto X.XX Scotts Accugreen X.XX to X.XX Scotts Drop PF3 XXX

#### **BROADCAST SPREADERS**

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap 1 to 2 inches of product will ensure complete coverage.

Cyclone B1-84 Ortho 6000 XX to XX XXX to X X to XXX Precision SB50 Republic EZ 540 Scotts Speedy Green XXXX to X Scotts Easy Green ER226 XXX to XX

IMPORTANT: These are approximate settings. Age and conditions of your spreader can cause wide variation. Be sure to calibrate your spreader with each application

## \*GUARANTEED FERTILIZER ANALYSIS \*XX-X-X

Variable % Total Nitrogen (N) - - -

Variable % Ammoniacal Nitrogen Variable % Urea Nitrogen

Variable % Available Phosphoric Acid (P2O5) -Soluble Potash (K2O) Variable %

Sulfur (S)=3.6%; Copper (Cu)=0.1% Iron (FE)=1.5% Zinc(Zn) 0.1% Plant nutrients derived from Ammoniated Phosphate, Urea, Muriate of Potash, Sulfur Coated Urea, and Sulfur Coated Urea, Iron oxide, Copper Oxides, Zinc Oxides

Potential Acidity Equivalent to 1245 bs. of Calcium Carbonate/ ton.

Chlorine not more than. . . . . 2.5%
6.83% Slowly Available Urea Nitroyen from Sulfur Coated Urea.

NOTICE: BUYER AND USER ASSUMES ALL RISK AND LIABILITY OF USE, STORAGE AND/OR HANDLING OF THIS MATERIAL NOT IN ACCORDANCE WITH THE TERMS OF THIS PRODUCT LABEL.

**NET WEIGHT 15 POUNDS (6.8 Kg)** 

# NEXT

# LABEL



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

H.R. McLane Agent for Sunniland Corporation 7210 Red Road, Suite 206A Miami, Florida 33143-5321

JUL 25 2008

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Mr. McLane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated June 20, 2008 for:

## **EPA Registration 9404-56**

Weed & Feed for St. Augustine Lawns

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and finds that the label changes requested falls within the scope of PR Notices 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.


Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Registration Division (7505P)

Office of Pesticide Programs



To Nicole Williams/DC/USEPA/US@EPA

CC

bcc

Subject CERTIICATION FOR 2007-4 NOTIFICATIONS

DEAR MS. WILLIAMS: THANK YOU FOR YOUR HELP IN THIS MATTER.

PLEASE PLACE THE FOLLOWING CERTIFICATION STATEMENT WITH OUR NOTIFICATION SUBMISSIONS FOR THE FOLLOWING EPA REG. NO. 8254-4; 56-70; AND 56-73. WE HAVE ALSO SUBMITTED OTHER NOTIFICATIONS USING THAT PRN "98-10" CERTIFICATION STATEMENT AND WILL APPRECIATE YOUR PLACING THIS "PRN 2007-4" CERTIFICATION WITH THOSE APPLICATIONS.

THEY ARE EPA REG. NO.S #45385-78; AND EPA NO.S 9404-51; 9404-55; 9404-56 9404-80; 9404-81; 9404-82; AND 9404-90; AND 9404-91.

## THE CERTIFICATION TO BE PLACED WITH THESE NOTIFICATIONS IS AS FOLLOWS:

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements oif EPA's regulations at 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Stement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I futher understand that if the amended label is not consistent with the reuirements of 40 CFR §§156.10; 156.140; 156.144, 156.156.156.156. this product may br in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely......H. R. MCLANE, INC...... by: H. R. McLane. Authorized Agent .

0000

0000

0000

## NOTIFICATION

JUL 25 2008

**23** 2000 Page 1 of 5

#### INDEX

EPA REG. 9404-56

NOTIFICATION TO COMPLY WITH PR NOTICE 2007-4 CONCERNING THE STORAGE AND DISPOSAL SECTION REVISED COPY

REGISTRANT
SUNNILAND CORPORATIOND
P.O.BOX 8001
SANFORD, FL 32772

TO: DR. JIM TOMPKINS PM-25

Samuel Samuel

1. 1.

PRODUCT NAME
SUNNILAND WEED & FEED FOR ST. AUGUSTINE LAWNS
EPA REG. NO. 9404-56

SUBJECT OF NOTIFICATION: PR NOTICE 2007-4

RETURN POSTCARD FOR EPA SIGNATURE OF RECEIPT MAILING STICKERS FOR RETURN TO H. R. MCLANE, INC.

The the Thomas and I have a second



## H. R. McLANE, INC.

page 2 of 5

7210 Red Road, Suite 206A - Miami, Florida 33143-5321 Phone 305 661 1706 - Fax 305 661 3036 Chemical Consultants in EPA Regulatory Affairs FIFRA Licensing & Registrations- Since 1948

JUNE 20, 2008

DR. JIM TOMPKINS PM-25
DOCUMENT PROCESSING DESK (PRN-2007-4 NOTIF)
OFFICE OF PESTICIDE PROGRAMS (7504-P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-305-5697 FAX 703-305-6596

PAGE

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4 Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1 P.O. BOX 8001- SANFORD, FL 32772

Product: WEED & FEED FOR ST. AUGUSTINE LAWNS

EPA: REG.NO.9404-56.

DEAR DR. TOMPKINS:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND AT THE MIDDLE OF THE RIGHT HAND COLUMNN OF THE ENCLOSED DRAFT LABEL PAGENATED AS 4 OF 5 IN THIS DOSSIER. THE LAST EPA STAMPED "ACCEPTED" LABEL DATED APRIL 30, 2007, IS USED AS THE BASE LABEL FOR THIS NOTIFICATION.

<del>-</del>	
INDEX	1
COVER LETTER to: DR. JIM TOMPKINS PM-25	2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-56	3
2 COPIES OF THE 2 PAGE DRAFT LABEL	4,5
PR NOTICE 2007-4 COPY FOUND AT THE MIDDLE OF	
THE LABEL'S RIGHT HAND COLUMN. UNIT 1 0 2.	

"This NOTIFICATION is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and the registered product labeling and A.I. and no other changes other than the INERT SOURCE have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA!"

Sincerely

H. R. MCLANE, INC.

MR. CLYDE L. CLINE OPERATION MGR.
HRM/nb/ encl: as above. cc/CLC/CSC

9	<b>EPA</b>
---	------------

# **United States**

	Registration
	Amendment
7	Notification

Environmental Protection Agend	y	Amen	dment	Registration, No.
Washington, DC 20460	<u>_</u>	X Notific	ation	9404-56
Application for Pesticide Section	PR NOTICE 2	07-4 Notif	ication Da	ate June,20,2008
1. Company / Product Number:	2. EPA Produc	Manager	<b>3.</b> Pr	oposed Classification
9404-56	Dr. JIM TO	/IPKINS		
4. Company Product Name:	PM Number - 2	5	X	None Restricted
WEED & FEED for St. Augustine La				· • • • • • • • • • • • • • • • • • • •
s 5.Name and address of Applicant: (Include Zip Code)				rith FIFRA Section 3(c)(
Sunniland Corporation P.O. Box 8001		similar or id		mposition and labeling
	io:	N/A	NC	<b>OT!FICATION</b>
	Reg. No.			JUL 25 2008
Check if this is a new address	Product Name:	N/A 		
Sec	tion II			
Amendment- Explain below (	F) Final Pri	nted Labels i	n response t	ю.
- Resubmission in response to Agency Letter Dated:	22.5			
10.10.10 to 10.10.10 to 10.10.10 to 10.10 to 10.	Me Too	applications,		
Notification - Explain Below Compliance with PRN 20	007-4		0	ther Explain below
<b>Explanation</b> : Use aditional pages if necessary (For Section I and Section	nil) his is a NO	TIFICAT	ION that	brings this labeling
in compliance with PR NOTICE 2007-4 concerning				
this 2 page draft label's unit 1 of 2 at the middle of t				
dated April 30, , 2007 as the base version for this No TION appears in our cover letter as page 2 of 5 inc				
as a permanent portion of the file for the product. I				
	ction III			
1 . Material This Product will be packaed in:				
	ater Soluble Packagi	ng C	Type of Conf	<b>-1</b> .
- Yes	Yes	<b>2</b> .		Metal(Poly Lined)
Yes X No X	No		x_	Plastic HDPE (Fluorine treated)
X No If "Yes" No. Per If "Ye	<del>-</del>	_	<del></del>	⊣ Glass
Certifiction must Packaging Wgt. Container Pack	age Wgt. Container		X	Paper- Poly lined
be submitted Date	ner I	5.	ocation of label	Other "BAREX"
X Label X Container 15 lb. Bag.		<b>X</b> On La		
			- Coompanying pr	- Code Code Code Code Code Code Code Code
X   Paper Glu	ed Othe	<u>r</u>		,
- Stenciled	tion IV	,		
Contact Point (Complete items below for Identification of ind		ed if neces	sany to proc	page this application \
				No. (Include Area code)
7210 Red Rd. suite 206A miami, FL 33143	4gent 305-661-1 Sunniland Corp		1 '	0-432-1130
7210 Rea Rui Smit 20071 Illumin, 1 2 33113	- Summana Corp		1 000	7 132 1130
Certification		1.1-		6. Date Application
I certify that the statements I have made on this form and all attachments thereto a I acknowledge that any false or misleading statement may be phishable by fine or	re true, accurate and comp imprisonment or	iete.		received
both under applicable law.				(Stamped)
2. Signature: By. H. R. McLaney 3. Title	Agent		1	
How have			. 1	
4. Typed Name of registrant 5. Dat		·		
M. Chila I Clina On the Manager	JN 2 0 2008 00	-20-08	}	
Sunniland Corneration	JII B O ECOO		1	



For St. Augustine Lawns

## A SPECIAL FORMULA - CONTROLS WEEDS - FEEDS THE LAWN

15 Pound Bag TREATS 5,00 sq.ft.

## \*XX-X-X Fertilizer EPA EST. NO. 9404-FL-1

**EPA REG. NO. 9404-56** 

## FOR USE ON ST. AUGUSTINE, CARPETGRASS, CENTIPEDE AND ZOYSIA LAWNS

Contains selective herbicide to control over 35 common weeds found in specialty lawns.

Nitrogen for dense, green foliage

Phosphorous improves root growth

Contains sulfur coated urea nitrogen which provides extended feeding and greening for up to 3 months.

Contains iron and micronutrients.

PREMIUM QUALITY GUARANTEED
FOR ST. AUGUSTINE LAWNS ALSO CENTIPEDE LAWNS AND ZOYSIA LAWNS.

28% Total Nitrogen for Thicker greener lawns. Includes slow release Nitrogen for extended lawn feeding

3% Available phosphoric acid. Promotes strong vigorous roots

3% Soluble Potash (K,O) - Increases resistance to disease and drought.

FORMULATED FORYOUR AREA

**ACTIVE INGREDIENT:** 

Atrazine: 2 chloro-4-ethylamino-6isopropylamino-s-triazine - -1.42% Related Compounds - - - -0.08%

INERT INGREDIENTS: - - -98.50% Total

KEEP OUT OF REACH OF CHILDREN CAUTION

PR NOTICE 2007-4-NOTIFICATION VERSION

NOTIFICATION

JUL 25 2008

## FIRSTAID

IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment.

You may also call 1-800-858-7378 for emergency medical treatment advise. See side panel for additional Precautionary Statements

## SPECIAL CARE

#### **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Keep people and pets out of the area during application.

### **ENVIRONMENTAL HAZARDS**

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found water which may be used as orinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Burnoff and drift from treated areas, may be hazardous to

water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply on or under ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result. 06-20-08.

PRODUCT BATCH CODE NO,

**NET WEIGHT 15 POUNDS (6.8 Kg)** SUNNILAND CORPORATION

P.O. Box 8001 - SANFORD, FLORIDA 32772 U.S.A.

#### STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal PESTICIDE STORAGE: Store this product in its original confainer in a dry, cool,

PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

IF EMPTY: Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and dispose of material according to PRODUCT DISPOSAL directions listed above.

## EXPERT QUALITY

When you buy from your Sunniland Dealer, You've made the quality choice for lawn care. Sunniland Dealers are dedicated to helping you have the most beautiful lawn possible - that's why they take extra care in helping you select everything from the finest lawn grooming equipment to some of the highest quality nutrients your lawn deserves. Sunniland Weed & Feed for St. Augustine Lawns is specially formulated to control common weeds in specialty lawns. Also formulated into this product is a time release fertilizer to green your lawn for up to 3 months. Sunniland products have been developed by experts to help you achieve a beautiful lawn and Sunniland wants you to obtain the best possible results. In fact, we feel so strongly about this - if you're not completely satisfied with the results of this product, we'll gladly refund your money.

## HOW AND WHEN TO USE

**DIRECTIONS FOR USE** 

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

## WEEDS CONTROLLED OR SUPPRESSED

Fragrant

Cudweed

Annual Bluegrass (poa annua) Ännuäl

Sowthistle Annual Clover Black Medic
Blue Toadflax
Bull Paspallum
Buckhorn Plantain Bur Clover Carolina Geranium

(Cranesbill)

Chickweed (Common & Mouseear) Common Purslane Crabgrass Cudweed Cutleaf Evening Primrose Dandelion Dichondra

(Rabbit Tobacco) Hènbit Knoweed Lespedeza Mat Lippia Matchiweed, Creeping (Jiarlie) Moneywart Dollarweed Florida Betony Narrowleaf (Rattlesnake Vetch Parsley-Pier. weed),

Florida Pusley Oxalis (Common, Yellow Woodsorrel) Red Sorrel Rescue Grass Sandspur Shepards Purse Sourweed Stinging Nettle Swinecrest

Glass Virginia Creeper Wild Mustard

Venus Looking

For St. Augustine Lawns A SPECIAL FORMULA - CONTROLS WEEDS - \* XX-X-X FEEDS THE LAWN FORMULATED FOR YOUR AREA

## SPECIAL CARE

## AMOUNT TO USE

Apply this product at the rate of 15 pounds (the contents of this bag) to weed and feed 5,000 sq.ft. of lawn. This application is equivalent to approximately 2 pounds of Atrazine per acre. A second application, (maximum of 2 per year to same area), may give best weed control and continued turf response to fertilizer.

## WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and in the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15th with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

## IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON, OR OVER, THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT.

- . Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result.
- Do not apply to newly seeded Zoysia, Centipede, and grass lawns until after the new grass has been Carpet mowed twice.
- Do not plant sprigs for one month, or sow new grass seed for six months following application of this product.
- May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds.
- Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result.
- Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass blades.

# ALTERNATE NOTICE Read the entire Directions for Use,

Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product.
If the terms are not acceptable, return the unopened container at once.
By using this product, user and buyer accept the following Conditions, Disclaimer of
Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sunnitand Corp. All such risks shall be assumed by the user of butter.

application, an of which are beyond the control of <u>sunnitand Corp</u>. All such risks shall be assumed by the user or buyer.

Disclalmer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of <u>Sunniland Corp</u>, is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. <u>Sunniland Corp</u>, disclaims any liability whatsoever for special, incidental, or consequential damages resulting

from the use or handling of this product.

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, , strict liability or otherwise, shall not exceed the purchase price,

or at Sunniland Corp.'s option, the replacement of the product 08-20-08.

FOR A TRANSPORTATION: EMERGENCY, PHONE 24 HOURS A DAY CHEMTREC 1-800-424-9300

## PR NOTICE 2007-4-NOTIFICATION VERSION

General Precautions and Restrictions For Best Results

apply: but no more than 15 lbs. per 5,000 sq. ft per application, which is equivalent to 2 pounds of active ingredient atrazine per

· Do not apply in such a manner that will contact any person or pet whether directly, or through drift,

This product must be watered into the turf immediately after application for safety, best weed control, and fertilizer benefit. Entry restrictions: Do not enter or allow others (inlouding children and pets), to enter the trated areas (except those involved in the

watering), until the watering is completed and the sruface is dry.

• Do not apply this product by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using handheld devices, such as a belly grinder or handheld rotary aplicator. Such equipment may only be used for spot teatment. For safety, overall best weed control, and plant food results apply with a suitable, correctly calibrated, broadcast or drop type granule fertilizer spreader. See Spreader Settings. 05-23-07...

## **HOW TO SET YOUR SPREADER**

Cyclone 4 - Scott 5

NOTE: Spreader rate varies with walking speed. Check your spreader over a known area.

#### SPREADING INSTRUCTIONS

To determine how much you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house-gardens, etc.)
One 15 lb. bag covers 5,000 sq.ft.

## **DROP SPREADERS**

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly, shutting off the spreader before turning as you reach the edge of the border strips.

XX.X to XXX X.XX Ortho 5000 Precision FH22 Republic EZ Drop X.XXto X.XX Scotts Accugreen X.XX to X.XX Scotts Drop PF3 XXX

### **BROADCAST SPREADERS**

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap 1 to 2 inches of product will ensure complete coverage.

Cyclone B1-84 X.XX XX to XX XXX to X X to XXX Ortho 6000 Precision SB50 Republic EZ 540 Scotts Speedy Green XXXX to X Scotts Easy Green ER226 XXX to XX

IMPORTANT: These are approximate settings. Age and conditions of your spreader can cause wide variation. Be sure to calibrate your spreader with each application

## \*GUARANTEED FERTILIZER ANALYSIS \*XX-X-X

Total Nitrogen (N) - - - -Variable %

Variable % Ammoniacal Nitrogen Variable % Urea Nitrogen Available Phosphoric Acid (P2O5) -Soluble Potash (K2O) - - -

Variable % Variable %

Sulfur (S)=3.6%; Copper (Cu)=0.1% Iron (FE)=1.5% Zinc(Zn) 0.1% Plant nutrients derived from Ammoniated Phosphate, Urea, Muriate of Potash, Sulfur Coated Urea, and Sulfur Coated Urea, Iron oxide.

Copper Oxides, Zinc Oxides
Potential Acidity Equivalent to 1245 bs. of Calcium Carbonate/ ton.
Chlorine not more than..... 2.5%
6.83% Slowly Available Urea Nitroyen from Sulfur Coated Urea.

NOTICE: BUYER AND USER ASSUMES ALL RISK AND LIABILITY OF USE STORAGE AND/OR HANDLING OF THIS MATERIAL NOT IN ACCORDANCE WITH THE TERMS OF THIS PRODUCT LABEL.

**NET WEIGHT 15 POUNDS (6.8 Kg)**