

BEST DOCUMENT AVAILABLE



APPROVED
EPA REG. NO. 9404-63

AUG 3 1984

Product Name: ...
EPA Reg. No. 9404-63

ROSE - FLOWER

and

ORNAMENTAL INSECT SPRAY

Ready To Use

For Control Of Aphids, Spider Mites
Leafhoppers, Flea Beetles & White Flies

FOR USE ON
INDOOR PLANTS
ROSE & FLOWER GARDENS
TOMATO & VEGETABLE GARDENS

A Concentrated Micro Emulsion
No City Residue

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
Petroleum Distillate	0.08%
INERT INGREDIENTS:	99.70%
Total	100.00%

*Equivalent to 10% (w/w) of (1R)-propyl piperonyl ether and its related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

STATEMENTS OF PRACTICAL TREATMENTS

If Swallowed: Call a physician or poison control center immediately. Induce vomiting by drinking 1 quart of water and then the back of throat with finger. Do not induce vomiting if unconscious person. If eye contact, flush with plenty of water. If irritation persists, consult a physician. If on skin, wash with plenty of soap and water.

EPA Reg. No. 9404-63

EPA Reg. No. 9404-63-1

SUNNILAND CORPORATION
1000 ...
...
...

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used on Indoor Plants, Outdoor Plants or in Greenhouses throughout the growing season. Use as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

HOW TO USE: To control insects listed in the following charts, apply to provide thorough coverage of upper and lower leaf surfaces. Repeat at weekly intervals or as needed for control. May be apply the day of harvest of vegetables.

ROSES - FLOWERS - ORNAMENTALS

INSECTS	PLANTS
For Aphids, Flea Beetles, Leafhoppers, Thrips, Plant Bugs, Rose Chafer, Cutworms, Spider Mites, & White Flies.	African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Indoor Green Plants, Aster, Carnations, Chrysanthemums, Geraniums, Gladiolus.
On tender plants such as Ferns and Ivys treat one leaf or stem to check for sensitivity. Wait several days, then treat entire plant, if safe.	

TOMATOES & OTHER VEGETABLES

VEGETABLE	INSECTS
ASPARAGUS	Asparagus Beetles
BEANS	Aphids, Leafhoppers, White Flies, Mexican Bean Beetles, 12 Spotted Cucumber Beetle, Spider Mites.
BROCCOLI, CAULIFLOWER, CABBAGE, BRUSSEL SPROUTS	Aphids, Cabbage Looper, Cross Striped Cabbage Worm, Diamond Back Moth Larvae, Flea Beetles, Harlequin Bug, Imported Cabbage Worm, Stick Bugs.
CABBAGE	Green Peach Aphid, Cabbage Looper, Leaf Miner.
CRANBERRIES	Fireworm, Leafhoppers.
EGGPLANT	Blister Beetles, Colorado Potato Beetle, Flea Beetles, Green Peach Aphid.
LETTUCE	Cabbage Looper, Green Peach Aphid, Diamond Back Moth Larvae, Imported Cabbage Worm.
MUSTARD GREENS, KALE, CHICORY, SPINACH	Imported Cabbage worm, Diamond Back Moth Larvae, Aphids, Cabbage Looper.
PEPPERS	Green Peach Aphid
POTATOES	Aphids, Colorado Potato Beetle, Flea Beetles, Leafhoppers.
RADISHES	Aphids, Flea Beetles.
SPINACH	Aphids, Cabbage Looper, Webworms.
TOMATOES	Green Peach Aphid, Colorado Potato Beetle, Stick Bugs, White Flies, Flea Beetles, Spider Mites.

BEST EQUIPMENT AVAILABLE

NOTE: Plan on two applications 1 week apart for best control. Apply as a light mist to plant foliage, stems, and fruit. Do not spray to point of run-off. Repeat treatments as needed for continued insect control.

INDOOR INSECT CONTROL

For control of Flies, Fruit Flies, Mosquitoes, and Small Flying Insect Moths adjust sprayer nozzle to produce a very fine spray "floating" mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct this spray mist to the upper portions of the room filling the air with the mist and hitting as many insects with the spray as possible. Use 2 to 4 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate the treated area and ventilate before re-entry. Repeat treatment as necessary.

OUT-OF-DOORS ADULT MOSQUITO CONTROL

Apply as a "fine floating mist" to thoroughly treat the entire area. Treat when the air is calm. Apply to shrubbery and vegetation where mosquitoes may rest particularly around insect breeding places such as swamps, marshes, stagnant pools of water and ponds. Apply at the rate of 4 ounces per 1,000 sq.ft. of area or approximately 5 to 6 quarts per acre.

OUT-OF-DOORS ADULT FLEA CONTROL

When Fleas are known to be present in areas adjacent to dwellings apply as an Over-All Spray Mist application to turf grass & vegetation, under and around porches and home entrance ways, along the house foundation and where ever pets may rest or run. Repeat the treatment within one week to kill any new insects that may have emerged. Pet living quarters and also the pets should be treated with a suitable approved product for control of Fleas on the animals. Repeat treatments as needed for control.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed thru the skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and Crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE - Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

WINDMILL CORPORATION
 1001 11th St. N.E.
 Grand Rapids, Michigan 49503

BEST DOCUMENT AVAILABLE

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY</p> <p>NOTICE OF PESTICIDE</p>	<p>EPA REGISTRATION NO. _____</p> <p>DATE OF ISSUANCE</p>
<p>NAME AND ADDRESS OF REGISTRANT</p>	<p>FORM OF PESTICIDE</p> <p>NAME OF PESTICIDE PRODUCT</p>
<p>NOTE: Changes in labeling, formula, etc., of a pesticide that is accepted in connection with this registration must be submitted and accepted by the Administrator in writing prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>	
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>	
<p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p>	
<p>Registration is in no way to be construed as endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator in his discretion may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>	
<p><input type="checkbox"/> ATTACHMENT AVAILABLE</p>	<p>BEST DOCUMENT AVAILABLE</p>
<p>SIGNATURE OF APPROVING OFFICIAL</p>	<p>DATE</p>

161 / 126780
15/11