and the second s	algania ng taong at samata	Page 1 Out
	EPA REGISTRATION NO.	DATE OF ISSUANCE
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767)	9404-73	November 4, 1987
	TERM OF ISSUANCE	
WASHINGTON, DC 20460	· Until Ker	egistration
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUC	; v
(Under the Federal Insecticide, Fungicide,	Lawn Spray	
and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		"
r	٦	•
Sunniland Corporation		,
P.O. Tox 1697		
Sanford, FI 32771		
•		•
<u>L.</u>	_]	
		i
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	to use of the label in commerc	with this registration must be 'ee. In any correspondence on this
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereb	y Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is retu	arned herewith,
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion leide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to by others. This product is conditionally regrection 3(c)(7)(A) reovided that you: 1. Submit/circ all data required of your product under FIFRA section 3(cregistrants of similar products to subsequent to the product for shipment. 2. Add the phrase "EPA Registrat you release the product for shipment. 3. Submit five (5) copies of you precess the product for shipment. 4. A 1-year storage stability stimin 15 months from the date of this lift these conditions are not complete.	for registration/rescue to the Agency mit such data. ion No. 9404-73" to per to the A-79 enclosed with the submitted Registration Notice.	rancel the registration of a pest- stration of a product under this to its use if it has been covered with FIFRA registration requires all your label before ling before you sure for a further I for this product
subject to cancellation in a cordance	with FIFRA section 6	(e). Your release
for shipment of the product constitute A stamped copy of the label is en		
,		
†		
	Dennis H. Edwards, J	
	Product Hanager (12)	
I APRT CHRISTIT 1:01 1 1	Insecticide-Rodentic	
BEST VALUE	Registration Division	n (75-767C)
Inclosures ATTACHMENT IS APPLICABLE		

EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

De rerect H. Edutard H. 11/4.
PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

\SUNNI\94LAWNSP.LA1 HD EPA File Symbol: 9404-TG PAGE 1 OF 3



LAWN SPRAY

Contains DURSBAN®

1 Gallon Treats up to 8500 Sq.Ft.

INSECT CONTROL FOR LAWNS, TURF & ORNAMENTAL PLANTS

IMPORTED FIRE ANT MOUND TREATMENT

For Grass and Dichondra Lawns

Controls Chinch Bugs, Sod Webworms, Armyworms, Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers, Chiggers, Clover Mites_and Fleas, infesting Home Lawns and other Ornamental Turf Areas.

For Ornamental Plants

ACCEPTED Controls Aphids, Bagworms, Grasshoppers, Leafhoppers, Spittle MAENTS Mealybugs, Whiteflies, Exposed Thrips, Mites and Cutworks Dated

On Ornamental Plants.

4 1987

ACTIVE INGREDIENT:

CHLORPYRIFOS: [0,0,-diethyl 0-(3,5,6trichloro-2-pyridyl) phosphorothicate]. INERT INGREDIENTS: . .

Under the Federal Insecticide, Fungicide, and the salame Act as amended, for the posterior மூற்\$5% under EPA Reg. No.

97.65% 9404-72

Total

100.00%

*DURSBAN® Reg. Trademark of The Dow Chemical Company Product contains an Aromatic Petroleum Solvent. THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT METHYLENE CHLORIDE

KEEP OUT OF REACH OF CHILDREN

A ΥJ T T \mathbf{O}

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If assible vomiting should be induced under medical supervision. Drink 1 or 2 grasses of water and induce vomiting by touching back of throat with finger. Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally. Do not induce vomiting or give anything by mouth to an unconscious our convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irration persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Wash clothing before re-use. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine Sulfate is an antidote. 2-PAM is also antidotal, &. may be used in conjunction with atropine but should nor be used alone,

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS EPA REG. NO. 9404-TG(73) EPA EST. NO. 9404-TL-1

> NET CONTENTS GALLON

SUNNILAND CORPORATION SANFORD FLORIDA 32771

PAGE 2 OF 3

LAWN SPRAY Contains DURSBAN®

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC. ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or clothing. Wash thoroughly after using and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep children and pets off treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish, birds, and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent (:h its labeling. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water food of feed by storage or disposal. STORAGE: Store product in original container in a cool. dry, locked place out of reach of children. DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

LAWNS AND ORNAMENTAL TURF PESTS OF LAWNS AND OTHER ORNAMENTAL & RECREATIONAL TURF GRASS AREAS

DOSAGE AND DILUTION FOR USE ON TURE	
Area to be Treated Amount of Concentrate to use	Dilute with water
in Square Feet	to make
or 500 Sq.Ftuse 7 1/2 Fluid Ouncesii	n 5 gallons
or 1,000 Sq.Ftuse 15 Fluid Ouncesii	n 10 "
For 5,000 Sq.Ftuse 75 Fluid Ounces(2 1/3 Qt)i	n 50 "
For 8,500 Sq.Ftuse 1 Gallonii	

For Control OF Chinch Bugs, Sod Webworms, Armyworms, Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers, Chiggers, Clover Mites and Fleas refer to chart for mixing & apply as a coarse low pressure spray. For best results thoroughly treat when lawn is moist. Apply when pests first appear or their damage is eminent & repeat as needed for control. Chinch Rug control will last up to 8 weeks therefore apply as soon as temperatures i reach 80°F and repeat every 2 months through the season.

Keep children and pets off treated areas until the spray has dried.

BEST AVAILABLE COPY

\SUNNI\94LAWNSP.LA3 HD #12 EPA File Symbol: 9404-TG

LAWN SPRAY Contains DURSBAN®

PAGE 3 OF 3

ORNAMENTAL FLOWERS, SHRUBS, & VINES, SHADE & FLOWERING TREES, EVERGREENS

DOSAGE AND DILUTION FOR USE ON ORNAMENTAL PLANTS

PESTS CONTROLLED	Fluid Ounces of Concentrate to Use in Water to Make		
	1 Gallon	3 gallons	10 Gallons
Aphids, Bagworms, Grasshoppers Mite, Spittlebugs, Whiteflies	1 2/3 Oz.	5 0z.	16 Oz.(1 Pt.)
Cutworms, Mealybugs, Leafhoppers, Thrips (Exposed), Mimosa Webworm	3 1/2 Oz.	10 Oz.	32 Oz.(2 P.ts.)

For Control of Aphids, Bagworms, Grasshoppers, Leafhoppers, Spittlebugs, "ealybugs, Whiteflies, Exposed Thrips, Mites and Cutworms infesting (rnamental plants refer to chart for mixing and thoroughly spray infested ornamental plants to point just before spray "run-off". Apply when pests are first seen or their damage is imminent then repeat for control or at 7 to 10 day intervals as needed. Use an appropriate hand held or power sprayer to give complete and uniform spray coverage.

DO NOT USE ON AZALEAS, CAMELLIAS, POINSETTIAS, ROSE BUSHES OR VARIEGATED IVY BECAUSE OF POSSIBLE SPRAY INJURY TO THESE PLANTS.

IMPORTED FIRE ANT '...UND TREATMENT
As an aid in the control of the Imported Fire Ant in lawns, flower gardens and around the home mix 3 1/2 fluid ounce per gallon of water. Gently sprinkle 1 gallon on the center of the mound. Apply in cool weather or in early morning or late afternoon. Treat new mounds as they appear. Do not use a pressure spray since this will disturb colony and encourage migration.

PREMISE AND FOUNDATION SPRAY
For the control of pests that may invade the home, such as Ants, Earwigs,
Crickets, Sowbugs, Millipedes, and Fleas mix 3 1/2 ounces per gallon of water
and apply to cover 35 sq.ft.(3.5 ft x 10 ft.) area of the foundation and
adjacent soil. Treat beneath porches and other crawl spaces. Repeat as
needed for control. Keep children and pets out of treated area until the
spray has dried.

NOTICE: Buyer and user assumes all risk and liability of use, storage an/or handling of this material not in accordance with the terms of this label:

