ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

contact with open cuts or sores may increase the hazards associated with the product.

SIGNATURE OF APPROVING OFFICIAL

DATE

SEP 2 | 1987

- d. In the Environmental Hazards section delete the quotation mark (") and the repeated statement "Do not apply directly to water." You may delete "Apply this product only as specified on this label."
- e. Delete the Pesticide Disposal Statement. "Disposal on site
 . . " is inappropriate for a household product.
- f. The term "new" can only be used on this product's labeling for a period of 1 year from the date of registration.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Richard F. Mountfort
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

\SUNNI\941.IQEDG.LA1 HD #26

EPA File Symbol: 9404-DIQUAT CHEMICAL CODE #032201 PM-23

PAGE 1 OF 3



1 GALLON TREATS UP TO 5,000 SO.FT.

NEW LIQUID LAWN EDGER

READY TO USE

KILLS WEEDS & GRASSES IN WALKS, UNDER FENCING

IN GRAVEL AND ASPHALT DRIVEWAYS,

PARKING AREAS AND PATIOS

AROUND COMMERCIAL BUILDINGS AND WAREA

WEED CONTROL ON UTILITY RASP

KILLS ANNUAL WEEDS & GRASSES IN DORMANT

5,mil. to 14.3-45.5

ACTIVE INGREDIENT:

Diquat Dibromide [6,7-dihydrodipyrido-

(1,2-a:2',1'-c) pyrazinedilum dibromide] . 00.23%

INERT INGREDIENTS: 99.77%

Total 100.00%

Contains 0.01 lbs. Diquat Cation per gallon as 0.02 lbs. Salt per Gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

IF IN EYES: Flush eyes with plenty of water. Get medical attention IF ON SKIN: Remove contaminated clothing and wash before reuse. Wash affected area with soap and water. Get medical attention if irritation persists.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.'.

EPA REG. NO. 9404-

EPA EST. NO. 9404

Net Contents_ 1 _ Gallon

SUNNILAND CORPORATION SANFORD FLORIDA 32771

\SUNNI\94LIQEDG.LA2 HF #26 EPA File Symbol: 9404\(\frac{1}{2}\)

DIQUAT CHEMICAL CODE #032201

NEW LIQUID LAWN EDGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Harmful if swallowed Avoid contact with skin. Do not breathe spray mist. Wear protective clothing when handling this product including long pants, long sleeved shirt, and impermeable gloves & boots. Wash clothing before reuse. Wash hands after using and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep children and animals off treated areas until spray has dried or has been washed into the soil. Request what

not spray or allow to drift onto food, forage, vegetables, ornamentals or other desirable plants. Do not apply when weather conditions favor drift from target areas. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes) Do not apply where runoff is likely to occur. Do not feed or graze treated foolinge to livestock, This product is toxic to fish by and wildlife. Do not apply directly to water. Birds and other wildlife in treated area may be killed. Apply this product only as specified on this

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in its original labeled container in a cool, dry, locked place out of reach of children. Do not store near fertilizer, seeds, insecticide or fungicides. PESTICIDE DISPOSAL: Wastes reuslting from the use of this product may be disposed of on site or at an approved wastes disposal faciality. CONTAINER-DISPOSAL: Do not re-use empty container. Wrap and put in trash.

KILLS WEEDS & GRASSES IN WALKS, UNDER FENCING, IN GRAVEL & ASPHALT DRIVEWAYS PARKING AREAS AND PATIOS, AROUND COMMERCIAL BUILDINGS AND WAREHOUSES, WEED CONTROL ON UTILITY EASEMENTS

> KILLS ANNUAL WEEDS & GRASSES IN DORMANT BERMUDAGRASS FOR USE AROUND THE HOME, APARTMENT COMPLEX OR CONDOMINIUM ACTS AS A CHEMICAL GRASS EDGER KEEPS GRASS FROM CREEPING INTO UNWANTED AREAS

WHERE TO USE

DRIVEWAYS, PATIOS, WALKS, TREE WELLS, around SHRUBS & FLOWER BEDS, around. and beneath FENCES; in GRAVEL, BARK or PEAT MOSS GROUND COVER and/or MULCH; PARKING LOTS ETC. Use as a "spot weed treatment" in lawns or at the edges of areas wherever weeds or creeping Bermuda present a problem. For best resul.s, treat weeds in the early growing stage when moisture and high temperatures are promoting vigorous growth.

FOR QUICK AND EASY SPOT WEED TREATMENT AND CLEAN-UP OF THE ABOVE GROUND WEED GROWTH OF THE FOLLOWING BROADLEAF AND GRASSY WEEDS: PARTIAL LISTING OF WEEDS

Annual Blue Grass, Chickweed, Crabgrass, Florida Pusley, (Grasses' which craep over, under or around Lawn Edging; and that have grow-up through Paved Patios, Walkways, and Driveways such as Bahia Grass, Bermuc grass, Centipedegrass, St. Augustinegrass, & Zoysiagrass), Foxtail, Garden Spurge, Goosegrass, Henbit, Knotweed, Lambsquarter, Mayweed, Oxalis, Pigweed, Prickley Lettuce, Purslane, Puncture Vine, Redroot Pigweed, Sandspur, Shepards Purse, Sowthistle, Smartweed. St. Augustine grass, Velvetweed, Wild Geranium,

PAGE 3 OF 3

\SUNNI\94LIQEDG.LA3 HD 20 EPA File Symbol: 9404-

DIQUAT CHEMICAL CODE #032201 NEW LIQUID LAWN EDGER

GENERAL INFORMATION

This product is a Ready To Use weed killer which provides the home owner a product to control annual weeds and grasses and to give effective top kill of troublesome perennial broadleaf weeds and grasses. With one application susceptible weeds "brown out" and are controlled. Respray perennial weed "top-growth" when patches of green reappear. If perennial weed growth is a serious problem ask your Garden Shop for a "Residual" or a "Bare Ground" type weed killer for that purpose.

HOW TO APPLY

Shake contents thoroughly. Apply directly from this container by pointing container down at weeds and squeezing bottle to "sprinkle-spray" the weeds enough to completely wet the weed foliage that you want to kill <u>OR</u> the product may be transferred to a Hand Trigger Type Sprayer for "Pin-Point" spray application. For storage return all unused liquid to the original labeled container. Kills the above ground weed growth as a contact weed killer. Desirable plants, if accidentally sprayed, may be saved by immediately washing off the spray or pruning the area touched by the spray.

WINTER ANNUAL WEED CONTROL IN ESTABLISHED DORMANT BERMUDA GRASS

Apply Only to Dormant Ornamental and/or Recreational Bermudagrass (Do not apply to Food or Feed Crops): For use in the suppression of Emerged Annual Broadleaf Weeds and Grassy Weeds Including Little Barley, Annual Bluegrass, Bromes, Buttercup and Carolina Geranium in Established Dormant Bermudagrass Lawns. Directly treat weeds wetting them just to point of spray runoff. For Little Barley apply in early growth stages. Application to actively growing Bermudagrass will cause delay or permanent injury to the turf. Do not allow spray to drift onto ornamental plants or food crops.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

