

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. <b>9404-79</b>	DATE OF ISSUANCE <b>February 16, 1979</b>
	TERM OF ISSUANCE <b>Until Reregistration</b>	
	NAME OF PESTICIDE PRODUCT <b>Sunniland Rose and Floral          Dust</b>	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

**Sunniland Corporation**  
**P.O. Box 1697**  
**Sanford, FL 32771**

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase EPA Registration No. "9404-79" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

**Enclosure**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards</i>	DATE <b>2/16/79</b>
---	------------------------

2 of 2

# Sunniland

## ROSE & FLORAL DUST

### Insect and Disease Control

- For Roses, Azaleas, Camellias, Bulbs & Ornamental Flowers, Foliage Plants.
- For Vegetables such as Beans, Broccoli, Melons, Potatoes and Tomatoes

• CONTAINS A FUNGICIDE FOR CONTROL OF BLACK SPOT, LEAF SPOT, POWDERY MILDEW, FLOWER BLIGHT.

• CONTROLS EARLY AND LATE BLIGHT, DOWNY MILDEW, ANTHRACNOSE AND LEAF SPOTS.

• CONTAINS SEVIN® BRAND CARBARYL INSECTICIDE

FEB 16 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.



<b>ACTIVE INGREDIENTS:</b>	
Chlorothalonil (Tetrachloroisophthalonitrile)*	5.0%
Carbaryl (1-Naphthyl-N-methylcarbamate)**	5.0%
<b>INERT INGREDIENTS:-</b>	<b>90.0%</b>
	<b>TOTAL 100.0%</b>

\*U.S. Patent Nos. 3,290,353 & 3,331,735

\*\*SEVIN® a registered Trademark of Rhone Poulenc

EPA Reg. No. 8404- EPA Est. No. 8404-F-1

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Side/Back Panel for Additional Precautionary Statements  
NET WEIGHT 1 POUND (4 POUNDS)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or inhaled. Avoid breathing dust. May cause irritation of nose, throat, eyes and skin. "Skin Sensitizer". Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and foodstuffs. Do not use on household pets or humans. Wear long sleeved shirt, long pants, and gloves while mixing, loading and applying this product.

#### STATEMENTS OF PRACTICAL TREATMENT.

**IF SWALLOWED:** Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if needed. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, Opiates, or cholinesterase inhibiting drugs. Person having an allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not reuse empty container. Securely wrap container in several layers of newspaper and discard in trash.

### HOW TO USE

This dust is ready to use. Apply with a garden type "pump duster" or a "Squeeze Duster". Thoroughly shake contents before application. Apply dust from below the leaves to insure that both lower and upper surfaces are covered with a thin film of dust. The duster should be held about 8 to 10 inches from the plant.

### WHEN TO USE

Start a regular preventative program as soon as new growth appears. Under normal conditions, apply every 7 to 14 days during the growing season. Treat at least weekly during periods of severe infestation caused by periods of wet weather. Apply dust in early morning or late evening when moisture is present on plants, temperature is low and air is still. Do not apply during excessively high temperatures (above 85° F). Additional applications are recommended immediately after every rain.

**NOTE TO USER:** This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician.

**NOTICE:** Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label. (9404-RD.PM4 / 11-05-92)

**SUNNILAND CORPORATION**  
SANFORD, FL. 32771

### ROSE

This mode Carbaryl Insects and

- ✓ Apple / Bagwood / Blister / Borer / Brown / Elm Leaf / Flea / Japanese / June Bug / Leafhopper

### TO

- REASNS: For
- ros, Flea
- Lima Bean
- during early
- weedy or a
- BRUSSEL
- FLOWER
- for control
- Leaf Spots
- field, or sh
- conditions
- intervals. D
- CARROTS
- blight and is
- 7 to 10 day
- CUCLER
- LOUES: I
- Flea Beetle
- temperature
- Target Spots
- when plant
- favorable to
- days interval
- POTATOE
- and Late B
- diseases thr
- applied up
- TOMATOE
- Beetles, S
- Gray Leaf
- and repeat