



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

JUL 25 2008

H.R. McLane  
Agent for Sunniland Corporation  
7210 Red Road, Suite 206A  
Miami, Florida 33143-5321

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Mr. McLane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated June 23, 2008 for:

<b>EPA Registration 9404-80</b>	<b>Weed &amp; Feed w/0.57% Atrazine for St. Augustine Lawns</b>
<b>EPA Registration 9404-81</b>	<b>Weed &amp; Feed w/1.28% Atrazine for St. Augustine Lawns</b>

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and finds that the label changes requested falls within the scope of PR Notices 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

<b>United States</b> <b>EPA Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Notification	<b>EPA</b> <b>Registration No</b> <b>9404-80</b>
--	---	--

**Application for Pesticide Section I PR NOTICE 2007-4 Notification Date June, 23, 2008**

<b>1. Company / Product Number:</b> <p style="text-align: center;"><b>9404-80</b></p>	<b>2. EPA Product Manager</b> <p style="text-align: center;"><b>Dr. JIM TOMPKINS</b></p>	<b>3. Proposed Classification</b> <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
<b>4. Company Product Name:</b> <p style="text-align: center;"><b>WEED &amp; FEED with 0.57% Atrazine for St. Augustine Lawns</b></p>		<b>6. Expedite Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i), My product is similar or identical in composition and labeling to: EPA Reg. No. <u>N/A</u> Product Name: <u>N/A</u>
<b>5. Name and address of Applicant: ( Include Zip Code)</b> <p style="text-align: center;"><b>Sunniland Corporation</b>  <b>P.O. Box 8001</b>  <b>Sanford, FL, 32772</b></p> <input type="checkbox"/> Check if this is a new address		

**NOTIFICATION**

**JUL 25 2008**

**Section II**

<input type="checkbox"/> Amendment- Explain below (-----F) <input type="checkbox"/> Resubmission in response to Agency Letter Dated: _____ <input checked="" type="checkbox"/> Notification - Explain Below Compliance with PRN 2007-4	Final Printed Labels in response to _____ Me Too Applications, _____ -- Other Explain below _____
--	---

**Explanation:** Use additional pages if necessary (For Section I and Section II) *this is a NOTIFICATION that brings this labeling in compliance with PR NOTICE 2007-4 concerning the STORAGE AND DISPOSAL section as found on this 2 page draft label's unit 2 of 2 at the bottom of the left column using the last EPA ACCEPTED version dated April 16, , 2007 as the base version for this NOTIFICATION. Our Certification for this NOTIFICATION appears in our cover letter as page 2 of 5 included in this dossier. Please place this NOTIFICATION as a permanent portion of the file for the product. Thank you for your cooperation in this matter.*

**Section III**

<b>1. Material This Product will be packed in:</b>			
<b>Child Resistant Packaging</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <small>Certification must be submitted Date: _____</small>	<b>Unit Packaging</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <small>If "Yes" Unit Packaging Wgt. No. Per Container</small>	<b>Water Soluble Packaging</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <small>If "Yes" Package Wgt. No. Per Container</small>	<b>2. Type of Container</b> <input type="checkbox"/> Metal (Poly Lined) <input checked="" type="checkbox"/> Plastic HDPE (Fluorine treated) <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper- Poly lined <input type="checkbox"/> Other "BAREX"
<b>3. Location of Net Contents Information</b> <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container		<b>4. Size(s) Retail Container</b> <p style="text-align: center;"><b>40 lb. Bag.</b></p>	
<b>5. Location of label directions</b> <input checked="" type="checkbox"/> On Label <input type="checkbox"/> Label accompanying product			
<b>6. Manner in which label is Affixed to Product</b> <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other			

**Section IV**

*Contact Point (Complete items below for Identification of individual to be contacted if necessary to process this application.)*

<b>Name:</b> <i>H. R. McLane, Inc.</i> <i>7210 Red Rd. suite 206A miami, FL 33143</i>	<b>Title:</b> <i>Agent 305-661-1706</i> <i>Sunniland Corporation</i>	<b>Telephone No. ( Include Area code)</b> <i>1-800-432-1130</i>
--	---	--

<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		<b>6. Date Application received (Stamped)</b>    
<b>2. Signature:</b> By <i>H. R. McLane</i> 	<b>3. Title</b> <i>Agent</i>	
<b>4. Typed Name of registrant</b> <i>Mr. Clyde L. Cline, Operations Manager</i> <i>Sunniland Corporation</i>	<b>5. Date</b> <p style="text-align: center;"><b>06-23-08</b></p>	



hrmclaneinc@bellsouth.net

06/27/2008 12:56 PM

To Nicole Williams/DC/USEPA/US@EPA

cc

bcc

Subject CERTIFICATION FOR 2007-4 NOTIFICATIONS

DEAR MS. WILLIAMS: THANK YOU FOR YOUR HELP IN THIS MATTER.

PLEASE PLACE THE FOLLOWING CERTIFICATION STATEMENT WITH OUR NOTIFICATION SUBMISSIONS FOR THE FOLLOWING EPA REG. NO. 8254-4; 56-70; AND 56-73. WE HAVE ALSO SUBMITTED OTHER NOTIFICATIONS USING THAT PRN "98-10" CERTIFICATION STATEMENT AND WILL APPRECIATE YOUR PLACING THIS "PRN 2007-4" CERTIFICATION WITH THOSE APPLICATIONS.

THEY ARE EPA REG. NO.S #45385-78; AND EPA NO.S 9404-51; 9404-55; 9404-56 9404-80; 9404-81; 9404-82; AND 9404-90; AND 9404-91.

THE CERTIFICATION TO BE PLACED WITH THESE NOTIFICATIONS IS AS FOLLOWS:

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10; 156.140; 156.144, 156.146; 156.156.156. this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely.....H. R. MCLANE, INC..... by: H. R. McLane. Authorized Agent .

3/10



5/10



# H. R. McLANE, INC.

page 2 of 5

7210 Red Road, Suite 206A - Miami, Florida 33143-5321  
Phone 305 661 1706 - Fax 305 661 3036  
Chemical Consultants in EPA Regulatory Affairs  
FIFRA Licensing & Registrations- Since 1948

JUNE 23, 2008

DR. JIM TOMPKINS PM-25  
DOCUMENT PROCESSING DESK (PRN-2007-NOTIF)  
OFFICE OF PESTICIDE PROGRAMS (7504 P)  
ENVIRONMENTAL PROTECTION AGENCY  
1200 PENNSYLVANIA, AVE. N.W.  
WASHINGTON, D. C. 20460-0001

PHONE 703 305-5697  
FAX 703 305-6596

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4  
Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1  
P.O. BOX 8001- SANFORD, FL 32772  
COMPANY CONTACT: MR. CLYDE L. CLINE, OPERATIONS MANAGER  
Product: "WEED & FEED WITH 0.57% ATRAZINE FOR ST. AUGUSTINE LAWNS"  
EPA: REG.NO.9404-80.

DEAR DR. TOMPKINS:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND AT THE BOTTOM OF THE LEFT HAND COLUMN OF THE ENCLOSED DRAFT LABEL PAGENATED AS 5 OF 5 IN THIS DOSSIER. THE LAST EPA STAMPED "ACCEPTED" LABEL DATED APRIL 16, 2007, IS USED AS THE BASE LABEL FOR THIS NOTIFICATION.

	PAGE
INDEX .....	1
COVER LETTER to: DR. JIM TOMPKINS .... PM-25.....	2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-80...	3
2 COPIES OF THE 1 PAGE DRAFT LABEL .....	4,5
PR NOTICE 2007-4 COPY FOUND AT THE BOTTOM OF THE LABEL'S LEFT HAND COLUMN. LABEL UNIT 2 O 2.	

"This NOTIFICATION is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and the registered product labeling and A.I. and no other changes other than the INERT SOURCE have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA!"

Sincerely  
H. R. McLane, INC  
  
H. R. McLane, Ph.D.... Agent for  
MR. CLYDE L. CLINE OPERATION MANAGER.  
HRM/nb/ encl: as above. cc/CLC/SC

# Weed & Feed with 0.57% Atrazine For St. Augustine Lawns

6/10 Label unit 1 of 2

NOTIFICATION

Page 4 of 5

**BROADLEAF AND GRASSY WEED CONTROL WITH PREMIUM LAWN FOOD**

**EPA REG. NO. 9404-80 EPA EST. NO. 9404-FL-1**

**JUL 25 2008  
PR NOTICE 2007-4-NOTIFICATION VERSION**

**40 Pounds of WEED & FEED covers 5,000 Sq.Ft. of Lawn**

**Prevents Crabgrass, Paspalum, grasses and Spotted Spurge. Controls Florida Pusley, Lippia, Pigweed and as many as 50 other Broadleaf and/or Grassy Weeds as listed.**

## FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

### ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine - - - 0.55%

Related Compounds - - - - - 0.02%

OTHER INGREDIENTS: - - - - - 99.43%

Total 100.00%

Contains 11.4 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

**IF SWALLOWED** - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES** - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED**: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See side panel for additional Precautionary Statements

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMAN AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices such as a belly grinder or a handheld rotary applicator. Such equipment may only be used for spot treatment.

#### ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. *Not for use on turf being grown for sale or other commercial use, as sod or for commercial seed production, or for research purposes.* This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer. **IMPORTANT:** This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer.

### WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-emergent and also as a Post emergent weed killer.

Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1st up to March 1st for best control otherwise product may be applied up to June 15th with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose.

In case of heavy weed infestation or low soil moisture a repeated application may be necessary. Kill time of mature weeds may be 4 to 5 weeks. **\*\*Wait 2 months for one only repeat application per year at the same rate of 40 lbs. per 5,000 sq.ft. over the same area. Apply when air is calm to prevent particle wind drift.**

### HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. **\*\*See General Precautions and Restrictions section on this label.** Apply evenly across the entire lawn at a rate of 40 pounds to treat 5,000 sq.ft. (equivalent to 8 lbs. per 1,000 sq.ft.) Do not exceed recommended rates. **\*\* Sprinkle the area immediately after application to wash granules off the grass blades down to soil surface. See General Precautions and Restrictions section on this label.**

### SPREADER SETTINGS - 40 lbs./ 5,000 Sq.Ft.

**NOTE:** Spreader rate varies with walking speed. Check spreader over known area.

#### DROP SPREADERS

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping "slightly", shutting off the spreader before turning as you reach the edge of the border strips.

Ortho 5000	xx-x to xx-xx
Precision FH22	xxx-x
Republic EZ Drop	xx-x to xx-xx
Scotts Accugreen	xx to x-x
Scotts Drop PF3	xx-x

#### BROADCAST SPREADERS

For best results, apply in a circular path starting on the outside and working toward the center. A "little" overlap of product will ensure complete coverage.

Cyclone B1-84	xx
Ortho 6000	x to x-x
Precision SB50	x-x to x
Republic EZ 540	x to x-xx
Scotts Speedy Green	xx to x
Scotts Easy Green ER226	xx to x:x

**IMPORTANT:** These are approximate settings. Age and conditions of your spreader can cause wide variation. Be sure to calibrate your spreader with each application. 08-23-08.

PRODUCT BATCH CODE NO, \_\_\_\_\_

**Net Weight 40 Pounds**

**SUNNILAND CORPORATION**

P.O. BOX 8001 - SANFORD, FL 32772

# Weed & Feed with 0.57% Atrazine For St. Augustine Lawns

EPA REG. NO. 9404-80 EPA EST. NO. 9404-FL-1

40 Pounds of WEED & FEED covers 5,000 Sq. Ft. of Lawn FOR USE ON ST. AUGUSTINE and CENTIPEDE LAWNS

PR NOTICE 2007-4-NOTIFICATION VERSION

## WHERE AND WHEN TO USE

This material is for use on St. Augustine and Centipede lawns only. On newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within only 6 months after application. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry.

DO NOT USE ON BLUEGRASS, FESCUE, BENTGRASS, BAHIA, RYE, BERMUDA, OR DICHONDRA LAWNS.

## USE PRECAUTIONS

Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label or injury to those other grasses may result.

## GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - -	XX %
Nitrate Nitrogen	XX %
Ammoniacal Nitrogen	XX %
Water Soluble Nitrogen	XX %
Coated Slow release Nitrogen	XX %
Water Insoluble Nitrogen	XX %
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) - - - -	XX %
Soluble Potash (K <sub>2</sub> O) - - - - -	XX %
Chlorine not more than - - - - -	XX %

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to \_\_\_\_\_ lbs. of Calcium Carbonate per ton.

### Statement of Secondary Plant Foods

Total Magnesium as Mg - \_\_\_\_\_%; Iron as Fe - \_\_\_\_\_%; Water Soluble Magnesium Mg - \_\_\_\_\_%; Zinc as Zn - \_\_\_\_\_% Manganese as Mn - \_\_\_\_\_%; Boron as B - \_\_\_\_\_% Copper as Cu - \_\_\_\_\_%; Molybdenum as Mo - \_\_\_\_\_% Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

**PRODUCT DISPOSAL:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

**IF EMPTY:** Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**SPILL:** In case of spill, sweep up and dispose of material according to PRODUCT DISPOSAL directions listed above.

**NOTICE:** Sunniland Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. To the extent consistent with applicable law Sunniland Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall Sunniland Corporation be liable for consequential, special, or indirect damages resulting from the use or handling of this product. 06-23-08.

## WEEDS CONTROLLED OR SUPPRESSED

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| Annual Bluegrass (Poa Annua)      | Henbit                                |
| Annual Sowthistle                 | Knotweed                              |
| Clover                            | Lambsquarter                          |
| Black Medic                       | Lespedeza                             |
| Blue Toadflax                     | Lippia (Matchweed)                    |
| Bull Paspalum                     | Moneywort                             |
| Buckhorn Plantain                 | Morning Glory                         |
| Bur Clover                        | Narrowleaf Vetch                      |
| Carolina Geranium (Cranesbill)    | Parsley-Piert                         |
| Chickweed (Common and Mouse Ear)  | Paspalums                             |
| Cocklebur                         | Oxalis (Common and Yellow Woodsorrel) |
| Common Dandelion                  | Pigweed                               |
| Common Purslane                   | Purslane                              |
| Crabgrass                         | Ragweed                               |
| Crowfoot Grass                    | Red Sorrel                            |
| Cudweed                           | Rescuegrass                           |
| Cutleaf Evening Primrose          | Sandspur                              |
| Dichondra                         | Shepard's Purse                       |
| Dollar Weed                       | Sicklepod                             |
| Florida Beggarweed                | Spotted Spurge                        |
| Florida Betony (Rattlesnake Weed) | Spurweed                              |
| Florida Pusley                    | Stinging Nettle                       |
| Fragrant Cudweed (Rabbit Tobacco) | Swinecrest                            |
|                                   | Venus Looking Glass                   |
|                                   | Virginia Creeper                      |
|                                   | Wild Mustard                          |
|                                   | Wood Sorrel                           |

\*\*A repeat application is required for control of Nutsedge grasses. Follow directions in the General Precautions and Restrictions paragraph.

## \*\*General Precautions and Restrictions For Best Results

- The maximum rate per application to turfgrass, ( including lawns), is 8 lbs. of this product per 1,000 sq.ft. that reflects a maximum application rate of 2 lbs. of active ingredient per acre. Maximum of two applications per year.
- **Application Restrictions:** Do not apply in such a manner that will contact any person or pet either directly, or through drift. Keep people and pets out of the area during application. This product must be watered into the turf immediately after application for safety, best weed control, and fertilizer benefit.
- **Entry Restrictions:** Do not enter or allow others, (including children or pets), to enter the treated areas (except those involved in watering), until the watering-in is complete and the surface is dry.
- Do not apply by hand or with a hand held, "belly grinder" spot treat applicator. For safety, overall best weed control, and plant food results apply with a suitable, correctly calibrated, broadcast or drop type, granule fertilizer spreader. See Spreader Settings section. 06-23-08.

FOR A TRANSPORTATION EMERGENCY, PHONE 24 HOURS A DAY CHEMTREC 1-800-424-9300

PRODUCT BATCH CODE NO, \_\_\_\_\_

NET WEIGHT 40; POUNDS

**SUNNILAND CORPORATION**  
P.O. BOX 8001 - SANFORD, FL 32772

# Weed & Feed with 0.57% Atrazine For St. Augustine Lawns

**BROADLEAF AND GRASSY WEED CONTROL WITH PREMIUM LAWN FOOD**

**EPA REG. NO. 9404-80 EPA EST. NO. 9404-FL-1**

**40 Pounds of WEED & FEED covers 5,000 Sq. Ft. of Lawn**

**Prevents Crabgrass, Paspalum, grasses and Spotted Spurge. Controls Florida Pusley, Lippia, Pigweed and as many as 50 other Broadleaf and/or Grassy Weeds as listed.**

## FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

### ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine - - - 0.55%  
Related Compounds - - - - - 0.02%

OTHER INGREDIENTS: - - - - - 99.43%  
Total 100.00%

Contains 11.4 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

## KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

**IF SWALLOWED** - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES** - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED**: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See side panel for additional Precautionary Statements

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMAN AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices such as a belly grinder or a handheld rotary applicator. Such equipment may only be used for spot treatment.

### ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

**PR NOTICE 2007-4-NOTIFICATION VERSION**

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. *Not for use on turf being grown for sale or other commercial use, as sod or for commercial seed production, or for research purposes.* This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer. **\*\* IMPORTANT:** This product will control both emerged weeds and weeds from seeds. Some moisture is required to activate the herbicide and the fertilizer.

## WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-emergent and also as a Post emergent weed killer.

Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1st up to March 1st for best control otherwise product may be applied up to June 15th with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose.

In case of heavy weed infestation or low soil moisture a repeated application may be necessary. Kill time of mature weeds may be 4 to 5 weeks. **\*\*Wait 2 months for one only repeat application per year at the same rate of 40 lbs. per 5,000 sq.ft. over the same area. Apply when air is calm to prevent particle wind drift.**

## HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. **\*\*See General Precautions and Restrictions** section on this label. Apply evenly across the entire lawn at a rate of 40 pounds to treat 5,000 sq.ft. (equivalent to 8 lbs. per 1,000 sq.ft.) Do not exceed recommended rates. **\*\* Sprinkle the area immediately after application to wash granules off the grass blades down to soil surface. See General Precautions and Restrictions section on this label.**

## SPREADER SETTINGS - 40 lbs./ 5,000 Sq.Ft.

**NOTE:** Spreader rate varies with walking speed.  
Check spreader over known area.

### DROPSREADERS

First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping "slightly", shutting off the spreader before turning as you reach the edge of the border strips.

Ortho 5000	xx-x to xx-xx
Precision FH22	xxx-x
Republic EZ Drop	xx-x to xx-xx
Scotts Accugreen	xx to x-x
Scotts Drop PF3	xx-x

### BROADCAST SPREADERS

For best results, apply in a circular path starting on the outside and working toward the center. A "little" overlap of product will ensure complete coverage.

Cyclone B1-84	xx
Ortho 6000	x to x-x
Precision SB50	x-x to x
Republic EZ 540	x to x-xx
Scotts Speedy Green	xx to x
Scotts Easy Green ER226	xx to xx-x

**IMPORTANT:** These are approximate settings. Age and conditions of your spreader can cause wide variation. Be sure to calibrate your spreader with each application. 06-23-08

PRODUCT BATCH CODE NO, \_\_\_\_\_

**Net Weight 40 Pounds**

**SUNNILAND CORPORATION**  
P.O. BOX 8001 - SANFORD, FL 32772

# Weed & Feed with 0.57% Atrazine For St. Augustine Lawns

EPA REG. NO. 9404-80 EPA EST. NO. 9404-FL-1

40 Pounds of WEED & FEED covers 5,000 Sq. Ft. of Lawn

FOR USE ON ST. AUGUSTINE and CENTIPEDE LAWNS

PR NOTICE 2007-4-NOTIFICATION VERSION

## WHERE AND WHEN TO USE

**This material is for use on St. Augustine and Centipede lawns only.** On newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within only 6 months after application. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry.

**DO NOT USE ON BLUEGRASS, FESCUE, BENTGRASS, BAHIA, RYE, BERMUDA, OR DICHONDRA LAWNS.**

## USE PRECAUTIONS

Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label or injury to those other grasses may result.

## GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - -	XX %
Nitrate Nitrogen	XX %
Ammoniacal Nitrogen	XX %
Water Soluble Nitrogen	XX %
Coated Slow release Nitrogen	XX %
Water Insoluble Nitrogen	XX %
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) - - - - -	XX %
Soluble Potash (K <sub>2</sub> O) - - - - -	XX %
Chlorine not more than - - - - -	XX %

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to \_\_\_ lbs. of Calcium Carbonate per ton.

### Statement of Secondary Plant Foods

Total Magnesium as Mg - \_\_\_ %; Iron as Fe - \_\_\_ %; Water Soluble Magnesium Mg - \_\_\_ %; Zinc as Zn - \_\_\_ %; Manganese as Mn - \_\_\_ %; Boron as B - \_\_\_ %; Copper as Cu - \_\_\_ %; Molybdenum as Mo - \_\_\_ % Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.

**PRODUCT DISPOSAL:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

**IF EMPTY:** Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**SPILL:** In case of spill, sweep up and dispose of material according to PRODUCT DISPOSAL directions listed above.

## WEEDS CONTROLLED OR SUPPRESSED

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| Annual Bluegrass (Poa Annua)      | Henbit                                |
| Annual Sowthistle                 | Knotweed                              |
| Clover                            | Lambsquarter                          |
| Black Medic                       | Lespedeza                             |
| Blue Toadflax                     | Lippia (Matchweed)                    |
| Bull Paspalum                     | Moneywort                             |
| Buckhorn Plantain                 | Morning Glory                         |
| Bur Clover                        | Narrowleaf Vetch                      |
| Carolina Geranium (Cranesbill)    | Parsley-Piert                         |
| Chickweed (Common and Mouse Ear)  | Paspalums                             |
| Cocklebur                         | Oxalis (Common and Yellow Woodsorrel) |
| Common Dandelion                  | Pigweed                               |
| Common Purslane                   | Purslane                              |
| Crabgrass                         | Ragweed                               |
| Crowfoot Grass                    | Red Sorrel                            |
| Cudweed                           | Rescuegrass                           |
| Cutleaf Evening Primrose          | Sandspur                              |
| Dichondra                         | Shepards Purse                        |
| Dollar Weed                       | Sicklepod                             |
| Florida Beggarweed                | Spotted Spurge                        |
| Florida Betony (Rattlesnake Weed) | Spurweed                              |
| Florida Pusley                    | Stinging Nettle                       |
| Fragrant Cudweed (Rabbit Tobacco) | Swinecrest                            |
|                                   | Venus Looking Glass                   |
|                                   | Virginia Creeper                      |
|                                   | Wild Mustard                          |
|                                   | Wood Sorrel                           |

\*\*A repeat application is required for control of Nutsedge grasses. Follow directions in the General Precautions and Restrictions paragraph.

## \*\*General Precautions and Restrictions For Best Results

- The **maximum rate** per application to turfgrass, ( including lawns), is 8 lbs. of this product per 1,000 sq.ft. that reflects a maximum application rate of 2 lbs. of active ingredient per acre. Maximum of two applications per year.
- Application Restrictions:** Do not apply in such a manner that will contact any person or pet either directly, or through drift. Keep people and pets out of the area during application. This product must be watered into the turf immediately after application for safety, best weed control, and fertilizer benefit.
- Entry Restrictions:** Do not enter or allow others, (including children or pets), to enter the treated areas (except those involved in watering), until the watering-in is complete and the surface is dry.
- Do not apply by hand or with a hand held, "belly grinder" spot treat applicator. For safety, overall best weed control, and plant food results apply with a suitable, correctly calibrated, **broadcast** or **drop** type, granule fertilizer spreader. See Spreader Settings section. 08-23-08.

FOR A TRANSPORTATION EMERGENCY,  
PHONE 24 HOURS A DAY CHEMTREC 1-800-424-9300

PRODUCT BATCH CODE NO, \_\_\_\_\_

NET WEIGHT 40; POUNDS

**SUNNILAND CORPORATION**  
P.O. BOX 8001 - SANFORD, FL 32772

**NOTICE:** Sunniland Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. To the extent consistent with applicable law Sunniland Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall Sunniland Corporation be liable for consequential, special, or indirect damages resulting from the use or handling of this product. 08-23-08.

THIS IS AN "ACKNOWLEDGEMENT OF RECEIPT" BY EPA  
 OPPID NO. 940480 Product Name & EPA File/Sym/Reg.No  
 /1 \_\_\_\_\_ # \_\_\_\_\_  
 /2 \_\_\_\_\_ # \_\_\_\_\_  
 /3 W6F 0.57% St. AUG # 940480  
 /4 \_\_\_\_\_ # \_\_\_\_\_

Registrants Name: \_\_\_\_\_  
 This date \_\_\_\_\_ Orig. Submission \_\_\_\_\_  
 1. New/Re Registration \_\_\_\_\_ 2. Amdnt; Label  CSF \_\_\_\_\_  
 3. DCI or REREG for NOTIFICATION Dated \_\_\_\_\_  
 4. Our response to EPA letter/phone call; \_\_\_\_\_  
 5. Finished Labeling \_\_\_\_\_ Other FRN-2007.4  
 Submitted by H. R. McLane, INC. Miami, Fl 33143

TO BE COMPLETED BY EPA ADDRESSEE  
 Addressee: DR. JIM TOMPKINS  
 Received By PM-25 or Addressee \_\_\_\_\_ Date:       
 EPA Signature of Receipt:     

 **H. R. McLane, INC.**  
 7210 Red Road, Suite 206A  
 Miami, Florida 33143-5321

 **H. R. McLane, INC.**  
 7210 Red Road, Suite 206A  
 Miami, Florida 33143-5321