



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOV 7 2008

H.R. McLane, Inc.
Authorized Agent
Sunniland Corporation
7210 Red Road, Suite 206A
Miami, Florida 33143-5321

RE: Notification of an Additional Brand Name: Sunniland St. Augustine Weed & Feed
EPA Registration Number: 9404-82
Date of Submission: September 8, 2008

Dear Mr. McLane:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 8, 2008, for the product Weed & Feed with 1.15% Atrazine for St. Augustine Lawns. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" received and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda", is located below the word "Sincerely,".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



H. R. McLANE, INC.

7210 Red Road, Suite 206A - Miami, Florida 33143-5321 U.S.A.
Phone 305 661 1706 - Fax 305 661 3036 - E-Mail hrmclaneinc@bellsouth.net
Consulting in EPA Regulatory Affairs
FIFRA Licensing & Registrations - Since 1948

page 2 of 4

SEP 08, 2008

DR. JIM TOMPKINS PM-25
DOCUMENT PROCESSING DESK (ADD A NAME - NOTIF)
OFFICE OF PESTICIDE PROGRAMS (7504 - P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-305-5697
FAX 703-305-6596

Subject: THIS IS A NOTIFICATION TO FILE THE ADDITIONAL BRAND NAME OF
"SUNNILAND ST. AUGUSTINE WEED & FEED"

Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1
P.O. BOX 8001- SANFORD, FL 32772

COMPANY CONTACT MR. CLYDE L. CLINE, OPERATIONS MANAGER.

PRIMARY PRODUCT NAME: "WEED & FEED WITH 1.15% ATRAZINE FOR ST. AUGUSTINE LAWNS"
EPA: REG.NO.9404-82.

DEAR DR. TOMPKINS:

THIS NOTIFICATION FILES AN ADDITIONAL BRAND NAME FOR
THIS PRODUCT AS: "SUNNILAND ST. AUGUSTINE WEED & FEED"

PAGE
INDEX 1
COVER LETTER to: DR. JIM TOMPKINS PM-25..... 2
1 COPY OF EPA FORM 8570-1 EPA REG. NO. 9404-82... 3
2 COPIES OF THE 1 PAGE DRAFT LABEL 4
LABEL HAS BEEN REDUCED TO FIT ON LETTER SIZE PAPER.

THE LABEL SUBMITTED, AND DATED, JULY 23, 2008 AS A
NOTIFICATION FOR PR NOTICE 2007-4 WHICH ALSO CONTAINED
THE STATE OF FLORIDA REQUIRED COPY FOR ALL "BAGS OF
FERTILIZER SOLD AT RETAIL" IS USED AS THE BASE LABEL FOR
THIS NOTIFICATION TO FILE THIS ADDITIONAL BRAND NAME OF;
"SUNNILAND ST. AUGUSTINE WEED & FEED"

-----> CERTIFICATION FOR THIS NOTIFICATION
"This NOTIFICATION is consistent with the provisions of PR Notice 98-10
and EPA regulations at 40 CFR 152.46, and the registered product labeling
and A.I. and no other changes have been made to the labeling or the
confidential statement of formula for this product. I understand that it
is a violation of 18 U.S.C. Sec. 1001 to willfully make any false
statement to EPA. I further understand that if this notification is not
consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this
product may be in violation of FIFRA and I may be subject to enforcement
action and penalties under sections 12 and 14 of FIFRA".

Sincerely

H. R. MCLANE, INC.

H. R. McLane
H. R. McLane, Ph.D.... Agent for
MR. CLYDE L. CLINE; OPERATION MGR.

HRM/nb/ encl: as above. cc/CLC/SC

BROADLEAF and GRASSY WEED CONTROL
with PREMIUM LAWN FOOD

EPA REG. NO. 9404-82 EPA EST. NO. 9404-FL-1

20 Pounds of WEED & FEED covers 5,000 sq. ft. of Lawn

Prevents Crabgrass, Paspalums, and Spotted Spurge. Controls Florida Pusley, Lippia, Pigweed and as many as 44 other Broad-leaf and/or Grassy Weeds as listed.

FOR use on ST. AUGUSTINE and CENTIPEDE LAWNS

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine - - - 1.10%
Related Compounds - - - 0.05%

OTHER INGREDIENTS: - - - 98.72%
Total 100.00%

Contains 23 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label Directions for Use.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advice. See side panel for additional Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or repeated contact with skin may cause allergic reactions in some individuals.

Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using handheld devices, such as a belly grinder or a handheld rotary applicator. Such equipment may only be used for spot treatments. Maximum rate per application for turfgrass (including lawns), is 4 pounds per 1,000 sq. ft. - that reflects the maximum application rate of 2 pounds active ingredient per acre. Maximum of two applications per year.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use, as seed or for commercial seed production, or for research purposes. This product will control both emerged weeds and weeds from seeds.

** This product must be watered in after application. Moisture is required to activate the herbicide and the fertilizer.

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa Annua)	Cudweed	Oxalis (Common and Yellow Woodsorrel)
Annual Sowthistle	Cutleaf Evening Primrose	Paspalums
Clover	Dichondra	Pigweed
Black Medic	Dollar Weed	Purslane
Blue Toadflax	Florida Beggarweed	Ragweed
Bull Paspalum	Florida Betony	Red Sorrel
Buckhorn Plantain	(Rattlesnake Weed)	Rescuegrass
Bur Clover	Florida Pusley	Sandspur
Carolina Geranium	Fragrant Cudweed	Shepherd's Purse
(Cranesbill)	(Rabbit Tobacco)	Sicklepod
Chickweed (Common; Mouse Ear)	Henbit	Spotted Spurge
Cocklebur	Knotweed	Spurweed
Common Dandelion	Lambsquarter	Stinging Nettle
Common Purslane	Lespedeza	Swinecress
Crabgrass	Lippia (Matchweed)	Venus Looking Glass
Crowfoot Grass	Moneywort	Virginia Creeper
	Morning Glory	Wild Mustard
	Narrowleaf Vetch	Wood Sorrel
	Parsley-Piert	

NOTICE: Sunniland Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. To the extent consistent with applicable law Sunniland Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. To the extent consistent with applicable law in no case shall Sunniland Corporation be liable for consequential, special, or indirect damages resulting from the use or handling of this product.



Label unit 1 of 1
Page 4 of 4

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a preemergent and also as a post emergent weed killer.** Make only 2 applications per year to the same area.

Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1st up to March 1st for best control otherwise product may be applied up to June 15th with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a second application to the same area may be necessary. Kill time of mature weeds may be 1 to 5 weeks. Wait 2 months for a repeat application. Apply when air is calm to avoid particle wind drift.

HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 20 pounds to treat 5,000 sq. ft. (equivalent to 4 lbs. per 1,000 sq. ft.). Do not exceed recommended rates. Apply to dry grass. Sprinkle, ** (water in), the area immediately after application to wash granules off the grass blades down to soil surface. See General Precautions and restrictions section on this label.

SPREADER SETTINGS - 20 lbs. / 5,000 sq. ft.

CYCLONE XXX SCOTT XXX

NOTE: Spreader rate varies with walking speed.

Check spreader over known area.

WHERE TO USE

This material is for use on St. Augustine and Centipede lawns only. On newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable gardens) to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry.

DO NOT USE ON BLUEGRASS, FESCUE, BENTGRASS, BAHIA, RYE, BER-MUDA, OR DICHONDRA LAWNS.

USE PRECAUTIONS

* Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn / garden and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn / garden. (*Applies to FLORIDA only).

Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label or injury to those other grasses may result.

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - - XX %
Nitrate Nitrogen - - - - - XX %
Ammoniacal Nitrogen - - - - - XX %
Water Soluble Nitrogen - - - - - XX %
Coated Slow release Nitrogen - - - - - XX %
Water Insoluble Nitrogen - - - - - XX %
Available Phosphate (P₂O₅) - - - - - XX %
Soluble Potash (K₂O) - - - - - XX %
Chlorine not more than - - - - - XX %

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equiv. to ___ lbs. of Calcium Carbonate per ton.

Statement of Secondary Plant Foods

Total Magnesium as Mg - - - - - %; Iron as Fe - - - - - %; Water Soluble Magnesium Mg - - - - - %; Zinc as Zn - - - - - %; Manganese as Mn - - - - - %; Boron as B - - - - - %; Copper as Cu - - - - - %; Molybdenum as Mo - - - - - %
Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs, feed, or seed by storage or disposal. **PRODUCT DISPOSAL:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions and precautions.

IF EMPTY: Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. **SPILL:** In case of spill, sweep up and dispose of material according to PRODUCT DISPOSAL directions listed above.

**General Precautions and Restrictions For Best Results

- Apply, but no more, than 20 lbs. per 5,000 sq. ft per application, which is equivalent to 2 pounds active ingredient atrazine per acre.
- **Application Restrictions:** Do not apply in such a manner that will contact any person or pet, whether directly, or through drift. Keep people and pets out of the area during application. This product must be watered into the turf immediately after application.
- **Entry Restrictions:** Do not enter or allow others, (children or pets), to enter the treated areas, (except those involved in the watering), until the watering in is complete and the surface is dry.
- For safety, overall best weed control, and plant, food results apply with a suitable, properly calibrated, broadcast or drop type, granule fertilizer spreader. See Spreader Settings section.

NET WEIGHT 20 POUNDS

SUNNILAND CORPORATION

P.O. BOX 8001 - SANFORD, FL 32772

PRODUCT BATCH CODE NO. _____

Sunniland St. Augustine Weed & Feed - Additional Brand Name NOTIFICATION for

4/4