04-87 Sunniland PERMETHRIN 0.25% INSECTICIDE GRANULES

For Lawn Insect Control around Homes, Commercial and industrial buildings. Contains permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks for troublesome outdoor insect pests.

Net Weight 10 Pounds

\* Ready to use

Kills on contact \*Up to 4 weeks control. As a Premise treatment \*Protects your home from invading ants. \*Also stops spiders. roaches, ants, fleas, brown dog ticks and others as listed.

For the Lawn.

Kills: Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Bill-bugs, Cutworms, Earwigs, Sod Webworms and other listed insects.

# SPREADER SETTINGS

Pounds, per 1,000 sq.ft					
	2 lbs.	2.5 lbs.	3 lbs.		
Make and Model					
ntral					
penal Make	61/2	7	71/4		
No. 1662-G					
Central Suburbia Lawn	645	_			
Spreader No.	61/2	7	71/2		
1622-0					
Greenfield	61/2	53/4	71/4		
Model 105					
Ortho Drop		1			
Spreader Model # 3000	41/2	5	51/2		
Ortho Broadcast					
Spreader Model	41/2	6	7		
# 4000	71/2		<u>'</u>		
J.C. Penny Model	71/4	7 1/2	8		
# 6005					
J.C. Penny					
Rotary Spreader	5	6	7		
Scott Model 35	4	41/2	5		
Sears					
Craftsman	6	61/2	7		
1odel # 671.19198	_	7.16	<u>'</u>		
done Model	41/2	43/4	5		
B1 Rotary					

# READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product.

if the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of SUNNILAND. All such risks shall be assumed by the user or buyer. Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of SUNNILAND CORP., is authorized to make anywarranties beyond those contained herein or to modify the warranties contained herein. SUNNILAND disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Sunniland's option, the replacement of the product.

**ACTIVE INGREDIENT:** 

Permethrin [CAS 52645-53-1] .... 0.25% OTHER INGREDIENTS:...... 99.75% TOTAL 100.00%

# KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID 
IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told

of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise. See side panel for additional Precautionary

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is permitted for outdoor use around the home. May be used on Ornamental and recreational Turfgrass areas. Not for use on Sod or Turf Farms. For outdoor perimeter insect control around homes, commercial, and Industrial buildings.

# **Barrier Treatment around the Home**

The following pests are commonly found around or near foundations of homes as well as in lawns. Some pests attempt to enter the home. To prevent insect entry into the home apply around the home foundation a 3 to 5 foot barrier band of granules using 2 lbs. per 1,000 sq.ft. of band. This will control Ants, Fleas, Brown dog ticks, Clover mites, Crickets, Earwigs, Millipedes, Silverfish, Sowbugs (Pillbugs). Water lightly after application. Repeat as needed

# STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs,

feed, or seed by storage or disposal.


PRODUCT DISPOSAL: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions

and precautions. IF EMPTY: Do not reuse this bag. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused

product down any indoor or outdoor drain. SPILL: In case of spill, sweep up and dispose of material according to PROD-UCT DISPOSAL directions listed above (85-pm)-02-21-03)

SUNNILAND CORPORATION P.O. 8001 - SANFORD, FL 32702



)	TO V	Her. No. 9	404-87	ì				
	Directions for Applying Permethrin 0.25% Granules							
	Treatment Areas	Target Pest	Remarks	Use Rate	1			
7	Band	Ants,	These pests are	32oz For	1			
ŗ[ ]	Freatment Around	Fleas, Browndog	commonlyfoundaround ornearfoundations of	each 100sq	1			
i	outside	ticks.	houses as well as in	ft.area(5ft by 20ft)Or				
ı	of House	Millipedes,	lawns. Certain of these	2lbs./1,000				
١	Founda- tion	Clovermites, Roaches	pests may enterhouses. Applya 5-footband of	sq.ftequal to 87 lbs./acre.				
i	LIOI	Spiders.	granules uniformly	O/ IUS./ autc.				
1		Silverfish,	around the dwelling.		1			
5		Sovicugs (Pillbugs),	Waterlightly after application. Repeat as					
t		Crickets,	needed but not more					
t		Earwigs	than 4 times year	F	-]			
ı		Surface Insects Ants		Forapplication with othertypes				
	Overall	Armyworms	Apply with a fertilizer	afequipment	1			
١	Lawn	Browndog	spreader. See spreader		l			
i	Applica- tions	ficks, Cinchbugs,	settings chart on this label. Applywhen grass	rate of 21bs. ner 1000 so ft	Ì			
4	or all turf	Clovermites	isotry.	or 3.20z./100				
	Grass	Crickets,	It is not necessary to	sq.ft	ļ			
. l	and Dichondra	Culivorms, Earwigs,	water-in the insecticide for of control surface	For heavy growhlawns	1			
3	Lawns	Fleas,	insects.	suchas St.				
		Lawnmoths Sod	Repeat inew insects appear, but not more	Augustine	1			
,		(webvams)	than 4 times peryear	grass, increase rate to 3 lbs.	1			
		Leahoppers	' '	per 1000 sq. ft.				
		Millipedes, Sowbups.		equalto 4.8 oz. per 100 sq.ft.				
,		Soil Insects	For control of all soil	- PO TO SOUTH	٦			
-		Billbug	insects apply 1/4 to 1/2					
i		Grubs White	inch waterafter application to release the	insects use the rateof 2.5 lbs				
'		Grubs,	insecticide to the soil	per 1000 sq.ft.				
J	]	Japanese beetle	level. Forbilbug control	equal to 109 bs./acre.	1			
		grubs,	apply when activity is first observed or when	ios./ acre.				
! }		Ataenius	chewed or brown grass		1			
;		Grubs;  phyllaphaga;	indicates grass root damage. Repeat in one					
•		June	week. For white grubs		1			
,		Beetle	treatbetween mid-July		1			
		Grubs.	andearly October. For southern lawns, if		1			
			needed, treatagain in					
r 7			Nov. or Dec.	Appl ALC	-			
3	Spot		After applying granules	Apply4to6 level tosps.				
:	Treat-		Lightly spray water	on and around	-			
	ments		mist the treated area with a sprayer or	each ant hill. Repeat if				
. !		Ants	ig it, it inkle the	insects	1			
			treatert area.	appear.	1			
	66		Wear protective		1			
		 	househout gloves while					
]		ı [	using Thoroughly and gently opray valer mist	Gentlyapply 1/2 to 1 cup of				
,		IMPORTED	or ughtly sprinkle each	granules over				
.		Fire Ants	freant mound after	andaround	-			
-		! 	apolying granules. Repeat if ants/eappear.	eachFireAnt Mound				
•		 <b> </b>	Forceful application					
r			may aimply cause ants					
)			to migrate, reducing product effectiveness.	within 24 hours. Repeatifa few				
f			Apply in cool weather,	ants remain.				
-			65 to 80 drignees F. or in early morning or					
ا لـ			late evening hours.		1			
			Treatnew ant mounds					
	ı	1	if they annear	I	1			

if they appear.