

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. H.R. McLane Agent Sunniland Corporation H.R. McLane, Inc. 7210 Red Road, suite 206A Miami, Florida 33143-5321

OCT 3 1 2008

Subject: Notification(s) for Label Revisions under PRN 2007-4

Dear Mr. McLane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices and 2007-4 dated August 7, 2008 for:

#### EPA Registration 9404-87

Permethrin 0.25% Insecticide Granules

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

$\gamma_{\rm l}$	
4	
ō	
n	
age	
Pa	



# **United States**

	Registration
	Amendment
Ā	Motification

Environmental Protection Agenc	у		Amenament	
Washington, DC 20460		X	Notification	9404-87
Application for Pesticide Section	PR NOTICE 20	07	-4 Notification	Date Aug.07,2008
L. Company / Product Number:	2. EPA Product	М	anager <b>3.</b> I	Proposed Classification
9404-87	Mr. George	T.	LaRocca	7 [ ]
1. Company Product Name:	PM Number - 1:	3	X	None Restricted
PERMETHRIN 0.25% INSECTICIDE GRANULES Additional D				
s 5.Name and address of Applicant: (Include Zip Code)	I -			h FIFRA Section 3(c)(3)
Sunniland Corporation		SS	imilar or identical in	composition and labeling
P.O. Box 8001	to:	N/A		
Sanford, FL, 32772	EPA Reg. No.	,	······································	
Check if this is a new address	Product Name:	N/A		
Sec	tion II			
Amendment- Explain below (	) Final Prin	ted	Labels in response	to
- Resubmission in response to Agency Letter Dated:	2212			
	Me Too A	\pp	lications,	
Notification - Explain Below Compliance with PRN 20	007-4			Other Explain below
Explanation: Use aditional pages if necessary (For Section I and Section	nll) <i>his is a NO</i>	T	FICATION the	it brings this labeling
in compliance with PR NOTICE 2007-4 concerning				
the bottom of the draft label's middle column_using	the last EPA ACC	CE	PTED version a	lated March 11 , 2003
as the base version for this NOTIFICATION. Our	corrected Certific	ati	ion for this NOT	IFICATION appears
in our cover letter dated Aug. 07, 2008 as page 2 of edited in this manner.	<u>4</u> inciuuea in in	15	aossier. Spanis	n version will also be
	ction III	-		
1 . Material This Product will be packaged in:		÷	<del></del>	
	later Soluble Packagi	ng	Type of C	ontainer
- Yes	Yes		2.	Metal(Poly Lined)
Yes X No X	No		x	Plastic HDPE (Fluorine treated)
				Glass
	es" No. Per age Wgt. Container		X	Paper- Poly lined
3. Location of Net Contents Information 4. Size(s) Retail Contain	ner	T	5. Location of la	Other "BAREX"
X Label X Container 10 lb. Bag		1	On Label ————————————————————————————————————	a product
6-Manner in which label is Affixed to Product X Lithograph	1 1		A Tabbi decempanyin	g product
Paper Glu - Stenciled		<u> </u>		
	tion IV			<del></del>
Contact Point (Complete items below for Identification of inc		tec	l if necessary to pr	oceess this application.)
<b>4</b>	Agent 305-661-1	_	4, ,	ne No. ( Include Area code)
7210 Red Rd. suite 206A miami, FL 33143	Sunniland Cor			800-432-1130
On differentia	_			
Certification  I certify that the statements I have made on this form and all attachments thereto a		pletr	<b>9</b> .	6. Date Application
I acknowledge that any false or misleading statement may be pnishable by fine or both underapplicable law.				received (Stamped)
2. Signature: By. H. R. McLane 3. Title	Agent			
HRU Kono	Agem			
				<b>-</b>
4. Typed Name of registrant  Mr. Clyde L. Cline, Operations Manager  5. Dat			08-07-08	
Sunniland Corporation	AUG 0.7 200	8		



### H. R. McLANE, INC.

7210 Red Road, Suite 206A - Miami, Florida 33143-5321 U.S.A. Phone 305 661 1706 - Fax 305 661 3036 - E-Mail hrmclaneinc@bellsouth.net Consulting in EPA Regulatory Affairs FIFRA Licensing & Registrations - Since 1948

AUG. 07, 2008

FILED: 10-30-2001.

MR. GEORGE T. LAROCCA PM-13
DOCUMENT PROCESSING DESK (PRN-2007-4 NOTIFICATION)
OFFICE OF PESTICIDE PROGRAMS (7504 - P)
ENVIRONMENTAL PROTECTION AGENCY
1200 PENNSYLVANIA, AVE. N.W.
WASHINGTON, D. C. 20460-0001

PHONE 703-305-6100 FAX 703-305-6596

Subject: NOTIFICATION TO COMPLY WITH REQUIREMENTS OF PR NOTICE 2007-4 Registrant: CTX SUNNILAND CORPORATION EPA EST. NO. 9404-FL-1

P.O. BOX 8001- SANFORD, FL 32772

COMPANY CONTACT MR. CLYDE L. CLINE; OPERATIONS MANAGER.

Product: "PERMETHRIN 0.25% INSECTICIDE GRANULES"

EPA: REG.NO.9404-87. ADDITIONAL BRAND NAME: CHINCH BUG GRANULES.

DEAR MR. LAROCCA:

THIS NOTIFICATION DEALS WITH THE STORAGE AND DISPOSAL REVISED LABEL COPY REQUIRED BY PR NOTICE 2007-4 FOUND AT THE BOTTOM OF THE CENTER COLUMNN OF THE ENCLOSED DRAFT LABEL PAGENATED AS 4 OF 4 IN THIS DOSSIER. THE LAST EPA STAMPED ACCEPTED MARCH 11, 2003 IS USED AS THE BASE LABEL FOR THIS NOTIFICATION. WE INDICATE THAT PICTURES OF INSECTS AS LISTED ON BAG MAY BE INCLUDED. THE SPANISH LANGUAGE VERSION OF THIS LABEL WILL ALSO BE EDITED.

CORRECTED-----> CERTIFICATION FOR THIS NOTIFICATION .....
"This notification is consistent with the guidance in PR Notice 2007-4
and the reuirements of EPA's regulations at 40 CFR 156.10, 156.140,
156.144, 156.146, 156.156. No other changes have been made to the
labeling or the confidential statement of formula for this product. I
understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully
make any false statement to EPA. I further understand that if the amended
label is not consistent with the terms of 40 CFR 156-10, 156.140
156.144M 156.146M 156. this product may be in violation of FIFRA and I
may be subject to enforcement action and penalties under sections 12 and
14 of FIFRA."

Sincerely

H. R. MCLANE, INC.
H. R. McLane, ... Agent for

MR. CLYDE L. CLINE; OPERATIONS MGR.

HRM/nb/ encl: as above. cc/CLC/SC

### Sunniland PERMETHRIN 0.25% INSECTICIDE GRANULES

For Lawn Insect Control around Homes, Commercial and industrial buildings. Contains permethrin, a long lasting insecticide which provides contact and residual control for up to 4 weeks for troublesome outdoor insect pests.

EPA Reg. No. 9404-87\_\_ EPA Est. No. 9404-FL-1

**Net Weight 10 Pounds** 

\* Ready to use Kills on contact \*Up to 4 weeks control. As a Premise treatment \*Protects your home from invading ants. \*Also stops spiders, roaches, ants, fleas, brown dog

ticks and others as listed. For the Lawn. Kills: Grubs, Fleas, Ants, Crickets, Brown Dog Ticks, Fire Ants, Chinch Bugs, Armyworms, Billbugs, Cutworms, Earwigs, Sod Webworms and other listed insects.

SPREADER SETTINGS

<u> </u>	Pounds. per 1,000 sq.ft					
. Spreader	2 lbs.	2.5 lbs.	3 lbs.			
Make and Model						
Central Imperial Make No. 1662-G	61/2	7	71/4			
Central Suburbia Lawn Spreader No. 1622-0	61/2	7	71/2			
Greenfield Model 105	61/2	53/4	71/4			
Ortho Drop Spreader Model #3000	41/2	5	51/2			
Ortho Broadcast Spreader Model # 4000	41/2	6	7			
J.C. Penny Model # 6005	71/4	71/2	8			
J.C. Penny Rotary Spreader	5	6	7			
Scott Model 35	4	41/2	5			
Sears Craftsman Model # 671.19198	6	61/2	7			
Cyclone Model B1 Rotary	41/2	43/4	5			

READ ENTIRE LABEL BEFORE USING Read the entire Directions for Use, Conditions, Dis-

claimer of Warranties, and Limitation of Liability before using this product.

If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of

Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of SUNNILAND. All such risks shall be assumed by the user or buyer. <u>Disclaimer of Warranties</u>: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of SUNNILAND CORP. is authorized to make anywarranties beyond those contained herein orto modify the warranties contained herein. SUNNILAND disclaims any liability whatsoeverforspecial, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATIONOFWARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Sunniland's option, the replacement of the product.

**ACTIVE INGREDIENT:** 

Permethrin [CAS 52645-53-1] ..... 0.25% OTHER INGREDIENTS:..... 99.75% TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID 
IF SWALLOWED - Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told

to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control

center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment

advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. Have this product container or label with you when calling a poison control center, or doctor, or when going for treatment. You may also call 1-800-858-7378 for emergency medical treatment advise. See side panel for additional Precautionary Statements.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid inhalation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

**ENVIRONMENTAL HAZARDS** 

This product is extremely toxic to fish. Do not apply directly to water. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE** 

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is permitted for outdoor use around the home. May be used on Ornamental and recreational Turfgrass areas. Not for use on Sod or Turf Farms. For outdoor perimeter insect control around homes, commercial, and Industrial buildings.

**Barrier Treatment around the Home** 

The following pests are commonly found around or near foundations of homes as well as in lawns. Some pests attempt to enter the home. To prevent insect entry into the home apply around the home foundation a 3 to 5 foot barrier band of granules using 2 lbs. per 1,000 sq.ft. of band. This will control Ants, Fleas, Brown dog ticks, Clover mites, Crickets, Earwigs, Millipedes, Silverfish, Sowbugs (Pillbugs). Water lightly after application. Repeat as needed.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container in a dry, cool, secured area. Do not contaminate water, foodstuffs,

feed, or seed by storage or disposal.

PRODUCT DISPOSAL. As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions

lefts of the bag be used, calcium following label discosmon and precautions.

IF EMPTY: Nonrefillable bag. Do not reuse or refill this bag. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. SPIL: In case of exill even un and dispose of material according to PRODsweep up and dispose of material according to PROD-UCT DISPOSAL directions listed above. 08-07-08

PRODUCT BATCH CODE NO.

SUNNILAND CORPORATION P.O. BOX 8001 · SANFORD, FL 32772



PR NOTICE 2007-4 NOTIFICATION VERSION

PR NOTICE 2007-4 NOTIFICATION VERSION							
Directions for Applying Permethrin 0.25% Granules							
Treatment Areas	Target Pest	Remarks	Use Rate				
Band Treatment Around outside of House Founda-	Ants, Flees, Browndog ficks, Milipedes, Clovermites.	These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enterhouses.	3.2 oz. For each 100 sq. ft. area (5 ft. by 20 ft.) Or 2 lbs./1,000 sq.ft equal to				
tion	Roaches Spiders, Silverfish, Sowbugs (Pillbugs), Crickets, Earwigs SurfaceInsects	Apply a 5 foot band of granules uniformly around the dwelling. Water lightly after application. Repeat as needed but not more than 4 times per year.	87 lbs./acre.				
Overall Lawn Applica- tions for all turf Grass and	Ants, Armyworms, Browndog ticks, Cinch bugs, Clovermites, Crickets, Outworms.	Applywith a fertilizer spreader. See spreader settings chart on this label. Applywhen grass is dry.  It is not necessary to water in the insectiode	rate of 21bs.				
Dichondra Lawns	Earwigs, Fleas, Lawnmoths Scot (webworms), Leathoppers, Milipedes, Sowbugs.	for of control surface insects. Repeat if new insects appear, but not more than 4 times peryear	growthlawns suchaeSt Augustine grass, increase rate to 3 lbs. per 1000 sq.ft. equal to 4.8 cz per 100 sq.ft.				
	Soil Insects Billbug Grubs, White Grubs, Japanese beetle grubs, Ataenius Grubs, phyllaphaga June Beetle Grubs.	insects apply 1/4 to 1/2 inch water after application to release the insecticide to the soil level. For billbug control apply when activity is first observed or when chewed or brown grass indicates grass root	Forthese soil insects use the rate of 2.5 bs. per 1000 sq. ft. equal to 109 lbs./acre.				
Spot Treat- ments	Ants	After applying granules Lightly spray water mist the treated area with a sprayer or lightly sprinkle the treated area.	level tosps. on and around				
	IMPORTED Fire Ants	Wear protective household gloves white using. Thoroughly and gently spray water mis or fightly sprinkle each fire ant mound after applying granules. Repeat if antis reappear Forceful application may simply cause antis to migrate, reducing product effectiveness. Apply in cool weather, 65 to 80 degrees F. or in early morning or late evening hours.	Gently apply 1/2 to 1 cup of granules over and around each Fire Ant Mound. Product works within 24 hours. Repeatif a few ants remain.				