



Addendum to BARDAC 2050/2080 Product Information Sheet



BARDAC 2050/2080 will effectively control the decay of wood caused by a broad spectrum of fungi when utilized in exterior above ground situations such as fence and porch rails, decks, roofing, siding, window and door frames, etc. To achieve decay control, laboratory studies utilizing a vacuum impregnation method of application indicate that retention levels of 0.06 to 0.4 lbs per cubic foot (1.0 to 6.4 Kg/m³) are required to control all of the test fungi.

Solutions of BARDAC 2050/2080 are stable and can be used in presently available treatment plants without equipment modifications.

Lumber treated with solutions of BARDAC 2050/2080 show no color change after treatment. Light colored paints and coatings also show no discoloration on treated surfaces.

Operators handling freshly treated wet lumber should wear rubber gloves, but dry treated lumber can be handled without any dermal protection.

In developing your final product and label base on BARDAC 2050/2080, you should specify methods of application which will provide sufficient retention levels (as noted above) to prevent decay. If brush or soak applications are recommended, the thoroughness of such applications required to obtain the desired retention level must be indicated (i.e., two flowing brush coats or 30 minutes soak).



S-S LIQUID is a germicide with an organic soil tolerance. Its disinfecting action has been verified in the AOAC Use-Dilution Test against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa* in the presence of 5% blood serum as a source of organic matter. This means that one-step disinfection and cleaning can be achieved when used as directed.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. S-S LIQUID is formulated for this problem area. It cleans, disinfects, and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination.

S-S LIQUID is virucidal against Herpes Simplex (a member of the Herpes viruses that cause chicken pox, severe brain infections, and infectious mononucleosis), Vaccinia (representative of the pox viruses) and Influenza A: (the Hong Kong virus) on inanimate environmental surfaces.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through the skin. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE THAT CANNOT BE USED, OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

DISPOSE OF IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS. BURY IN A SAFE PLACE OR RETURN TO DRUM RECONDITIONER

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

ACCEPTED

OCT 14 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 9409-4 EPA Reg. No.



Saratoga Specialties
CHEMICALS DIVISION

S-S LIQUID

Heavy Duty Germicide with Organic Soil Tolerance
Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide-Sanitizer for Hospital and Institutional Use

Active Ingredients:
 Dichloroquinone Chloroform 4.50%
 Dichloroquinone 2.25%
 Dichloroquinone 2.25%
 Total Active Ingredients 9.00%
Inert Ingredients: 91.00%

EPA REGISTRATION NO 9409-4
EPA ESTABLISHMENT NO 9409-IL-1

**NET CONTENTS:
55 GALLONS**

Keep Out Of Reach Of Children
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
 If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. As soon as possible, call a physician immediately.
NOTE TO PHYSICIAN: Prolonged contact with the skin may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing, may be needed. If persistent convulsions may be controlled by the use of a short acting hard to use drug.
 SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

General Offices 200 Wrightwood • Elmhurst, Illinois 60126

Under the Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 9409-4



**Saratoga
Specialties**
CHEMICALS DIVISION

S-S LIQUID

Heavy Duty Germicide with Organic Soil Tolerance
Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide-Sanitizer for Hospital and Institutional Use

EPA REGISTRATION NO. 9409-4
EPA ESTABLISHMENT NO. 9409-1-1

**NET CONTENTS:
55 GALLONS**

Keep Out Of Reach Of Children
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
In case of ingestion, drink plenty of water. If a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid food. Call a physician immediately.

NOTE TO PHYSICIAN: For fatal or serious damage may necessitate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to prevent the effects of convulsions may be indicated. If persistent convulsions may be indicated.

SEE LEFT PAGE FOR ADDITIONAL PRECAUTIONARY STATEMENTS

General Offices: 200 Wrightwood • Elmhurst, Illinois 60126

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

S-S LIQUID is a proven, one step, cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil when used as directed.

Apply **S-S LIQUID** to floors and other hard (inanimate, non-porous) surfaces such as tables, chairs, counters, sinks and bedframes with a cloth mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection — for routine disinfection of hard, non-porous surfaces, add 1 oz per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use level, **S-S LIQUID** is also virucidal and fungicidal. When encountering organic soil in hospitals, nursing homes, schools, institutional and industrial uses, add 2 oz per gallon of water.

Sanitizing — To sanitize porous or non-porous, non-food contact surfaces, add 1 oz per gallon of water. Treated surfaces must remain wet for 60 seconds.

For hospitals, nursing homes, schools, institutions and industry, add 1 oz per gallon of water. The broad spectrum activity of **S-S LIQUID** has been demonstrated. The presence of **S-S LIQUID** is found to be effective against the following organisms by the AOAC Use Dilution test:

- Pseudomonas aeruginosa*
- Staphylococcus aureus*
- Salmonella choleraesuis*

AOAC Fungicidal Test
S-S LIQUID is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Virucidal Performance
At 1 oz per gallon use level, **S-S LIQUID** was evaluated in the presence of 10^{7.5} serum and found to be effective against the following viruses: Herpes Simplex (a member of the Herpes family that causes infectious mononucleosis), Vaccinia (representative of the poxviruses) and Influenza A (as represented by the strain commonly called the Hong Kong Flu) on inanimate environmental surfaces.

Sanitizing Non-Food Contact Surfaces (such as walls, floors, tables, etc.) At 1 oz per gallon use level, **S-S LIQUID** is an effective sanitizer in water at 10^{6.5} c.f.u./g of *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 10^{7.5} serum on hard porous and non-porous environmental surfaces.