Precautionary Statements — Hazards to Humans and Domestic Animals

DANGER

`orrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or clotning. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pasticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc... or with ammonia, acids, detergents or other chemicals will release hazardous gases, irritating to eyes, lugge and macous membranes.

ACCEPTED

APR 0 1 1981

Unde: the Feder 1 Insecticiue, Fungicide, and hexanticide Act as amended, for a posticide Saratoga Specialties CHEMICALS DIVISION

PRO-CHLOR

EPA RESISTRATION NO 9408 C EPA EST: NO 9409-IL-C1

> -- CONTAINS: 1 GALLON

Keep Out Of Reach Of Children


DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in cyas, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink targe quantities of milk, or gelatin solution or, if these are not available, drink targe quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

See additional precautions on side panel

22

The states of the many of the still tensores



Saratoga Specialties

PRO-CHLOR

Active Ingredient:
Sodium Hypochlorite...

EPA RESISTRATION NC 9409-5 EPA EST. NO 9409-11-04

-- CONTAINS: 1 GALLON

Keep Out Of Reach Of Children NANGER

FIRST AID: If on skin, wash with plenty of soap and water, if in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

See additional precautions on side panel

83

្ន ម

以外更为

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistant with its labeling.

GENERAL CLEANING

Use at the rate of 1 gallon of PRO-CHOR to 40 gallons of alkaline cleaning solution to help remove soils and stains.

SANITIZINS

Clean all surfaces thoroughly before sanitizing. Rinse with water. Sanifize with 200 PPM available chlorine (': oz. of PRO-CHLOR per gallon of water) for all non-porous surfaces; for perous surfaces use 800 PPM available chlorine. All surfaces should be exposed to the sanitizing solution for a period of at least two minutes. Food handling equipment treated with solutions stronger than 200 PM available chlorine must be rinsed with potable water.

NDTE: This product degrades with age. Use a chlorine test kit and increase doszge, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty a stainer thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water, and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposul or cleaning of equipment.