

SP 56 - NEW FIRE RESISTANT
CONCENTRATED POOL CHLORINE

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algacide.
- Will not cause cloudiness in water.
- Will not add scale-forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame - resistant.

The control of pH is greatly simplified using SP 56 concentrated Pool Chlorine. In fact, you will require from 1/2 to 1/4 times the amount of acid usually applied. SP 56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply SP 56 concentrated Pool Chlorine less often.


INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

SP 56 Concentrated Pool Chlorine should be added daily or as needed at the rate of 1/2 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosage as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



DANGER: KEEP OUT OF REACH OF CHILDREN
Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

EPA Reg. No. 9411-7

Repackaged by: KENCO CHEMICAL CO., INC.
P.O. Box 912, Schenectady, N.Y. 12301


1275 SOUTH BOYLE AVENUE

LOS ANGELES, CALIFORNIA 90023


NET CONTENTS

40 LBS.

100 LBS.



REPLACE COVER AFTER USING



ALGICIDE 104

For control of algae and organic growths in cooling water systems. Use 1 to 2 pellets for each 100 gallons of water in system. Place pellets in feeding bag and suspend in water at least 2" above bottom of sump in area where there is good circulation. Repeat daily, twice weekly or as often as necessary to control the organic growths. The pellets should not be in direct contact with any metal. If the bag cannot be suspended, place bag on a brick or some other non-metallic surface.

Active Ingredient - Calcium Hypochlorite 70%
Inert Ingredients 30%

WARNING: ADD MATERIAL ONLY TO WATER. MAY CAUSE FIRE OR EXPLOSION IF MIXED WITH OTHER CHEMICALS OR COMBUSTIBLE ORGANIC MATTER.

May cause chemical burns. This product is a powerful oxidant. Keep away from combustible organic material. Do not contaminate with any foreign matter. Contamination may result in fire and the fire will be of great intensity. Drench fire with water and cool the surrounding area with water. Prevent any burning material such as a lighted cigarette from falling into container. Dispose of spilled product by flushing with large amounts of water. When measuring, use only a clean, dry cup. Any foreign matter on the cup may cause a fire. A clean, dry container must always be used to carry this product. Rinse empty container with water. Dispose of wastes by flushing with large amounts of water. Do not mix with household products, acids, solvents or chemicals. Keep in a cool, dry place in the original container. Replace cover. Do not drop, roll or skid container. Keep upright.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water."

DANGER: Keep Out of Reach of Children. May be Fatal or Harmful if Swallowed. May produce severe chemical burns. Do not get on skin or in eyes. In case of skin and eye contact, flush with plenty of water. If skin irritation persists, get medical attention.

ANTIDOTE: External - Wash thoroughly with water. For eyes, get prompt medical attention. Internal - Give milk, water, or egg whites. Call Physician immediately.

MADE IN U.S.A.

EPA REG. NO. 9420-1-AA

N4-104

SOLD BY WATER CHEMISTS, INC.

ACCEPTED
9411-7
AUG 15 1974
UNDER THE FEDERAL, STATE AND LOCAL
FURNACE AND ROCKETRY ACT
FOR PROTECTIVE ORDER NO. 100-1

KENCO
SP 56

NEW FIRE RESISTANT

Concentrated Pool Chlorine

GRANULAR CHLORINE

Net Wt. 22 lbs.
Active Ingredients

SODIUM DICHLORO-S-TRIALUMINUM DIHYDRATE 100
AVAILABLE CHLORINE

Danger KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID AND PRECAUTIONS ON BACK RIGHT PANEL

Repackaged by Kenco Chemical Co., Inc.,
P.O. Box 212, Kenilworth, N.J. 07033

31

SP 56 - NEW FIRE RESISTANT
CONCENTRATED POOL CHLORINE

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algicide.
- Will not cause cloudiness in water.
- Will not add scale-forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame - resistant.

The control of pH is greatly simplified using SP 56 concentrated Pool Chlorine. In fact, you will require from 1/2 to 1/4 times the amount of acid usually applied. SP 56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply SP 56 concentrated Pool Chlorine less often.


INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

SP 56 Concentrated Pool Chlorine should be added daily or as needed at the rate of 1/2 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 1.5 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosage as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



DANGER: KEEP OUT OF REACH OF CHILDREN
Corrosive. Causes eye damage. Do not get
Do not breathe dust. May cause skin, nose or
Wear safety goggles, dust respirator and protective
handling. May be fatal if swallowed. May cause
skin.

FIRST AID: In case of personal contact remove excess material
or eyes with cold water for at least 15 minutes
medical attention. Clean contaminated clothing.

If swallowed, feed gruel or cooked cereal followed
or cooking oil. Call a physician immediately.

DANGER: Strong oxidizing agent. Moisture containing
irritating and hazardous chlorine-containing gas
at 350-475 °F with liberation of harmful gases.
position, if possible isolate container in open
ated area. Flood with large volume of water.

Mix only with water. Do not mix with other
Use only dry clean measuring utensils. Store
Keep closed when not being used.

Do not reuse container. Rinse empty container
water and discard.

This product is toxic to fish. Treated pool effluent water
charged where it will drain into lakes, streams, ponds or
not contaminate water by cleaning of equipment or disposal.

Apply this product only as specified on this label.

EPA Reg. No. 9411-7

Repackaged by: KENCO CHEMICAL CO., INC.
P.O. Box 912, Schenectady, N.Y. 12301

52

V

**SP 56 - NEW FIRE RESISTANT
CONCENTRATED POOL CHLORINE**

As a dry chlorine that dissolves immediately, it is an effective germicide and algicide. It does not cause cloudiness in water. It does not add scale-forming minerals in the water. It helps maintain your pool crystal clear. - resistant.

Greatly simplified using SP 56 concentrated Pool Chlorine, you require only 1/2 to 1/4 times the amount of acid usually applied. SP 56 concentrated Pool Chlorine provides a more stable form of chlorine, maintaining an effective chlorine residual in pool water for a longer period. It requires less storage space and maintains constant chlorine levels. It is economical to use in that, after the initial purchase, you will need to apply SP 56 concentrated Pool Chlorine only once a month.


INSTRUCTIONS

To superchlorinate a pool, add 1 lb. of SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water to satisfy chlorine demand and maintain a residual of 1.0 ppm to 1.5 ppm available chlorine. To maintain a residual of 1.0 ppm to 1.5 ppm available chlorine, add 2 oz. SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water each morning. Add cyanuric acid at the rate of 4 oz. per 1,000 gallons of pool water to stabilize the chlorine.

SP 56 concentrated Pool Chlorine should be added daily or as needed at the rate of 2 oz. per 1,000 gallons of pool water to maintain a chlorine residual of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The chlorine residual should be maintained between 7.2 and 7.6.

Shock treatments should be made every week during hot weather or after heavy use. Shock treatments may be made during cool weather. To shock a pool, add 2 oz. of SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool until the chlorine residual has reached the 1.0 ppm level.

Light flexibility must be maintained in the event of heavy rain and dirt caused by storms or super heavy bathing loads. Add 2 oz. of SP 56 concentrated Pool Chlorine per 1,000 gallons of pool water as needed to maintain the chlorine residual at 1.0 ppm.



DANGER: KEEP OUT OF REACH OF CHILDREN
Corrosive. Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

EPA Reg. No. 9411-7

Repackaged by: KENCO CHEMICAL CO., INC.
P.O. Box 912, Schenectady, N.Y. 12301

32

36