



NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

To Kill Houseflies, Mosquitoes, Small Flying Moths and Gnats: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 to 10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before reentry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

To Kill Cockroaches, Ants, and Crickets: Contact as many insects as possible directly with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. For control of ants, treat doors, window sills, ant trails and other areas of entry. Repeat as necessary for control.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Beetles, and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Wasps: Contact insects directly with spray. Sweep up and discard fallen wasps. Repeat as necessary.

ACT 1000
DEC 4 1998
9422-81

15