

-2-

Declaration on your label for formulations using acid supplied by BASF (EPA Registration No. 7969-34). According to our records, the purity of BASF's acid is 85% (non-AOAC method).


Since you are reacting MCPA acid with dimethylamine to obtain the active ingredient in your product, you do not qualify for the formulator's exemption (Generic Data Exemption Statement) for this product. You must make appropriate commitments, as described in the MCPA Guidance Package, regarding development of generic data required to support this registration.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (9D-767)

Enclosure

DCR-10837:Mountfort:1/13/84:RD-04:557-1830:del.1/29/84:eg



DINISEB 2.5
Dinitro Weed Killer

DEC 1963
45119-28

For Controlling Broadleaf Weeds and Grasses

PRECAUCION AL USUARIO: Si usted no lee implícitamente use este producto hasta que le etiqueta haya sido explicada ampliamente.

ACTIVE INGREDIENTS:	
Dinoseb 2-sec-Butyl-4,5-dinitrophenol	31.50
INERT INGREDIENTS:	68.50
TOTAL	100.00

Product contains 2.5 lbs. of Dinoseb 2-sec-Butyl-4,5-dinitrophenol per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PRINTS
RED

Not for Use or Storage in or Around the Home. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do Not Get in Eyes, on Skin, on Clothing. Avoid breathing Spray Drift or Vapors. Do Not Take Internally. Do Not Wear Contaminated Clothing or Shoes. Keep Away From Heat and Open Flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by striking back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN, immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, below. Discard contaminated clothing and shoes, or clean them thoroughly before reuse. Staining may result if contaminated articles are allowed to contact carpets, upholstery, etc.

SYMPTOMS OF POISONING: Excessive fatigue, sweating, thirst and fever. If symptoms of poisoning develop from any type of exposure, SEND FOR PHYSICIAN.

FIRST AID TREATMENT: have patient lie quiet in a best spot available. If feverish, cool with cold compresses or by immersion in cool water.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically. Do not administer atropine, aspirin, or other antipyretics to control fever.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

BEST DOCUMENT AVAILABLE

EPA Reg No 45115-28
EPA Est No

NET CONTENTS

GALLONS
LITERS

Alda, Inc. PO BOX 100
MARIETTA, GA 30067

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER: May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Do not wear contaminated clothing. Keep away from heat and open flame. Do not use or store near food or feed products. Do not use around home or recreation areas. Wear protective clothing. Keep away from farm animals and pets.

Environmental Hazards

DANGER: Toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from area. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

Physical or Chemical Hazards

Keep away from heat and open flame.

GENERAL INFORMATION:

Dinitro 2.5 Weed Killer when used with the proper amount of water controls most annual weeds, grasses and top growth of herbaceous perennial weeds and grasses. It may also be used for preharvest application (harvest aid) on potatoes and various seed crops such as legumes and soybeans to remove excessive foliage.

Dinitro 2.5 Weed Killer may also be used for weed control in such noncrop areas as airfields, walks, fence lines, roadsides, driveways, storage yards, polo yards, tank farms, railroad yards and switches as well as around industrial establishments.

The lower application rates will control small annual grasses and weeds (crabgrass, foxtail, barnyardgrass, pigweed, lamb's quarter, mustard and sorrel) while the higher application rates will be required to control coarse and resistant grasses and weeds (wild oats, chickweed, rice, yellow pineapple weed, wild carrot and tansy).

Dinitro 2.5 Weed Killer is a contact herbicide to control annual weed pests but retreatment will be required for perennials and any re-growth that should occur. Use enough spray material to wet all vegetation to be controlled. Dinitro 2.5 Weed Killer is a contact herbicide which inhibits plant respiration and accumulates in plant tissues. It will not translocate.

MIXING INSTRUCTIONS:

BEST DOCUMENT AVAILABLE

Mix at the rate of 1 gallon Dinitro 2.5 herbicide in 5-20 gallons of water. Fill spray tank half full with water. With spray tank half full, add Dinitro 2.5 Herbicide to the tank. Add the remaining water to the tank and mix thoroughly. Use spray nozzle as directed on label.

APPLICATION DIRECTIONS:

Apply Dinitro 2.5 Herbicide to the weeds and grasses to be controlled. It will require 1-2 quarts per gallon of spray material.