

DIRECTIONS: Remove stacker cap of can and place in sequential aerosol dispenser with spray head beneath actuator, nozzle facing front. Timed actuator will release 100 mg. of contents each 15 minutes.

Factors such as air currents, temperature, humidity and conformation of treated area govern number of units required for effective control. One unit should normally treat 6,000 cubic feet of closed air space. Dispenser location should be at a height of 8 feet and directed compatibly to air currents in closed areas. One can, used on a 24 hour basis will provide air sanitizing for a 30 day service cycle.

WARNING: Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not spray in eyes. Avoid contamination of food.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Never throw container into fire or incinerator.

100 mg.

PURGETM **AIR SANITIZER**

**FOR REDUCTION OF
AIR-BORNE BACTERIA,
UNDESIRABLE ODORS**

**WARNING: Keep out of the reach of children.
See Side Panel for Additional Precautions.**

Air Sanitization spectrum
intermittent
reduction of
able odors
reception
of hospital

ACTIVE
Triethyl
Dipropyl
n-Alkyl
10%
ammonia

INERT INGREDIENTS

E.P.A.
No. 9444-19

10-17-71

f can and
user with
le facing
100 mg.

perature,
ted area
for effec-
ally treat
ace. Dis-
tght of 8
currents
a 24 hour
a 30 day

or rooms
are con-
void

c puncture. Do not
e to temperatures
ow container into

100 mg.

PURGETM

AIR SANITIZER

**FOR REDUCTION OF
AIR-BORNE BACTERIA,
UNDESIRABLE ODORS**

**WARNING: Keep out of the reach of children.
See Side Panel for Additional Precautions.**

Air Sanitizer is a highly effective formula-
tion specially designed for use in the timed,
intermittent aerosol dispensing unit for the
reduction of air-borne bacteria and undesir-
able odors. Recommended for use in lobbies,
reception rooms, locker rooms, rest rooms
of hospitals, theaters, shops.

INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

Triethylene Glycol	6.00%
Dipropylene Glycol	4.00
n-Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chloride	0.20
	<u>10.20%</u>


INERT INGREDIENTS 89.80%

TOTAL 100.00%


**E.P.A.
No. 9444-19**

**Net Weight
12 oz**


16317 Piuma Ave. / Cerritos, Calif. 90701



WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Never throw container into fire or incinerator.



AIR SANITIZER




E.P./
No. 944

1


ACCEPTED

OCT 17 1972


UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT



AIR SANITIZER



Do not
ratures
er into



E.P.A.
No. 9444-19

Net Weight
12 oz.

CLINE-BUCKNER, INC.

16317 Piuma Ave. / Cerritos, Calif. 90701

ACCEPTED

OCT 17 1972

UNDER FEDERAL INSECTICIDE