

[9444-15]

For outdoor use: Can be used in attics, windbreaks and other storage areas where the insects to be treated are not exposed.

For Outdoor Use: Application should be made in late evening when insects are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

For Indoor Use: Point valve opening away from face. Aim directly at nests under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled.


Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

Active Ingredients

+ 5-Benzyl-3-furyl-methyl-2,2-dimethyl-3-2-methylpropenyl cyclopropane-carboxylate	0.150	W/W
Related compounds	0.020	
Aromatic petroleum hydrocarbons	0.333	
Petroleum distillate	26.375	
Inert Ingredients	73.010	
	100.000	

*Cis/trans isomers ratio
max 30% cis and max 70% trans
†U.S. Patent No. 3,465,007

PURGE
Wasp &
hornet
spray




Long Spray pattern up to 10 feet aids
in reaching nests.
KILLS: Hornets, Wasps, Yellow Jackets.

Manufactured by

Cerritos, Calif. 90701

E.P.A. 9444-15
Net Weight: 6 oz.



[9444-20]

PURGE INSTANT FOGGER was designed to be released all at once. Kills exposed stages of flies, gnats, mosquitos, moths, earwigs, ants, spiders, scorpions, ticks, fleas, silverfish, nymphs and adults.

For use in homes, hotel kitchens, restaurants, dairies, food processing plants, public gathering places, warehouses, barns, trailers and trucks.

ACTIVE INGREDIENTS

Pyrethrins	0.5%
Permethrin Butoxide Technical	4.0%
Fluorethyl Hydrocarbons	10.5%
INERT INGREDIENTS	85.0%
	100.0%

*Equivalent to 0.2% of (butylcarbityl) (6-propylpiperonyl) ether and 0.8% related compounds.

DIRECTIONS: Use at least one container for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where mist will not flow freely. Place on table or shelf for best results. Place newspaper under container to prevent marring surface.

Close doors and windows. Remove pets. Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all open flames including pilot lights. Keep at arms length when releasing. Point valve opening away from face and eyes.

Press top of valve stem forward until stem locks dispensing product. Leave the building at once. Leave undisturbed for 30 minutes. Ventilate area before re-entering. Repeat treatment as necessary.

Tilt top of can away from face. Place thumb on valve stem.

Push stem forward until it locks.


Place can on newspaper and leave room immediately.

WARNING: Contents under pressure. Do not puncture. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

Use in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Do not remain in treated areas and ventilate before re-occupying.

CLINE-BUCKNER, INC.

Cerritos, Calif. 90701



KILLS EXPOSED INSECTS INCLUDING DDT RESISTANT FLIES/TREATS UP TO 5,000 CUBIC FEET WITH SINGLE DISCHARGE

WARNING: Keep out of reach of children. See back panel for further precautions.

E.P.A. 9444-20

Net Weight 5 oz.