

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number 251214

Application for Pesticide - Section I

1. Company/Product Number 9444-21	2. EPA Product Manager R. Keigwin, Jr.	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CB-38 Insecticide	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Waterbury Companies, Inc. P.O. Box 640/ 129 Calhoun St. Independence, LA 70443 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

NOTIFICATION

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated APR 24 1996
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) I am submitting this notification in which an addition of the number of sprays per space for metered valve (handheld use) was added to the label because some of our production will include metered valves instead of the regular valve system. Some pest control companies want to use a handheld metered system in order to avoid overapplication of insecticides and for tracking and quantifying amounts of insecticides being used. The label will remain the same keeping all use sites, methods of application, and precautionary statements. This similar Section - III request was done w/ EPA Reg. # 9444-41,

1. Material This Product Will Be Packaged In: CB-40 Insecticide.			2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other				

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Ruben Mendoza	Title Registration Specialist	Telephone No. (Include Area Code) (504) 878-6751
2. Signature <i>Ruben Mendoza</i>		3. Title Registration Specialist
4. Typed Name Ruben Mendoza		5. Date 3/7/96
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)

292



PRECAUTIONARY STATEMENTS
Hazardous to Humans & Domestic Animals
CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces and utensils should be covered during treatment in a way as to prevent contamination or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. DO NOT APPLY DIRECTLY TO WATER. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 38 inches from surfaces of fabrics to avoid possible staining.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds (4-6 sprays with metered valve) per 1,000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Do not remain in treated areas. Ventilate after treatment. Repeat treatment as necessary.

Cockroaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Sowbugs: General Volumetric Treatment—Open cabinets and doors in area to be treated. Shut off air conditioners, fans, and close doors and windows before spraying. Spray for 20 seconds (15-25 sprays with metered valve) per 1,000 cubic feet of space. Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat as necessary.

Ants: Spray trails, nests, and points of entry. Spray on ants when possible. Repeat as necessary. **Indianmeal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of room, especially around stored food product containers, pallets, and damaged areas. Do not spray in areas where food is exposed in anyway. Spray 7 to 10 seconds (8-15 sprays with metered valve) for each 1,000 cubic feet of space. Keep area closed for 15 minutes following treatment. Do not remain in treated areas. Ventilate after treatment. Repeat application weekly or as needed.

Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevil, Granary Weevil, Grain Mites: Spray into cracks and crevices, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds (25-40 sprays with metered valve) for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. **Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary. **Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat as necessary.

VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids): For crack and crevice application, calculate void volume in cubic feet. Treat 20 seconds (15-25 sprays with metered valve) per 1,000 cubic feet. Repeat as necessary.

FOOD PROCESSING PLANT USE: To kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets—Spray the insect directly when possible. Spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances, in food storage areas. To Kill Flies, Mosquitoes, Gnats, Small Flying Moths—Close all windows and doors. Direct spray upward, spraying for 2-3 seconds (4-6 sprays with metered valve) for 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment.

HOME USE: To kill Cockroaches, Spiders, Silverfish, Wasps, Hornets, Crickets—Spray the insect directly when possible and spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves and under appliances. Repeat as necessary.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters, and other ornamentals to kill Japanese Beetles hit by spray, use as Aphicide, against Thrips and Root Aphids. May be used on plants as a multi-purpose spray in small gardens and for spot treatment of inopiant insect infestations to prevent spreading in large garden areas.

May also be used on other plants, such as African violets, asters, azaleas, begonias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, aucynimus, fuchsia, geraniums, creasote, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, anadragons, stocks, wandering jew and zinnias. Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, silver mites and armyworms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second (2 sprays with metered valve) bursts. Do not wet foliage or blossoms.

Note, when using this product in an enclosed area, such as milkroom, barn or stable, remove animals before spraying. **DAIRY FARM USE:** MILKING PARLOR and MILKROOM—Close all windows and doors. Direct spray upwards, spraying for 5 seconds (8-10 sprays with metered valve) for 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment. Remove milk and cover milking utensils before spraying. After spraying, milking utensils must be washed with an effective cleaning compound followed by a potable water rinse.

ANIMAL USE: Thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's eyes. Treat written on back of animal and back of pony heads, close all windows and doors. Spray at the rate of 5 seconds (8-10 sprays with metered valve) per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

DEER CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 5 seconds (8-10 sprays with metered valve) per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

ANIMAL USE: For animal application, thoroughly spray entire animal from approximately 2 feet distance. Do not spray directly toward animal's face or eyes. Repeat application daily or as necessary.

STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing 5 seconds (8-10 sprays with metered valve) per animal. For most effective results, apply each morning.

HORSE BARN USE: Stand in back and spray heads, close all windows and doors. Spray at the rate of 5 seconds (8-10 sprays with metered valve) per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Repeat application as necessary.

ANIMAL USE: For animal application, lightly mist over backs of horses and ponies from a distance of 2 feet. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

HOG OPERATIONS: In hog houses, close all doors and windows. Spray at the rate of 2-3 seconds (4-6 sprays with metered valve) per 1,000 cubic feet of space. Do not remain in treated area. After 15 minutes, ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, direct spray over backs of hogs and spray for 5 seconds (8-10 sprays with metered valve) per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

POULTRY OPERATIONS: In poultry houses, close all windows and doors. Spray at the rate of 5 seconds (8-10 sprays with metered valve) per 1,000 cubic feet of space. Do not remain in treated area. Ventilate after treatment. Treat daily or as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions herewith.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area away from heat or open flame. **DISPOSAL:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE if recycling is not available, wrap the container and discard in the trash.

Authorized for use under USDA Inspection and Grading Programs.

WARNING: Contains 1,1,1-trichloroethane a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

CB-38

insecticide

KILLS: House Flies, Mosquitoes, Gnats, Wasps, Hornets, Small Flying Moths, Silverfish, Crickets, Spiders, Cockroaches, Waterbugs, Centipedes, Sowbugs, Ants, Indianmeal Moths, Angoumois Grain Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites, Carpet Beetles, Bedbugs, Barn Flies, Deer Flies, Stable Flies and Horn Flies

- Highly Active Solvent System • Non-Aqueous
- For Control of Residential & Industrial Pests

ACTIVE INGREDIENTS:

Pyrèthrins	0.30 %
* Piperonyl Butoxide, technical	2.40 %
INERT INGREDIENTS	97.30 %
	<hr/>
	100.00 %

* Equivalent to 1.92% (butylcarbyl) (6-propylpiperonyl) ether and 0.48% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements.

Manufactured by WATERBURY COMPANIES, INC.
P. O. Box 1812 Waterbury, CT 06721, U.S.A.

EPA Reg. No. 9444-21

EPA Est. No. 9444-LA-1

NET WEIGHT 23 oz / 652 g

AZEP021-10-REV 4/94 (PMT 2/96)