

DANGER: Purge total release aerosol with VAPONA is poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor. Do not get vapor or liquid on skin or eyes. Do not get on clothing. Wear a full face mask or respirator approved by the U. S. Bureau of Mines for DDVP protection. Wear rubber gloves. Also wear clean protective clothing with head and skin surfaces covered so that no bare skin is exposed. In case of contact remove contaminated clothing immediately. Wash or shower thoroughly and put on clean clothing, including shoes. Wash hands, arms and face with soap and water before eating or smoking. **WARNING:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

ANTIDOTE AND FIRST AID TREATMENT: ATROPINE is the emergency antidote for VAPONA insecticide poisoning. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. **INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the mouth and pumping warm salt (1 tablespoon salt to a quart of warm water). NEVER GIVE ANYTHING TO EAT OR DRINK TO AN UNCONSCIOUS PERSON. **EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the spill. Remove all contaminated clothing and wash skin with soap and running water. If the material got into the eye, wash with running water for at least 10 minutes. **IF WARNING SYMPTOMS APPEAR:** NEVER ADMINISTER ATROPINE until warning symptoms appear. (See WARNING SYMPTOMS below). Keep patient in a cool quiet place. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

NOTE TO PHYSICIAN: **WARNING SYMPTOMS:** Irritation of the eyes, redness, itching, slight tearing, blurred vision, photophobia, lacrimation, conjunctivitis, watering, burning, stinging, itching of the head and neck. **TREATMENT:** ATROPINE is the specific therapeutic treatment of all symptoms of poisoning. It is a parasympatholytic which blocks the action of acetylcholine at the parasympathetic synapse. It is a potent antispasmodic, anticholinergic, antihistaminic, and anticholinergic. It is also a potent anticholinergic. It is also a potent anticholinergic. It is also a potent anticholinergic. **PRECAUTION IN USING:** Purge total release aerosol with VAPONA is poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor. Do not get vapor or liquid on skin or eyes. Do not get on clothing. Wear a full face mask or respirator approved by the U. S. Bureau of Mines for DDVP protection. Wear rubber gloves. Also wear clean protective clothing with head and skin surfaces covered so that no bare skin is exposed. In case of contact remove contaminated clothing immediately. Wash or shower thoroughly and put on clean clothing, including shoes. Wash hands, arms and face with soap and water before eating or smoking. **WARNING:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

CLINE BUCKNER, INC., 16317 Prima Avenue, Cerritos, CA 90701

PURGE TOTAL RELEASE

INSECTICIDE WITH VAPONA

FOR PEST CONTROL OPERATORS ONLY

Kills flies, roaches, fleas, ticks and silver fish.

For industrial and home use.

DIRECTIONS FOR USE: Must be used by licensed pest control operators only. Use 1 - 6 oz. can for every 6,000 cubic feet of space. During handling and operation use face mask or respirator approved by the U. S. Bureau of Mines for DDVP insecticide protection. All drafts and exhaust outlets must be shut off during fogging. Evacuate occupants and pets completely from premises before starting treatment. Fish bowls must be covered or removed. House plants must be covered within 8 feet of release point. Unwrapped or unpackaged food must be removed during fogging. After application do not reoccupy premises for at least 2 hours. Before reoccupying open all doors and windows and ventilate thoroughly. Wash dishes and kitchen utensils thoroughly. Do not contaminate water supply or other food stuffs.

Place can in center of area to be treated. Place newspaper under can. Break off stem on top of valve. Leave premises immediately. The entire contents will release automatically.

ACTIVE INGREDIENTS: 2,2-Dichlorovinyl Dimethyl Phosphate 6.50%, related compounds 0.50%; Epichlorohydrin 0.25%; petroleum distillates 7.00%.
INERT INGREDIENTS: 85.75%

DANGER: KEEP OUT OF REACH OF CHILDREN.
See additional precaution and antidote information on back panel.

NET WEIGHT: 6 OZ. (170 g)