

November 25, 1997

Mr. Ruben Mendoza
 Waterbury Companies, Inc.
 129 Calhoun Street
 P.O. Box 640
 Independence, LA 70443

Dear Mr. Mendoza:

Subject: Total Release Insecticide with Vapona
 EPA File Symbol No. 9444-32
 Your Submission of June 4, 1997

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:
 - a. Delete the statement "Keep away from fire, sparks and heated surfaces". Replace with "Turn off all ignition sources such as pilot lights (shut off gas valve), other open flames or running electrical appliances that cycle off and on (i.e. refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance."

 - b. After the statement "Use 1- 6 oz. can for every 6000 cubic feet of space", add "Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables".

Submit two copies of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
 Product Manager (13)
 Insecticide-Rodenticide Branch
 Registration Division (7505C)

	Enclosure	CONCURRENCES					
SYMBOL							
SURNAME	SLW						
DATE	11/25/97						

2/2

After

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
DANGER

This insecticide is fatal (poisonous) if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor. Do not get vapor or liquid on skin or eyes. Do not get on clothing. Wear a full face mask or respirator jointly approved by MSHA (Mine Safety and Health Administration) and by NIOSH (National Institute for Occupational Safety and Health) for protection against DDVP. Wear rubber gloves. Also wear clean, protective clothing with head and skin surfaces covered so that no bare skin is exposed. In case of contact, remove contaminated clothing immediately. Wash or shower thoroughly and put on clean clothing, including shoes. Wash hands, arms and face with soap and water before eating or smoking. Evacuate occupants and pets completely from premises before starting treatment. Keep all unprotected persons out of operational areas. Fish bowls must be covered or removed. House plants must be covered within 8 feet of release point.
PHYSICAL OR CHEMICAL HAZARDS: Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Must be used by licensed pest control operators. Use 1-8 oz can for every 6,000 cubic feet of space. During handling and operation, use face mask or respirator jointly approved by MSHA (Mine Safety and Health Administration) and NIOSH (National Institute for Occupational Safety and Health) for protection against DDVP.
Do not use in any rooms where infants, the sick or aged are, or will be present for any extended period of confinement.
Cover all food/feed preparation surfaces, dishes and food/feed handling equipment before treatment. Thoroughly wash all food/feed preparation surfaces, dishes and food/feed handling equipment after treatment. In the home food should be removed or covered during treatment. Cover all food preparation surfaces, dishes and food handling equipment before treatment. Thoroughly wash all food handling equipment after treatment. Do not use to treat non-perishable packaged or bagged and/or bulk stored raw or processed agricultural commodities. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed, in serving areas while food/feed is exposed or facility is in operation. Non-food/feed processing areas: includes areas such as garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Do not use in Federally inspected meat and poultry plants.
Place can in center of area to be treated. Place newspaper under can. Push down tab on top of valve until it locks. Leave premises immediately. The entire contents will release automatically. After application, do not reoccupy premises for at least 2 hours. Before reoccupying, open all doors and windows and ventilate thoroughly for at least 1 hour. Wash dishes and kitchen utensils thoroughly. Do not contaminate water supply or other foodstuffs. Care should be used in handling empty container.
RAILROAD CARS: Railroad cars should be in transit or stationary and closed for a minimum of 2 hours before being out. Tape DANGER placards to all door openings. Placards should include the following information: time and date treated, airing out time and type of material (% Vapona aerosol). Treated boxcars should only be opened by licensed personnel.
Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store in a cool, dry area away from heat or open flame. **DISPOSAL:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.



WARNING: Contains 1,1,1-trichloroethane a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

Manufactured by
WATERBURY COMPANIES, INC.
P. O. Box 1812
Waterbury, CT 06722
Made in USA

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV 25 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9444-32



**total release insecticide
with Vapona**

For Sale to, Use and Storage By Licensed Pest Control Operators Only
Kills: Exposed Stages of Flies, Cockroaches, Fleas, Ticks and Silverfish
For Industrial and Home Use. For Use in Homes and the Non-Food
Areas of Restaurants, and Food Processing Plants, Warehouses,
Railroad Cars, Theaters and Industrial Plants.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink one to two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on Skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician immediately.
Note to Physicians: DDVP is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

ACTIVE INGREDIENTS:

Dichlorvos [2,2-dichlorovinyl dimethyl phosphate]	6.50%
Related compounds	0.50%
INERT INGREDIENTS	93.00%
	100.00%



KEEP OUT OF REACH OF CHILDREN

DANGER

See Back Panel for Additional Precautionary
Statements,

EPA Reg. No. 9444-32

EPA Est. No. 9444-LA-1

NET WEIGHT 6 oz / 170 g

RNEPA032-4-Rev 1/87 (PMT 4/87)