

PRECAUTIONARY STATEMENT

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

Harmful if swallowed. Avoid breathing of vapors. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Wash skin with water and soap. Get medical attention if irritable, persists. Do not contaminate food or food stuffs. Do not remain in treated areas. Vacate premises for at least 30 minutes after spraying. Ventilate the area after treatment is completed and before reentering.

Volumetric Treatment in Food Areas and/or Food Handling Establishments. Do not apply directly to food in commercial food handling facilities. Do not remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled and rinse with potable water.

Volumetric Treatment in Homes. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and fish and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS. Corrosive under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

DIRECTIONS FOR USE

This is a violation of Federal law to use this pesticide in a manner inconsistent with its labeling.

Flying Insects. For mosquitoes, gnats, flies, and other winged pests. Calculate cubic feet of space to be treated. Mix and dilute as directed. Apply in a sweeping motion on all parts of the room. Apply until the insecticide covers 100 cubic feet of space. Sweep up and destroy the insects. Repeat as necessary.

Crawling Insects. Crickets, ants, roaches, and other crawling insects. Calculate square feet of floor area to be treated. Operate sprayer until 100 square feet are sprayed. Spray directly on insects or in cracks and crevices where insects hide.

FOR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also spray around door and window frames. Repeat as necessary.

CRACK & CREVICE APPLICATION. Food areas and/or food handling establishments. Spray in cracks and crevices, using the crack and crevice nozzle provided. A crack and crevice application can be done in food areas and/or food handling establishments while these facilities are in operation by taking extreme care not to contaminate surfaces.

FOR SPIDERS AND SILVERFISH. For control of these insects, frequent and repeated spraying of baseboards, windows, door frames, bookcases and storage areas should be made. For adequate control, spray directly on insects.

FOR CRICKETS. Spray thoroughly and frequently behind stoves, refrigerators, under cat mats, in food storage areas and behind any other areas prone to ants and other damp areas. For best results, spray directly on insects.

FOR FLEAS IN BUILDINGS. Close windows and doors. Turn on lights. If above floor and direct fog toward furniture, walls, ceiling, etc. Do not spray directly on people. Be sure that all fleas are treated. Repeat spraying as necessary. Repeat treatment after 7 days.

FOR ANTS. Spray ant trails, nests and other ant activity. Thoroughly apply 1/4 to 1/2 to 100 sq. feet of floor area. Repeat periodically. Spray at a space rate of 3.5 seconds per 100 sq. feet of space.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE. Store in a cool, dry area away from heat or open flame.

PESTICIDE DISPOSAL. Pesticide that cannot be used according to label instructions, must be disposed of according to applicable federal, state and local procedures.

CONTAINER DISPOSAL. Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

Authorized for use under USDA Inspection & Grading Programs

Made in U.S.A.

CLINE-BUCKNER, INC.

A Division of Ciba-Geigy Corporation

700 North Zeeb Road, P.O. Box 1470, Kenilworth, N.J. 07033

BEST AVAILABLE