

DOS

PRECAUTIONARY STATEMENT

CARBONATE

USES - THE MISC. AND INDUS. AREA

Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Wash skin with warm water and soap. Get medical attention if irritation persists. Do not contaminate food or feed stuff. Do not remain in treated areas. Vacate premises for at least 15 minutes after spraying. Ventilate the area after treatment is completed and before re-entering.

Volumetric Treatment in Food Areas and/or Food Handling Establishments: Do not apply directly to food in commercial food handling facilities. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, thoroughly wash all equipment, bins, hoppers, shelving, etc., where exposed food will be handled and wash with potable water.

Volumetric Treatment in Homes: Avoid breathing of the heat evolved from materials dust and fume. Do not apply to surfaces containing treatment or thoroughly wash before the treatment. Let the spray dry and cover with equipment. Do not spray on pets.

PERSONAL PROTECTION EQUIPMENT: Content is a practice of not providing personal protective equipment. If you must use a respirator, use one above NIOSH F-1000. Never smoke or drink alcohol. Never spray near children or pets.

DISPOSAL: Spray on paper and bury in a suitable location or incinerate.

ROUTINE

FOOD PROCESSING PLANTS: Do not apply directly to food in commercial food handling facilities. Cover or remove any food and food processing equipment during application. Do not apply to surfaces containing treatment or thoroughly wash before the treatment. Let the spray dry and cover with equipment. Do not spray on pets.

FOOD HANDLING AREAS: Do not apply directly to food in food handling facilities. Cover or remove any food and food processing equipment during application. Do not apply to surfaces containing treatment or thoroughly wash before the treatment. Let the spray dry and cover with equipment. Do not spray on pets.

CRACK & CREVICE APPLICATION: Food areas and/or food handling establishments: spray in cracks and crevices, using the crack and crevice nozzle provided. A crack and crevice application can be done in food areas and/or food handling without the removal of any food product prior to application by following the directions above.

FOR CRACKS AND CREVICES: For control of cockroaches, ants, fleas, ticks, spiders, etc., spray along baseboards, corners, door frames, break points of concrete areas, etc. If necessary, spray directly on insects.

FOR CRACKS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas and especially in closets, basements and other damp areas. For best results spray directly on insects.

FOR FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct fan toward floor and lower walls at a rate of 10 seconds per 100 sq. feet making sure that all floor, sofa, and chair surfaces are contacted. Repeat treatment after 7 days.

FOR ANTS: Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 100 sq. feet of floor area. Then periodically spray as a space aerosol 3-5 seconds per 100 cubic feet of space.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not puncture or incinerate.

Aerosol made in U.S.A. by Morton Salt Company

Manufactured by
**WATERBURY
COMPANIES, INC.**
P.O. Box 1812
Waterbury, CT 06722