ALCEPTUL

Harmful if awallowed. Avoid breething of vapor, Avoid contact with sidn and eyes, in case of contact, immediately flush eyes with plenty of water. Wash skin with warm water and soap. Get medical attention if irritation persists. Do not contaminate food or foodstuffs. Do not remain in treated areas. Vacate premises for at least 15 minutes after spraying. Vertilate the area after treatment is completed and before re-entering.

Volumetric Treatment in Food Areas and/or Food Handling Establishments: Do not apply directly to food in commercial food handling facilities. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing facilities, thoroughly wash all equipment, banches, shelving, etc., with an effective cleaning compound followed by a potable water rinee prior to use.

Volumetric Treatment in Homes: In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aqueriums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to symperatures above 130°F may cause bursting. Never throw container into

Do not spray on plastic, pai-red or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FLYING MISECTS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats-Calcusted cubic feet of space to be treated. Close all doors and windows. Spray in a sweeping motion to all parts of the room. Apply for 1-3 seconds per 1,000 cubic feet of space. Sweep up and destroy fellen insects, Repeat as necessary.

CRAWLING INSECTS: Cockroachee, Ants, Spiciere, Silverfish: General Volumetric CRAWLING INSECTS: Cockroschee, Ante, Spiciere, Silverfieh: General Volumetric Treatment—Open cabinets and doors in area to be treated. Shut off air conditioners, fane, and close doors and windows before spraying. Spray for 20 seconds per 1000 cubic feet, Direct spray toward areas suspected of harboring insects. Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Keep area closed for 15 minutes. Open and ventilate before recocupying. Repeat treatment as recessary.

FOR COCKROACHES: For best results, spray directly on cockrosches and thoroughly spray all parts of the room suspected of herboring these pasts. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas and whenever these pasts are suspected of hidron. Also, agray around door-

storage areas and wherever these pasts are suspected of hiding. Also, epray around door-and windowframes. Repeat as necessary.

CRACK & CREVICE APPLICATION: Food areas and/or food handling establishments, spray in cracks and crevices using the crack and crevice nozzle provided. A crack and crevice application can be done in food areas and/or food handling establishments while these facilities are in operation by taking extreme care not to contaminate surfaces.

VOLUMETRIC TREATMENT FOR INACCEDENBLE VOIDS (Attion, False Cellings, Well and Equipment Voide): For crack and crevice application, calculate void volume in cubic feet. Trest 20 seconds per 1000 cubic feet (for 15 lb, size: 10 seconds per 1000 cubic feet). Repeat as necessary.

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, doorframes, bookpases and storage areas should be spraying of baseboards, windows, doorframes, books, made. For adequate control, spray directly on insects.

FOR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas and especially in closets, becoments and other damp areas. For best results, spray directly on insects.

FOR FLEAS IN BUILDINGS: Close windows and doors. Hold serosol 36 inches above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet making sure that all floor, sofs, and chair surfaces are contacted. Repeat treatment after 7 days.

FOR ANT®: Spray ant trails, neets and points of entry. For initial clean-up, apply for 10-15 seconds per 100 square feet of floor area. Then periodically apray as a space aerosol 3-5 seconds per 100 cubic feet of space.

## STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, day area away from heat or open fame.

DISPOSAL: Do not reuse empty container. Replace cap, wrap empty container in newspaper and discard in trash. Do not pt. noture or incinerate.

WARNING: Contains 1,1,1-trichloroethane a substance which harms public health and the environment by destroying ozone in the upper atmosphere.

Authorized for use under USDA Inspection & Grading Programs.

WATERBURY COMPANIES INC. P.O. Bex 1812 Mede in USA



## **B-4** insecticide

KILLS: Flies, Mosquitoes, Small Flying Moth Wasps, Gnats, Cockroaches, Ants, Fleas, Crickets, Spiders and Silverfish

FOR USE IN Homes, Food Handling Establishments, Commercial or Institutional Kitchens, Dining Areas and Pantries of Restaurants, Supermarkets, Food Plants, Food Warehouses, Bottling Plants, Hospitals, Hotels, Motels, Stores, Dairies, Stables, Nursing Homes, Day-care Centers, Egg and Milk Handling Areas of Dairies and Chicken Houses

## Fast knockdown and kill

**ACTIVE INGREDIENTS:** 

Pyretivine ...... ★ Piperonyl Butoxide, technical . . . . . . . . 1.00% N-octyl bicycloheptene dicarboximide . . . 1.00% inert ingrédients ...... 97.50% 100.00%

\* Equivalent to 0.8% (butylcarbity)) (6-propylpiperony)) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN. CAUTION:.

See Back Panel for Additional Precautionary Stateralists.

EPA Reg. No. 9444-41

EPA Est No. S444-LA-1

NET WEIGHT 23 02/652 d

BEST AVAILABLE COPT