

DANGER: PURGE TOTAL RELEASE AEROSOL with VAPONA and RONNEL is poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe vapor. Do not get vapor or liquid on skin or eyes. Do not get on clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Also wear clean protective clothing with head and skin surfaces covered so that no bare skin is exposed. In case of contact remove contaminated clothing immediately. Wash hands, arms and face with soap and water before eating or smoking. **WARNING:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

ANTIDOTE AND FIRST AID TREATMENT: ATROPINE is the emergency antidote for DDVP and RONNEL insecticide poisoning. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt (1 tablespoon salt to a glass of warm water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: NEVER ADMINISTER ATROPINE unless warning symptoms appear. (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

NOTE TO PHYSICIAN — WARNING SYMPTOMS: Symptoms include weakness, headache, tightness to chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT. ATROPINE is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals in doses of 1-2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. 2-PAM is also antidotal and may be administered in conjunction with atropine. Repeated exposure to Cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any Cholinesterase inhibitor. Allow no further exposure until time for Cholinesterase regeneration has been allowed as determined by blood tests.

PRECAUTION IN USING: PURGE TOTAL RELEASE AEROSOL is poisonous. Therefore precautions must be observed when handling (see ANTIDOTE AND WARNINGS). Store in safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers.

CLINE-BUCKNER, INC.

16317 PIUMA AVENUE, CERRITOS, CALIFORNIA 90701

PURGE TOTAL RELEASE AEROSOL INSECTICIDE WITH VAPONA AND RONNEL

FOR PEST CONTROL OPERATORS ONLY

Kills flies, ~~mosquitoes, and house flies~~

For industrial and home use.


DIRECTIONS FOR USE: Must be used by licensed pest control operators only. Use 1 - 6 oz. can for every 6,000 cubic feet of space. During handling and operation wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. All drafts and exhaust outlets must be shut off during fogging. Evacuate occupants and pets completely from premises before starting treatment. Fish bowls must be covered or removed. House plants must be covered within 8 feet of release point. Unwrapped or unpackaged food must be removed during fogging. After application do not reoccupy premises for at least 2 hours. Before reoccupying open all doors and windows and ventilate thoroughly. Wash dishes and kitchen utensils thoroughly. Do not contaminate water supply or other food stuffs.

Place can in center of area to be treated. Place newspaper under can. Break off stem on top of valve as shown in illustration. Leave premises immediately. The entire contents will release automatically.

ACTIVE INGREDIENTS: 2,2-Dichlorovinyl Dimethyl Phosphate (DDVP) 6.50%; related compounds 0.50%; Ronnel 0,0-dimethyl 0-(2, 4, 5-trichlorophenyl) phosphorothioate 2.00%; petroleum distillates 5.00%; Xylene 2.00%.

INERT INGREDIENTS: 84.00%

DANGER:



**KEEP OUT OF REACH OF CHILDREN.
See additional precaution and antidote information on back panel.**

NET CONTENTS: 6 oz.

EPA Est. No. 2444-CA-1

EPA Reg. No. 9444-47-AA