

10F1
P. 12
2-12-85

ACCEPTED
MAR 19 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. _____

0 0 0 0
0 1 2 0 5

DIRECTIONS FOR USE

To control fleas, ticks, and lice. Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the parted fur directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Spraying a cat 20 to 30 seconds or an average size dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinfestation.

Do not treat or cause exposure to kittens or puppies under four weeks of age.

Do not use on pregnant dogs.

To control infestation in sleeping quarters, after treating animals, spray bedding, walls, and floor with special attention to cracks and crevices.

ACTIVE INGREDIENTS

Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
Carbaryl (1-naphthyl)	
N-methylcarbamate	0.50%
Butylpropylpyrene Glycol	5.00%
Petroleum Distillate	0.2%

INERT INGREDIENTS

93.74%
100.00%

*Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and to 0.1% related compounds.

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed, foodstuffs or utensils.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw in fire or incinerator.

Manufactured by
CLINE-BUCKNER, INC.
Cerritos, California 90701
&
Independence, LA 70443



CAT & DOG FLEA-LICE & TICK SPRAY

**Provides Rapid Kill of Fleas, Lice
and Ticks**

**Repellent to Flies, Mosquitoes, and
Gnats for from 4 to 8 hours**

**WARNING: Keep out of reach of
children. See back panel for fur-
ther precautions.**

EPA 9444-49-AA EPA EsL No. 9444-LA-1

Net Weight 7 oz.

BEST AVAILABLE COPY