

PM 12 EPA # 9444-49 P. 1 of 1
CLF 11/22/89



CAT & DOG FLEA-LICE & TICK SPRAY

Provides Rapid Kill of Fleas, Lice
and Ticks

Repellent to Flies, Mosquitoes, and
Gnats for from 4 to 8 hours

WARNING: Keep out of reach of
children. See back panel for fur-
ther precautions.

E.P.A. 9444-49-AA EPA Est. No. 9444-LA-1

Net Weight 7 oz.

DIRECTIONS FOR USE

To control fleas, ticks, and lice: Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the parted fur directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Spraying a cat 20 to 30 seconds or an average size dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinfestation.

Do not treat or cause exposure to kittens or puppies under four weeks of age.

Do not use on pregnant dogs.

To control infestation in sleeping quarters, after treating animals, spray bedding, walls, and floor with special attention to cracks and crevices.

ACTIVE INGREDIENTS

Pyrethrin	0.05%
*Piperonyl Butoxide, Technical	0.50%
Carbaryl (1-naphthyl	
N-methylcarbamate)	0.50%
Butylcyclopropylamine Glycol	5.00%

INERT INGREDIENTS

93.95%
100.00%

*Equivalent to 0.4% (butylcarbaryl) (6-propylpiperonyl) ether and to 0.1% of related compounds.

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of food, foodstuffs or utensils.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw in fire or incinerator.

Manufactured by:
CLINE-BUCKNER, INC.
Cerritos, California 90701
&
Independence, LA 70443

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.