

# PURGE CB-4-100 INSECT KILLER

Kills House Flies, Mosquitoes, Gnats, Small Flying Moths (Millers), Wasps, Yellowjackets, Bees in Buildings, Roaches, Waterbugs, Earwigs, Grain Mites, Fleas, Sawflies, Spiders, Centipedes, Ants, Adult Confused Flour Beetles, Saw Toothed Grain Beetles, Shiny Spider Beetle, Carpet Beetle.

For Use in Non-Food Areas of Homes, Bakeries, Factories, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Food Handling Plants, Supermarkets, Unions, and Milk Handling Areas of Milk, Cheese, and Ice Cream Plants.

**ACTIVE INGREDIENTS:**

**Permethrin (5-phenoxyethyl-3-turvy)methyl 2,2-dimethyl-3-methyl-1-propenyl-2-propylcarbamoyloxy	500%
Related Compounds	500%
Aeromatic Petroleum Hydrocarbons	50%
Petroleum Distillate	8.700%
<b>INERT INGREDIENTS</b>	<b>90.000%</b>
	<b>100.000%</b>

\*\*Cis/trans isomer ratio: max. 30% (z) cis and min. 70% (z) trans.  
\*SFP 1282 is a trademark of the S. B. Penick Co., a unit of CPC International, Inc.

EPA Reg. No. 944-14A  
EPA Est. No. 944-CA-2  
**Net Weight 16 Oz.**

**Technical Spec/Directions:**  
Treats (Flying Insects) Approximately 1,000,000 cubic feet. Doseage: (Flying Insects) 1.3 ounces per 1,000 cubic feet. Spray Rate @ 70°F: 1 gram per second.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION:**

Harmful if swallowed. Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with the skin, eyes, or clothing. Avoid contamination of water, food or food stuffs.  
Do not use in or close product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in eating areas while food is exposed. Use in these areas is permitted only as a crack & crevice treatment (see directions below).  
Remove all pots, birds, and cover fish aquariums before spraying.  
Environmental Hazards: This product is toxic to fish and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.  
Physical or Chemical Hazards: Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(1) Flying Insects: House flies, mosquitoes, gnats, small flying moths (millers). Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Spray 1-3 seconds per 1,000 cu. ft. Keep room closed for at least 15 minutes. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

Wasps & Yellowjackets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Note: Only use for bees inside building or well voids where bees are undesirable.

(2) Crawling Insects: Roaches, waterbugs, earwigs, grain mites, fleas, sawflies, spiders, centipedes, adult confused flour beetles, saw toothed grain beetles, shiny spider beetle, carpet beetle. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Crack & Crevice Only: Spray in cracks and crevices using the crack & crevice extension nozzle provided. This can be done in restaurants and food handling establishments while the facility is in operation taking extreme care not to contaminate surfaces or spray as a space spray.

In hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

**DISPOSAL**

Do not reuse empty container. Wipe container and put in trash collection.

Manufactured by:  
**CLINE-BUCKNER, INC.**  
16217 PRIMA AVENUE / CERRITOS, CALIFORNIA 90701

33