

### Technical Specifications:

Treats (Flying Insects) Approximately 544,000 cubic feet. Dosage (Flying Insects) 1-3 seconds per 1,000 cubic feet. Spray Rate @ 70°F - 1 gram per second

### PRECAUTIONARY STATEMENTS

#### CAUTION:

**Hazards to Humans & Domestic Animals:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying. **Physical or Chemical Hazards:** Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(1) **Flying Insects:** Flies, mosquitos, gnats, small flying moths (millers). Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Spray 1-3 seconds per 1,000 cubic feet. Keep room closed for at least 15 minutes. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

**Wasps & Yellowjackets:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

**Bees:** Only use for bees inside building or wall voids where bees are undesirable.

(2) **Crawling Insects:** Roaches, waterbugs, earwigs, grain mites, fleas, sowbugs, spiders, centipedes, adult confused flour beetles, saw toothed grain beetles, shiny spider beetles, carpet beetles. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**Crack & Crevice Only:** Spray in cracks and crevices using the crack & crevices extension nozzle provided. This can be done in restaurants and food handling establishments while the facility is in operation, taking extreme care not to contaminate surfaces or spray as a space spray.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool dry place away from heat or open flame. **DISPOSAL:** Do not reuse empty container. Replace cap, wrap container and put in trash collection.

Authorized for use under USDA Inspection & Grading Programs

E.P.A. Reg. No. 9444-55

E.P.A. Est. No. 9444-LA-1

Manufactured by:

**CLINE-BUCKNER, INC.**

A Subsidiary of Waterbury Companies, Inc.  
Artesia CA 90701 & Independence, LA 70443

ACCEPTED

AUG 23 1988

9444-55