

PM 10 9444-55 pg 113

MAR 21 1991

Mr. Peter Drury
Cline-Buckner
Subsidiary of Waterbury Company, Inc.
P.O. Box 640
Independence, LA 70443

Dear Mr. Drury:

Subject: Revised Formula
Purge CB S-1000 Insect Killer
EPA Registration No. 9444-55
Your Submissions Dated May 4 and July 6, 1989 and
January 18 and October 19, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The basic formulation dated May 4, 1989 is acceptable and has been included in the file for this pesticide. The alternate formula of that date is dissimilar and may not be included under this registration. It is also understood that use of methylene chloride is no longer consistent with the terms of registration of this pesticide formulation.

62475:I:A-4:Mountfort:L10-7:KEVRIC:3/14/91:PERM:EK:WO:DD:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

-2-

As new labels are prepared, refer to the Resmethrin Standard concerning the label ingredient statement declaration for resmethrin.

Sincerely yours,



Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans & Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. When using as a space spray, do not apply while food processing is under way. Do not use as a space spray in the home. After space spraying food processing plants, thoroughly wash with an effective cleaning compound all equipment, benches, shelving, etc. where exposed food will be handled and rinse with potable water. Do not spray natural and/or synthetic fabrics.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

Remove pets and birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TV's, computers, etc.

DIRECTIONS FOR USE

Violation of Federal law to use this product in a manner inconsistent with labeling.

(1) Flying Insects: (non-residential application only) House flies, mosquitos, gnats, small flying moths (millers). Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Spray 1-3 seconds per 1,000 cubic feet. Keep room closed for at least 15 minutes. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

Wasps and Yellowjackets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Residential spraying limited to outdoor application only.

Bees in Buildings: Only use for bees inside building or wall voids where bees are undesirable. Residential spraying limited to external wall application only.

(2) Crawling Insects: Cockroaches, waterbugs, earwigs, grain mites, fleas, sowbugs, spiders, centipedes, adult confused flour beetles, sawtoothed grain beetles, shiny spider beetles, carpet beetles. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

Commercial Crack & Crevice Only: Spray in cracks and crevices using the crack & crevice extension nozzle provided. This can be done in restaurants and food handling establishments while the facility is in operation taking extreme care not to contaminate food contact surfaces or handle as a space spray.

Residential Crack & Crevice Only: Spray in cracks and crevices using the crack & crevice extension nozzle provided. Extreme care should be taken not to spray natural or synthetic surfaces in the home.

Residential treatment limited to outdoor application or crack & crevice treatment indoors, taking care not to spray fabrics.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. Residential treatment limited to outdoor application or crack & crevice treatment indoors, taking care not to spray fabrics.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable federal, state and local procedures.

CONTAINER DISPOSAL: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

Authorized for use under USDA Inspector's Guidance

With Accepted Programs
Accepted Comments
MAR 21 1961
Under the Federal Insecticide, Fungicide, and Plant Disease Act
as amended
REGISTERED
WATERBURY COMPANIES, INC.
WATERBURY, CT
EPA Reg. No. 944-515