1444-61

11/22/27

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Iniert Change in Status.

## PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans & Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Foods should be covered or removed during treatment. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariums before spraying.

Physical or Chemicals Hazards: Contents under pressure. Do not puncture. Do not use or store near heat or flame. Exposure to temperatures above 130°5 may cause bursting. Never throw container into fire or incinerator.

## **DIRECTIONS FOR USE**

### STORAGE AND DISPOSAL

Storage: Store in cool dry place.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

### FOR USE IN HOMES:

Shake well before each use: Remove protective cap, Aim spray opening away from person. Push button to spray.

ANTS: Apply to ant trails and around door sills, window frames and other places where ants may enter. ROACHES. EARWIGS. SOWBUGS. SPIDERS AND CENTIPEDES:

Contact Spray: Spray thoroughly into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Residual Spray: Spray baseboards, cracks and crevices around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks and crevices, shower walls and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Repeat as necessary.

OUTDOORS: Reduce housefflies, biting flies and flying moths (millers) by spraying their resting areas. Spray areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic feet of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



# Bug Boss

# RESIDUAL ANT & ROACH INSECTICIDE II

## Double Action Killer

Can be used as contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.

KILLS: Ants, Roaches, Earwigs, Spiders, Sowbugs, Centipedes, Houseflies, Biting Flies, Small Flying Moths.

ACTIVE INGREDIENTS:

†\*Resmethrin {(5(phenylmethyl)-3-furanyf}
methyl 2,2-dimethyl-3-{2-methyl-1-propenyf}
cyclopropanecarboxylate 0.350%w/w
Related compounds 0.048%

100,000%

\*Cis/trans isomers ratio; max. 30% ( $\pm$ ) cis and min. 70% ( $\pm$ ) trans.

†U. S. Patent No. 3,465,007

E.P.A. Reg. No. 9444-69

E.P.A. Est. No. 9444-LA-1

## **CAUTION:**

KEEP OUT OF REACH OF CHILDREN
(See additional precautionary statements on side panel.)

Net Weight 11 Oz.

ACCEPTED

AUG 1 3 1982

Under the Protectal Insection of Pungicide, and Rodonticide On the mide is for the post of remissional under 444-69 EPA Reg. No. 2444-69